

3D Printing. Materials.

- ***Video. 3D Printing is changing the world.***

Word	Definition	Example
To contaminate /kən'tæmɪneɪt/ (загрязнять)	To make something impure or unclean by adding a harmful or unwanted substance.	The laboratory technician accidentally contaminated the sample, rendering it unusable for the experiment.
To fabricate /'fæbrɪkeɪt/ (изготавливать, создавать)	To create or construct something, often using various materials or components.	The company uses advanced 3D printing technology to fabricate customized prosthetic limbs for amputees.
Heart valve /hɑ:t vælv/ (сердечный клапан)	A structure in the heart that regulates the flow of blood.	The surgeon replaced a damaged heart valve with a prosthetic one to improve the patient's cardiac function.
Fluid /'flu:.ɪd/ (жидкость, текучая среда)	A substance that can flow and take the shape of its container.	The hydraulic system uses fluid to transmit power and control the movement of machinery.
To force sth back and forth /fɔ:θ/ (заставлять что-либо двигаться туда-сюда)	To exert pressure or apply a repetitive motion to make something move in opposite directions.	The piston in the engine forces air back and forth , converting thermal energy into mechanical energy.
Carotid artery /kə'rɒt.ɪd 'ɑ:.tər.i/ (сонная артерия)	One of the major blood vessels in the neck that supplies blood to the brain, face, and head.	The surgeon carefully repaired the damaged carotid artery to restore blood flow to the brain.
A trinket /'trɪŋ.kɪt/ (безделушка, недорогое украшение)	A small, decorative item or piece of jewelry that is often considered to have little value.	She bought a beautiful trinket as a souvenir from her trip to Paris.
To sew sth on /səʊ/ (пришивать что-либо)	To attach or fasten something using for example a needle and thread.	The tailor skillfully sewed the buttons on the shirt to ensure they were securely attached.
(in)accessible /æk'ses.ə.bəl/ (доступный / недоступный)	(Not) able to be reached, entered, or obtained.	The website offers a mobile-friendly version to ensure that the content is accessible on various devices.

Pneumatic distribution /nju:'mæt.ɪk ,dɪs.trɪ 'bjʊ:.fən/ (пневматическое распределение)	The use of compressed air or gas to power or control the movement of objects or fluids.	The pneumatic distribution system efficiently transports packages through a network of tubes in large facilities.
Housing /'hʌʊ.zɪŋ/ (корпус, защитная оболочка)	A structure or container that provides protection or support for something.	The hard drive is enclosed in a protective housing to shield it from external damage.
Implication /,ɪm.plɪ'keɪ.fən/ (последствие, следствие)	The logical consequence or result of an action or statement.	The introduction of self-driving cars has significant implications for the future of transportation and urban planning.
Supply chain /sə'plaɪ ,tʃeɪn/ (цепочка поставок)	The network of organizations and activities involved in the production and distribution of a product or service.	3D printing can disrupt traditional supply chains by allowing on-demand production and reducing the need for extensive inventory.
Ground up tools /graʊnd ʌp tu:lz/ (инструменты, созданные с нуля)	Tools or equipment that are built or designed from scratch, starting with the basic components.	The engineers developed ground-up tools specifically for 3D printing, optimizing them for the unique requirements of the technology.
To subject sth to sth /səb'dʒekt/ (подвергать что-либо воздействию чего-либо)	To expose or put something through a particular process or condition.	The newly printed part was subjected to rigorous testing to ensure its strength and durability.
To upend /ʌp'end/ (радикально менять, переворачивать)	To completely change or disrupt an existing situation or system.	3D printing has the potential to upend traditional manufacturing methods by enabling decentralized production and customization.
Material science chamber //mə'tɪə.rɪ.əl 'saɪ.əns 'tʃeɪm.bər / (камера для исследования материалов)	A controlled environment where materials used in 3D printing can be analyzed, tested, or developed.	Researchers are studying new materials in the material science chamber to improve the performance and capabilities of 3D-printed objects.
To morph /mɔ:f/ (плавно изменять форму)	To change or transform gradually or smoothly from one state or form to another.	The shape-shifting toy was created using 3D printing technology, allowing it to morph into different configurations.

Self-assembly /ˌself.əˈsem.bli/ (самосборка)	The process by which parts or components come together to form a complete object without external intervention.	The 3D-printed furniture pieces were designed for self-assembly , allowing users to easily put them together without additional tools.
Cubic lattice structure /'kju:.bɪk 'læt.ɪs// (кубическая решётчатая структура)	A three-dimensional framework or pattern consisting of interconnected cubic units.	The lattice structure of the 3D-printed object provided it with high strength-to-weight ratio and structural integrity.
To converge /kənˈvɜːdʒ/ (сходиться, сближаться)	To come together or meet at a common point or in a shared direction.	The fields of 3D printing and robotics are converging , leading to the development of advanced robotic additive manufacturing systems.
In pursuit of /pəˈsju:t/ (в стремлении к, в погоне за)	Striving or working towards achieving something.	Researchers continue to explore new materials and techniques in pursuit of faster, more precise, and versatile 3D printing methods.
Filament /'fɪl.ə.mənt/ (филамент, нить для 3D-печати)	The material, typically in the form of a thin thread or wire, used as the raw material for 3D printing.	The 3D printer extrudes filament , layer by layer, to build the object according to the digital design.
Loop life cycle /lu:p 'laɪf ˌsaɪ.kəl// (замкнутый жизненный цикл)	The continuous process of designing, producing, using, and recycling materials or products in a closed loop to minimize waste and maximize sustainability.	3D printing can support a circular economy by enabling a loop life cycle , with the ability to recycle and reuse materials in the printing process.
To warp /wɜ:p/ (коробиться, деформироваться)	To deform or distort due to heat, pressure, or other factors.	If the 3D-printed object is not properly cooled, it may warp or lose its intended shape.
Enabling technology /ɪˈneɪblɪŋ tekˈnɒl.ə.dʒi// (технология, обеспечивающая развитие других технологий)	A technology or innovation that provides a foundation or support for the development or advancement of other technologies or processes.	3D printing is considered an enabling technology because it opens up new possibilities for design, customization, and rapid prototyping.


- **Video: 3D printing a fast-morphing smart materials**
- **Video: New 3D printer makes multi-material robots**
- **Jigsaw Reading: 3D Printing**

Morphing n. /'mɔːfɪŋ/ (морфинг, плавное изменение формы)	The process of smoothly transforming one image or shape into another, often used in digital graphics and animation to create seamless transitions.	The artist spent hours morphing the original sketch into a vibrant digital illustration, showcasing the evolution of her creative vision.
Polarity n. /pə'ləɪrɪti/ (полярность)	The condition of having two opposite poles or tendencies, often referring to the distribution of electrical charge in chemistry, magnetism, or the existence of contrasting opinions or characteristics.	The increasing polarity between the two political parties has made it difficult to reach a consensus on important issues.
Magnetise v. /'mæɡnɪtaɪz/ (намагничивать)	To make an object magnetic or to impart the properties of a magnet to it.	When exposed to a strong magnetic field, the iron filings began to magnetise , aligning themselves along the field lines.
Resolution n. /rezə'luːʃn/ (разрешающая способность)	The smallest change in a quantity that an instrument can detect, indicating the precision of the measurement.	The resolution of the microscope allowed scientists to clearly distinguish between individual cells in the tissue sample, revealing details that were previously obscured.
Transform v. /træns'fɔ:m/ (преобразовывать)	To change in form, appearance, or structure; to convert or transmute something into a different state or condition.	In the process of photosynthesis, plants transform sunlight into chemical energy, allowing them to grow and thrive.
Remotely adv. /rɪ'məʊtli/ (дистанционно, удалённо)	From a distance; in a manner that is not physically connected or close.	Using remote sensing technology, scientists can monitor environmental changes in ecosystems that are located remotely from their research facilities.
Magnetic field n. /mæɡ'netɪk fiːld/ (магнитное поле)	A vector field that describes the magnetic influence on moving electric charges, electric currents, and magnetic materials.	The Earth's magnetic field protects the planet from solar radiation by deflecting charged particles away from its surface.
Polarity n. /pə'ləɪrɪti/ (полярность)	The distribution of electrical charge within a molecule, resulting in the formation of distinct positive and negative ends or poles.	The polarity of water molecules allows them to dissolve many ionic and polar substances, making water an excellent solvent in biological systems.
Contract v. /kɒntr'ækt/ (сжиматься, сокращаться)	To decrease in size, volume, or extent, often as a result of external forces or changes in temperature.	As the temperature dropped, the metal began to contract , causing the joints of the structure to fit more tightly together.
Deform v. dɪ'fɔ:m/ (деформировать, деформироваться)	To change the shape or structure of something, especially by applying pressure or stress, resulting in a misshapen or distorted form.	When subjected to extreme heat and pressure, the rock began to deform , altering its original structure and creating new mineral formations.

Appendage n. /ə'pendɪdʒ/ (придаток, конечность)	A part or organ that is attached to the main body of an organism, such as limbs, fins, or antennae, which serve specific functions.	The insect's long antennae serve as sensory appendages , allowing it to detect changes in its environment.
Precision n. /prɪ'sɪʒən/ (точность, повторяемость измерений)	The degree to which repeated measurements under unchanged conditions show the same results. The closeness of two or more measurements to each other, regardless of whether they are close to the true value.	The precision of the laboratory instruments was crucial for obtaining reliable data, as even slight variations in measurements could lead to significant differences in the experimental outcomes.
Millipede n. /'mɪlɪpi:d/ (двупарноногая многоножка)	An arthropod belonging to the class Diplopoda, characterized by having two pairs of jointed legs on most of its body segments.	In the damp forest floor, the millipede slowly crawled over fallen leaves, playing a crucial role in the ecosystem by breaking down dead plant material.
Nozzle n. /nɒzl/ (сопло, форсунка)	A device designed to control the direction or characteristics of a fluid flow, such as liquid or gas, as it exits or enters an enclosed chamber.	In rocket propulsion, the nozzle is crucial for directing the high-speed exhaust gases, allowing the rocket to achieve thrust and maneuver in space.
Vacuum n. /'vækjʊəm/ (вакуум)	A space that is devoid of matter, characterized by a pressure significantly lower than atmospheric pressure.	In the laboratory, researchers used a vacuum chamber to conduct experiments on the behavior of materials in conditions that closely mimic outer space, where the absence of air allows for unique phenomena to be observed.
Vat n. /væt/ (чан, резервуар)	a large container for holding liquids, especially in industrial processes	As a metal platform rises from a vat of liquid resin , it pulls an intricate white shape from the liquid — like a waxy creature emerging from a lagoon.
Resin n. /'rezɪn/ (смола)	an artificial substance similar to resin, used in making plastics	

HOW 3D PRINTING WORKS

3D printers work like inkjet printers. Instead of ink, 3D printers deposit the desired material in successive layers to create a physical object from a digital file.



Technical Vocabulary: Materials and properties

Ceramic adj /sə'remɪk/ (керамический)	made of clay that has been made permanently hard by heat	This textured ceramic vase is part of the Scratch collection of organically shaped bowls and vessels.
Ferrous adj /'ferəs/ (содержащий железо)	containing iron; connected with iron	ferrous and non-ferrous metals
Aluminium /,æljə'mɪniəm/ (алюминий)	a chemical element. Aluminium is a light, silver-grey metal used for making pans, etc.	aluminium saucepans/window frames
Cement n. /si'ment/ (цемент)	a grey powder made by burning clay and lime that sets hard when it is mixed with water. Cement is used in building to stick stones and bricks together and to make very hard surfaces.	Use a mixture of one part cement to four parts sand.
Copper n. /'kɒpə(r)/ (медь)	a chemical element. Copper is a soft red-brown metal used for making electric wires, pipes and coins.	a copper mine
Zinc n. /zɪŋk/ (цинк)	a chemical element. Zinc is a blue-white metal that is mixed with copper to produce brass and is often used to cover other metals to prevent them from rusting.	This process is applied for all experiments with the various zinc concentrations.

Fibre n. /'faɪbə(r)/ (волокно)	a material such as cloth or rope that is made from a mass of natural or artificial threads	nylon and other man-made fibres
Alloy n. /'ælɔɪ/ (сплав)	a metal that is formed by mixing two types of metal together, or by mixing metal with another substance	Brass is an alloy of copper and zinc.
Brass n. /bra:s/ (латунь)	a bright yellow metal made by mixing copper and zinc; objects made of brass	solid brass fittings/door handles
Polymer n. /'pɒlɪmə(r)/ (полимер)	a substance consisting of large molecules (= groups of atoms) that are made from combinations of small simple molecules	Many polymers , such as nylon, are artificial.
Steel n. /sti:l/ (сталь)	a strong, hard metal that is made of a mixture of iron and carbon	the iron and steel industry
Nylon n. /'naɪlɒn/ (нейлон)	a very strong artificial material, used for making clothes, rope, brushes, etc.	This material is 45 per cent nylon .
Silicon n. /'sɪlɪkən/ (кремний)	a chemical element. Silicon exists as a grey solid or as a brown powder and is found in rocks and sand. It is used in making glass and transistors.	silicon computer processors
Synthetic adj /'sɪn'θetɪk/ (синтетический)	artificial; made by combining chemical substances rather than being produced naturally by plants or animals	Synthetic fabrics
Composite adj /'kɒmpəzɪt/ (составной, композитный)	made of different parts or materials	Scientists have put together a composite picture of what the earth's crust is like.
Composite n. /'kɒmpəzɪt/ (композит, композиционный материал)	a mixture of different materials used for building, making objects, etc.	The balls are now made of plastic composite instead of leather.
Malleability n. /,mə'liə'bɪləti/ (ковкость) Malleable adj (ковкий)	the ability to be hit or pressed into different shapes easily without breaking or cracking (= starting to split)	The softness and malleability of gold makes it perfect for making jewellery.

Absorbency n. /əb'zɔ:bənsi/ (впитывающая способность) Absorbent adj (впитывающий)	the quality of being able to take in something easily, especially liquid	Cotton has high absorbency .
Density n. /'densəti/ (плотность) Dense adj (плотный)	how thick a solid, liquid or gas is, measured by its mass per unit of volume	the density of a gas
Fusibility n. /'fju:zə'bɪlɪti/ (плавкость) Fusible adj (плавкий)	the quality of being fusible or convertible from a solid to a liquid state by heat	Subsequently, due to a leaking fusible plug, it was taken out of service.
Conductivity n. /'kɒndʌk'tɪvəti/ (проводимость) Conductive adj (проводящий)	the quality of being able to conduct electricity, heat, etc.	Aluminium is a conductive metal.
Compatibility n. /kəmpraɪtə'bɪlɪti/ (совместимость)	The ability of substances, systems, or components to coexist or function together without adverse reactions or failures.	When designing medical devices, engineers must ensure the compatibility of materials with human tissues to prevent adverse reactions during implantation.
Flexibility n. /fleksə'bɪlɪti/ (гибкость) Flexible adj. /'fleksəbl/ (гибкий)	The ability of a material or system to deform elastically when a force is applied and return to its original shape when the force is removed.	The flexibility of the rubber material allowed it to absorb shocks effectively, making it ideal for use in protective gear and cushioning applications.