Brute Force / Credential Stuffing Incident Report

Solstice Health Networks - vpn.solsticehealth.org

Source file: /home/steiner254/Desktop/Github Projects/AH-Scripting-Practicals/Bash_Scripting/01_Log_Analysis/scripts/../logs/05_bruteforce_solstice_health_networks.log
Generated: 2026-08-22 11:02:31
Generated by: Bash Log/PCAP Analysis Toolkit (pure Bash, no external report dependencies)

CRITICAL: 1 account(s) compromised, lateral movement to 4 internal host(s), data exfiltration detected

Executive Summary

Legitimate successful logins
494 (publickey)
Total failed login attempts
1000
IPs showing credential-stuffing pattern
8
Successful compromises 1
Lateral movement events
4
Data exfiltration events
2

Top Source IPs by Failed Login Count

Source IP	Attempts
103.66.77.14	43
103.66.77.29	35
103.66.77.51	33
91.243.71.27	29
91.243.71.12	28
91.243.71.19	26
185.100.87.61	23
185.100.87.44	23
203.43.32.124	14
110.91.217.169	12



Most-Targeted Usernames

```
backup                    42
zabbix                    39
mysql                     39
guest                     38
jenkins                   37
redis                     36
deploy                    34
test                      33
demo                      33
support                   32
postgres                  32
dev                       32
nagios                    31
git                       31
elastic                   31
```

Credential Stuffing Detection

Ordinary internet scanners repeatedly hammer a single default username. A source IP that fails password checks against several different real usernames is a much stronger credential-stuffing signal than raw failure volume.

```
103.66.77.51 targeted 12 distinct valid usernames
103.66.77.29 targeted 11 distinct valid usernames
103.66.77.14 targeted 11 distinct valid usernames
91.243.71.27 targeted 10 distinct valid usernames
91.243.71.12 targeted 10 distinct valid usernames
91.243.71.19 targeted 9 distinct valid usernames
185.100.87.44 targeted 9 distinct valid usernames
185.100.87.61 targeted 8 distinct valid usernames
```

Successful Compromise

Aug 16 02:50:48 vpn-jump01 sshd[27815]: Accepted password for svc_backup from 91.243.71.27 port 51422 ssh2

Post-Compromise Privileged Commands (sudo trail)

```
Aug 16 02:52:18 | svc_backup : TTY=pts/2 ; PWD=/home/svc_backup ; USER=root ; COMMAND=/bin/cat /etc/shadow
Aug 16 02:53:36 | svc_backup : TTY=pts/2 ; PWD=/home/svc_backup ; USER=root ; COMMAND=/usr/bin/find / -name
Aug 16 02:54:45 | svc_backup : TTY=pts/2 ; PWD=/home/svc_backup ; USER=root ; COMMAND=/bin/cat /etc/hosts
Aug 16 02:56:04 | svc_backup : TTY=pts/2 ; PWD=/home/svc_backup ; USER=root ; COMMAND=/usr/sbin/iptables -F
Aug 16 02:56:58 | svc_backup : TTY=pts/2 ; PWD=/home/svc_backup ; USER=root ; COMMAND=/bin/echo ssh-rsa AAA
```

Lateral Movement

- db-primary
- db-replica
- fileserver-01
- backup-nas

Data Exfiltration

```
Aug 16 03:00:50 vpn-jump01 scp[22955]: svc_backup copied /mnt/backup-nas/patient_records_full_2026.sql.gz (
Aug 16 03:04:23 vpn-jump01 outbound-fw: ALLOW proto=TCP src=vpn-jump01 dst=91.243.71.27 dport=443 bytes_out
```

Response: Bans and SOC Alert

```
Aug 16 03:08:09 vpn-jump01 fail2ban.actions: NOTICE [sshd] Ban 91.243.71.27
Aug 16 03:08:18 vpn-jump01 fail2ban.actions: NOTICE [sshd] Ban 91.243.71.12
Aug 16 03:08:26 vpn-jump01 fail2ban.actions: NOTICE [sshd] Ban 91.243.71.19
Aug 16 03:08:36 vpn-jump01 fail2ban.actions: NOTICE [sshd] Ban 185.100.87.44
Aug 16 03:08:44 vpn-jump01 fail2ban.actions: NOTICE [sshd] Ban 103.66.77.14
Aug 16 03:08:48 vpn-jump01 fail2ban.actions: NOTICE [sshd] Ban 103.66.77.29
```

```
Aug 16 03:10:35 vpn-jump01 SECURITY_ALERT: soc-siem severity=critical msg="Credential stuffing success on s
```