

ACTIVIDAD SEMANA 5

ACTIVIDAD 6.2: Ejercicio de programación 3

MATERIA: PRUEBAS DE SOFTWARE Y ASEGURAMIENTO DE LA CALIDAD

ALUMNO: DANIEL HERNANDEZ MORA

MATRICULA: A01793538

PROFESOR TITULAR: DR GERARDO PADILLA ZÁRATE

TUTOR: MTRA. YETNALEZI QUINTAS RUIZ

FECHA: 18/02/2024

CDMX



Contenido

Analysis PyLint y Flake	3
Pylint	3
hotel.py	3
room.py	4
reservation.py	5
customer.py	6
Flake8	7
hotel.py	7
room.py	8
reservation.py	9
customer.py	10
Unittest	10
Unittest – customer.py	10
Unittest – hotel.py	12
Unittest –reservation.pv	14

Analysis PyLint y Flake

Pylint.

hotel.py

• PRE


(noblek3n8@noble)-[~/Downloads/admin]

└─\$ pylint Hotel/Hotel.py

****** Module Hotel

Hotel/Hotel.py:1:0: C0103: Module name "Hotel" doesn't conform to snake_case naming style (invalid-name)

Your code has been rated at 9.60/10




POS

(noblek3n8@noble)-[~/Downloads/admin]

—\$ pylint Hotel/hotel.py

Your code has been rated at 10.00/10



room.py

PRE

[---(noblek3n8&noble)-[~/Downloads/admin]


□-\$ pylint Hotel/Room.py

****** Module Room

Hotel/Room.py:1:0: C0103: Module name "Room" doesn't conform to snake_case naming style (invalid-name)

Hotel/Room.py:27:4: C0103: Method name "get_Status" doesn't conform to snake_case naming style (invalid-name)


Your code has been rated at 9.00/10 (previous run: 6.50/10, +2.50)



POS

(noblek3n8@noble)-[~/Downloads/admin] \$\) pylint Hotel/room.py

Your code has been rated at 10.00/10



reservation.py

PRE

[---(noblek3n8\sigmanoble)-[~/Downloads/admin]


└─\$ pylint Reservation/Reservation.py

****** Module Reservation

Reservation/Reservation.py:50:0: C0301: Line too long (107/100) (line-too-long)

Reservation/Reservation.py:1:0: C0103: Module name "Reservation" doesn't conform to snake_case naming style (invalid-name)

Your code has been rated at 9.43/10




POS

----(noblek3n8@noble)-[~/Downloads/admin]

—\$ pylint Reservation/reservation.py

Your code has been rated at 10.00/10



customer.py

PRE

——(noblek3n8@noble)-[~/Downloads/admin]

\$\subsets \\$ pylint Customer/customer.py

******* Module customer

Customer/customer.py:27:0: C0303: Trailing whitespace (trailing-whitespace)


Customer/customer.py:35:0: C0303: Trailing whitespace (trailing-whitespace)

Customer/customer.py:18:4: C0116: Missing function or method docstring (missing-function-docstring)

Customer/customer.py:36:4: C0116: Missing function or method docstring (missing-function-docstring)

Customer/customer.py:54:12: W0201: Attribute 'email' defined outside __init__ (attribute-defined-outside-init)

Your code has been rated at 8.44/10



POS

(noblek3n8@noble)-[~/Downloads/admin]
\$\text{pylint Customer/customer.py}\$

Your code has been rated at 10.00/10 (previous run: 8.44/10, +1.56)


Flake8

hotel.py

PRE

```
(noblek3n8@noble)-[~/Downloads/admin] $\bigcup \$ flake8 Hotel/hotel.py


Hotel/hotel.py:21:45: E231 missing whitespace after ','
```



POS

```
(noblek3n8@noble)-[~/Downloads/admin] flake8 Hotel/hotel.py
```

```
\lceil - \rceil \pmod{3n8 \cdot \text{moble}} - \lceil - \rceil \pmod{3n8 \cdot \text{moble}} - \lceil - \rceil \rceil
```



room.py


PRE

----(noblek3n8@noble)-[~/Downloads/admin]

__\$ flake8 Hotel/room.py

Hotel/room.py:15:5: E303 too many blank lines (2)

Hotel/room.py:24:1: W293 blank line contains whitespace



POS

(noblek3n8@noble)-[~/Downloads/admin] flake8 Hotel/room.py

reservation.py

PRE


----(noblek3n8&noble)-[~/Downloads/admin]

\$\text{Insert flake Reservation Reservation.py}

Reservation/Reservation.py:9:1: E302 expected 2 blank lines, found 1

Reservation/Reservation.py:21:37: E231 missing whitespace after ','

Reservation/Reservation.py:50:80: E501 line too long (107 > 79 characters)



POS

(noblek3n8@noble)-[~/Downloads/admin] \$\text{flake8 Reservation/reservation.py}

(noblek3n8@noble)-[~/Downloads/admin]

```
### Transmission of the Control of
```

customer.py

```
PRE
```

```
(noblek3n8@noble)-[~/Downloads/admin]

$\text{flake8 Customer/customer.py}$


Customer/customer.py:12:22: E231 missing whitespace after ','

Customer/customer.py:21:29: E231 missing whitespace after ','

Customer/customer.py:21:33: E231 missing whitespace after ','

Customer/customer.py:27:1: W293 blank line contains whitespace

Customer/customer.py:35:1: W293 blank line contains whitespace
```



POS

```
(noblek3n8@noble)-[~/Downloads/admin] flake8 Customer/customer.py
```

```
(noblek3n8@noble)-[~/Downloads/admin]
```

Unittest

```
—(noblek3n8&noble)-[~/Desktop/admin]
$\subset$ python -m coverage run custom unittest.py -v
test constructor ( main .TestCustomer.test constructor)
Test for contructor method ... ok
test delete ( main .TestCustomer.test_delete)
Test for delete a customer ...
Test: Trying to delete a customer that not exist: Nan
Nan not exist
Test: Trying to delete a customer that exist: Ramon
Ramon deleted
ok
test display ( main .TestCustomer.test display)
Test for display methods, only has attribute name ... ok
test read ( main .TestCustomer.test read)
Test for read costumer from file using the file created in constructor method & to dict
method ...
Test: Trying to open costumer Veronica
Client Veronica not exist
ok
test to file ( main .TestCustomer.test to file)
Test for to file method, using the file originated in test contructor ... ok
test update ( main .TestCustomer.test update)
Test for update methods, only has attribute name ...
Test: Updating to Jazmin
Jorge Arce deleted
Test: Verifying old name is deleted
ok
Ran 6 tests in 0.008s
OK
(noblek3n8@noble)-[~/Desktop/admin]
$\bullet$ python -m coverage report -m
Name
                                       Stmts Miss Cover Missing
/usr/lib/python3/dist-packages/_distutils_hack/__init__.py 98 93 5% 2-89, 99-222
                                               43 4 91% 18, 35-37
Customer/customer.py
custom unittest.py
                                         41 0 100%
TOTAL
                                          182 97 47%
```

```
Archive Gitlars Selection I by I Ejection Terminal Apuds

| Months | Months
```

Unittest – hotel.py

```
(noblek3n8@noble)-[~/Desktop/admin]

$\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\textstyre=\texts
```

Test: Trying to cancel a reserv

Test: Trying to cancel a room available

The room is not reserved

Test: Trying to cancel a room from a different client

Room H1 reserved for Scarlett Johanson

Ezra Miller not reserve the room
ok

test_constructor (__main__.TestHotel.test_constructor)

Test for contructor method ... Invalid data
ok

test_delete (__main__.TestHotel.test_delete)

Test for delete an hotel ...

Test: Trying to delete a customer that not exist: Picasso
Hotel Picasso not exist

Test: Trying to delete a hotel that exist: Royal Royal deleted ok test_getters (__main__.TestHotel.test_getters)
Test for all getters ... ok test_modify (__main__.TestHotel.test_modify)

```
Test for modify information ... ok
test read hotel ( main .TestHotel.test read hotel)
Test for read from file method ... ok
test reserv room ( main .TestHotel.test reserv room)
Test for reserv room method ...
Test: Trying to reserve a room that is available
Room H1 reserved for Scarlett Johanson
Test: Trying to reserve a room that is occuped
Room is already occuped by Scarlett Johanson
Test: Trying to reserve a invalid room -110
Invalid Room
ok
Ran 7 tests in 0.050s
OK
[---(noblek3n8\subsetender)-[~/Desktop/admin]
□$ python -m coverage report -m
Name
                                      Stmts Miss Cover Missing
/usr/lib/python3/dist-packages/ distutils hack/ init .py
                                                         98 93 5% 2-89, 99-222
Customer/customer.py
                                              43 22 49% 18, 23-30, 35-37, 41,
58-63, 67-69
Hotel/hotel.py
                                          93
                                              3 97% 63-64, 118
Reservation/reservation.py
                                               49 26 47% 20-22, 38-43, 48-59,
```

85

29 4 86% 12-13, 50-51

0 100%

397 148 63%

64-68

TOTAL

Room/room.py

hotel unittest.py

```
Test for delete an hotel
 Test: Trying to delete a customer that not exist: Picasso
Hotel Picasso not exist
Test: Trying to delete a hotel that exist: Royal
Royal deleted
test_getters (__main__.TestHotel.test_getters)
test_getters (__main__.lestHotel.test_getters)

Test for all getters ... ok

test_modify (__main__.TestHotel.test_modify)

Test for modify information ... ok

test_read_hotel (__main__.TestHotel.test_read_hotel)

Test for read from file method ... ok

test_reserv_room (__main__.TestHotel.test_reserv_room)

Test for reserv room method ...
Test: Trying to reserve a room that is available
Room H1 reserved for Scarlett Johanson
Test: Trying to reserve a room that is occuped
Room is already occuped by Scarlett Johanson
Test: Trying to reserve a invalid room -110
Invalid Room
Ran 7 tests in 0.050s
   -(noblek3n8⊕noble)-[~/Desktop/admin]
/ust/lib/python3/dist-packages/_distutils_hack/__init__.py 98 93 5% 2-89, 99-222
Customer.customer.py 93 22 49% 18, 23-30, 35-37, 41, 58-63, 67-69
Hotel/hotel, py 93 3 57% 63-64, 118
Reservation/reservation.py 49 26 47% 20-22, 38-43, 48-59, 64-68
Room/room.py 29 4 86% 12-13, 50-51
Hotel_unittest.py 85 0 100%
```

Unittest –reservation.py

```
-(noblek3n8&noble)-[~/Desktop/admin]
$\text{$\subset$} \text{$\subset$ python -m coverage run reserv unittest.py -v}$
test constructor ( main .TestReserv.test constructor)
Test for contructor method ... ok
test delete ( main .TestReserv.test delete)
Test for delete a reserv ...
Test: Trying to delete a reserv for Pepe at Konpeki
There's no reservation for Pepe in Konpeki
Test: Trying to delete a reserv for Pedro Cruz at Konpeki
rsv Konpeki Pedro Cruz.json is deleted
ok
test read ( main .TestReserv.test read)
Test for read a reservation from file & to dict method ...
Test: Trying to open a reserv (not exist) for Rebecca at Konpeki
Client Rebecca has no reservations at Konpeki
ok
test_to_file (__main__.TestReserv.test_to_file)
Test for to file method, using the file originated in test contructor ... ok
Ran 4 tests in 0.005s
```

OK

```
---(noblek3n8&noble)-[~/Desktop/admin]
└─$ python -m coverage report -m
Name
                                    Stmts Miss Cover Missing
/usr/lib/python3/dist-packages/_distutils_hack/__init__.py
                                                      98 93 5% 2-89, 99-222
                                                 18 58% 23-30, 41, 58-63, 67-69
Customer/customer.py
                                            43
                                             46 36% 26-28, 32, 41-55, 70, 74-86,
Hotel/hotel.py
                                        72
90-99, 103, 107-111
Reservation/reservation.py
                                            49
                                                  5 90% 64-68
                                              16 54% 13-14, 21-22, 26, 30, 34,
Room/room.py
38, 43, 56-63
reserv_unittest.py
                                         33
                                              0 100%
TOTAL
                                       330 178 46%
```

```
--(noblek3n8⊕noble) - [~/Desktop/admin]
 -$ python -m coverage run reserv_unittest.py -v
test_constructor (__main__.TestReserv.test_constructor)
Test for contructor method ... ok
test_delete (__main__.TestReserv.test_delete)
Test for delete a reserv ..
Test: Trying to delete a reserv for Pepe at Konpeki
There's no reservation for Pepe in Konpeki
Test: Trying to delete a reserv for Pedro Cruz at Konpeki
rsv_Konpeki_Pedro Cruz.json is deleted
test_read (__main__.TestReserv.test_read)
Test for read a reservation from file & to dict method ..
Test: Trying to open a reserv (not exist) for Rebecca at Konpeki
Client Rebecca has no reservations at Konpeki
Test_to_file (__main__.TestReserv.test_to_file)
Test for to file method, using the file originated in test_contructor ... ok
Ran 4 tests in 0.005s
  -(noblek3n8⊕ noble) -[~/Desktop/admin]
```