

Learning Discriminative Features from Spectrograms using Center Loss for Speech Emotion Recognition

Dongyang Dai^{1,2}, Zhiyong Wu^{1,2,3}, Runnan Li^{1,2}, Xixin Wu³, Jia Jia^{1,2}, Helen Meng^{1,3}

¹Tsinghua-CUHK Joint Research Center for Media Sciences, Technologies and Systems, Graduate School at Shenzhen, Tsinghua University, Shenzhen, China ² Tsinghua National Laboratory for Information Science and Technology (TNList), Department of Computer Science and Technology, Tsinghua University, Beijing, China ³ Department of Systems Engineering and Engineering Management, The Chinese University of Hong Kong

Loss

Softmax Cross-

entropy Loss



1. Introduction

> Motivation

Extract valid features from raw data for emotion recognition




> Challenge

- How to design a suitable model processing directly on raw data
- Emotions are naturally ambiguous

Contribution

- Extract features and identify emotions directly from spectrograms
- Introduce center loss together with softmax corss-entropy loss in SER task to learn discriminative features
- Separable inter-class features
- more compact intra-class features

2. Proposed Method



CNN layers


Softmax Cross-entropy Loss

Input: spectrogram $L_T \times L_F$

$$L_{s} = -rac{1}{\sum_{i=1}^{m} \omega_{y_{i}}} \sum_{i=1}^{m} \omega_{y_{i}} log(rac{e^{W_{y_{i}}^{\mathrm{T}} z_{i} + b_{y_{i}}}}{\sum_{j=1}^{n} e^{W_{j}^{\mathrm{T}} z_{i} + b_{j}}})$$

• ω_i : in inverse proportion to the sample number of the j-th class in training set

Bi-RNN



- L_c : center loss
- c_i : the global class center of features corresponding to the j-th emotion, updated per mini-batch iteration
- \dot{c}_i : the j-th class center of features from a mini-batch
- α : controls the update rate of c_i

> Joint Loss

$$L = L_s + \lambda L_c$$

 \bullet λ : trades off center loss against softmax cross-entropy loss.

Experimental Setup

- Data
- Dataset: IEMOCAP
- Neutral, angry, happy, sad and excited (merges happy and excited as happy, 5531 utterances)
- 5 subsets (keep the emotion distribution), 4 subsets for training, half of the last subset as development set and half as test set
- Settings of spectrograms
- Model input: log scale STFT spectrogram or Mel-spectrogram
- Hamming window
- Window size: 40msec
- Window Shift: 10msec
- Sample rate: 16KHz
- DTF length: 1024
- The number of Mel bands: 128
- Metrics
- The unweighted accuracy: UA, the mean value of the recall for each class
- The weighed accuracy: WA, the number of correctly classified samples divided by the total amount of samples

3. Experiments and Results

Bi-RNN

Input: variable length spectrograms (STFT or Mel-

Bi-RNN: compresses the variable length sequence down to

• FC1: output $z \in \mathbb{R}^d$ as the learned feature and calculate

FC2: outputs posterior class probabilities, used to calculate

Softmax Cross-enctropy Loss: enables the network to

Center Loss: pulls the features belonging to the same

CNN-layers

CNN layers: extract spatial information

Model Architecture

a fixed-length vector

center loss according to z

softmax cross-entropy loss


emotion category to their center

learn separable features

spectrograms)

> Experiments

- The effect of hyperparameter α and λ on Mel-spectrogram
- (left) fixing $\lambda = 0.3$, (right) fixing $\alpha = 0.5$
- not sensitive to α
- can be significantly improved with proper value of λ



• Experiments with different λ on Mel and STFT


	Setting1	Setting2	Setting3	Setting4
λ , α	λ=0	λ =0.3, α =0.5	λ=0	λ =0.3, α =0.5
Input	Mel	Mel	STFT	STFT

The UA and WA on setting 1 ~ setting 4

	Setting1	Setting2	Setting3	Setting4
UA(%)	63.80	66.86	60.97	65.13
WA(%)	61.83	65.40	58.93	62.96

Confusion matrix on setting 1/setting 2/setting 3/setting 4(%)

- PCA embedding of feature z
- (a) training set on setting 1, (b) training set on setting 2, (c) test set on setting 1, (d) test set on setting 2



	neutral	angry	һарру	sad
neutral	57.5/63.7/54.4/57.3	9.5/6.7/9.3/7.3	16.4/16.7/18.5/19.6	16.6/12.7/17.7/15.7
angry	11.9/10.8/12.7/10.3	69.1/70.5/68.1/72.0	15.5/16.7/16.7/15.3	3.5/2.0/2.5/2.2
happy	21.1/21.9/21.6/20.5	16.2/13.1/18.6/16.1	51.1/55.6/47.6/51.8	11.5/9.4/12.2/11.4
sad	13.8/12.8/16.1/12.5	2.6/2.5/3.9/2.8	6.0/7.0/6.2/5.3	77.6/77.7/73.7/79.3

4. Conclusion

Conclusion

- Introducing center loss with proper λ could effectively improve the SER performance on bath STFT spectrogram and Mel-spectrogram input
- Mel-spectrogram input, reducing the dimension based on human hearing characteristics, over performs STFT spectrogram input
- The 2-D PCA embedding illustrates the discriminative power when using center loss, which enables the neural network to learn more effective features for SER

5. Acknowledgment

This work is supported by National Natural Science Foundation of China (NSFC) (61433018, 61375027), joint research fund of NSFC-RGC (Research Grant Council of Hong Kong) (61531166002, N CUHK404/15) and National Social Science Foundation of China (13&ZD189)