

General

Access

Collaborators

Moderation

Code, planning, and automation

Rulesets

Rulesets

Branches

Tags

Actions

Webhooks

Copilot

Planning

Environments

Codespaces

Pages

Rulesets / proteger-main Active

Ruleset created

Ruleset Name *

proteger-main

Enforcement status

Active

Bypass list

Exempt roles, teams, agents, apps, and users from this ruleset by adding them to the bypass list.

Actors | All | Roles | Teams | Apps | Users | Others | Add bypass

Bypass list is empty

Target branches

Which branches should be matched?

Security and quality

Advanced Security

Deploy keys

Secrets and variables

Integrations

GitHub Apps

Branch targeting criteria

Add target

Default

Applies to 1 target: `main`.

Rules

Which rules should be applied?

Branch rules

- [ ] **Restrict creations**
  Only allow users with bypass permission to create matching refs.

- [ ] **Restrict updates**
  Only allow users with bypass permission to update matching refs.

- [x] **Restrict deletions**
  Only allow users with bypass permissions to delete matching refs.

- [ ] **Require linear history**
  Prevent merge commits from being pushed to matching refs.

- [ ] **Require deployments to succeed**
  Choose which environments must be successfully deployed to before refs can be pushed into a ref that matches this rule.

- [ ] **Require signed commits**
  Commits pushed to matching refs must have verified signatures.

- [x] **Require a pull request before merging**

Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.

Hide additional settings

Required approvals

0

The number of approving reviews that are required before a pull request can be merged.

- [ ] Dismiss stale pull request approvals when new commits are pushed
  New, reviewable commits pushed will dismiss previous pull request review approvals.

- [ ] Require review from specific teams
  A collection of reviewers and associated file patterns. Each reviewer has a list of file patterns which determine the files that reviewer is required to review.

- [ ] Require review from Code Owners
  Require an approving review in pull requests that modify files that have a designated code owner.

- [ ] Require approval of the most recent reviewable push
  Whether the most recent reviewable push must be approved by someone other than the person who pushed it.

- [ ] Require conversation resolution before merging
  All conversations on code must be resolved before a pull request can be merged.

- [x] Require an additional approval for unattributed Copilot pull requests
  When Copilot opens a pull request without a human collaborator, require one more approving review if a non-zero approval count is required.

Allowed merge methods

Merge, Squash, Rebase

When merging pull requests, you can allow any combination of merge commits, squashing, or rebasing. At least one option must be enabled.

- [x] Require status checks to pass

Choose which status checks must pass before the ref is updated. When enabled, commits must first be pushed to another ref where the checks pass.

Hide additional settings

- [ ] Require branches to be up to date before merging
  Whether pull requests targeting a matching branch must be tested with the latest code. This setting will not take effect unless at least one status check is enabled.

- [ ] Do not require status checks on creation
  Allow repositories and branches to be created if a check would otherwise prohibit it.

Required status checks — + Add checks

Lint	GitHub Actions
Type check	GitHub Actions
Build	GitHub Actions
Test	GitHub Actions
Dependency check: vulnerabilidade conhecida (npm audit)	GitHub Actions

- [x] Block force pushes
  Prevent users with push access from force pushing to refs.

- [ ] **Require code scanning results**
  Choose which tools must provide code scanning results before the reference is updated. When configured, code scanning must be enabled and have results for both the commit and the reference being updated.

- [ ] **Require code quality results**
  Choose which severity levels of code quality results should block pull request merges. When configured, a code quality analysis must be done on the pull request before the changes can be merged.

- [ ] **Restrict code coverage**
  Enforce minimum line coverage thresholds on pull requests. This rule evaluates uploaded coverage data but does not wait for coverage uploads. To ensure coverage is evaluated before merging, make each status check associated with a coverage upload a required status check.

- [ ] **Automatically request Copilot code review**
  Request Copilot code review for new pull requests automatically if the author has access to Copilot code review and AI credits.

Save changes | Revert changes