

## Intro to Java Week 5 Coding Assignment

## Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

**Instructions:** In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document, with your Java project code, to the repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

## **Coding Steps:**

- 1. Create an interface named Logger.
- 2. Add two void methods to the Logger interface, each should take a String as an argument
  - a. Log
  - b. Error
- 3. Create two classes that implement the Logger interface
  - a. AsteriskLogger
  - b. SpacedLogger
- 4. The log method on the AsteriskLogger should print out the String it receives between 3 asterisks on either side of the String (e.g. if the String passed in is "Hello", then it should print \*\*\*Hello\*\*\* to the console.
- 5. The error method on the AsteriskLogger should print the String it receives inside a box of asterisks, with the String preceded by the word "ERROR:". For example, if "Hello" is the argument, the following should be printed:

\*\*\*\*\*\*



\*\*\*Error: Hello\*\*\*

\*\*\*\*\*\*\*\*

- 1. The SpacedLogger should add spaces between each character of the String argument passed into its methods.
- 2. If the log method received "Hello" as an argument, it should print Hello
- 3. The error method should do the same, but with "ERROR:" preceding the spaced out input (i.e. ERROR: Hello)
- 4. Create a class named App that has a main method.
- 5. In this class instantiate an instance of each of your logger classes that implement the Logger interface.
- 6. Test both methods on both instances, passing in Strings of your choice.


**Screenshots of Code:** 

```
🗾 Assignment.java 🔀 🗾 App.java
     1 //Daisy <u>Murillo</u> July 20, 2020
     3 package week5;
              static interface Logger {
   void log(String log);
   void error(String error);
    70
10
11
12
13
14
15
16
17
18
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
64
47
48
49
49
40
51
7
50
7
51
7
55
56
3
                static class AsteriskLogger implements Logger {
   @Override
   public void log(String log) {
       System.out.println("**** " + log + " ****");
   }
                     *********\n" + "*** Error: " + error + " ***\n" + "***************\n");
                static class SpacedLogger implements Logger {
   @Override
   public void log(String log) {
                           for(int i =0; i < log.length(); i++) {
   String input = log.charAt(i) + " ";
   System.out.print(input);</pre>
                            System.out.print("\n");
                     @Override
public void error(String error) {
    StringBuilder input = new StringBuilder();
                            for(int i =0; i < error.length(); i++) {
   input = input.append(error.charAt(i) + " ");</pre>
```

```
Assignment.java
                   🗾 App.java 💥
    //Daisy Murillo July 20, 2020
    package week5;
  5⊕ import week5.Assignment.AsteriskLogger;
    import week5.Assignment.SpacedLogger;
    public class App {
        public void run() {
100
             AsteriskLogger firstClass = new AsteriskLogger();
 11
             firstClass.log("Hello Daisy");
12
             firstClass.error("404");
13
14
15
             SpacedLogger secondClass = new SpacedLogger();
             secondClass.log("Goodbye Daisy");
16
             secondClass.error("503");
17
18
        }
19
20
        public static void main(String[] args) {
 210
             new App().run();
22
23
        }
24
 25
 26
    }
 27
```

**Screenshots of Running Application:** 





**URL to GitHub Repository:** 

https://github.com/Daisy21murillo/week 5 assignment