




Logical Physical 1768 y 733



1. Устранить все проблемы с линиями, все линии должны подняться (вместо красных треугольников должны оказаться зеленые)
2. Настроить IP адреса и маску подсети 255.0.0.0 всем хостам согласно схеме
3. Проверить работу сети командой ping

10.0.0.1

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 10.0.0.5

Pinging 10.0.0.5 with 32 bytes of data:

Reply from 10.0.0.5: bytes=32 time=4ms TTL=128
Reply from 10.0.0.5: bytes=32 time<1ms TTL=128
Reply from 10.0.0.5: bytes=32 time<1ms TTL=128
Reply from 10.0.0.5: bytes=32 time<1ms TTL=128

Ping statistics for 10.0.0.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 1ms

C:\>ping 10.0.0.2

Pinging 10.0.0.2 with 32 bytes of data:

Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128

Ping statistics for 10.0.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

☐ Top

Time: 01:20:09



Cooper Straight-Through

Scenario 0

New

Delete


Toggle PDU List Window

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete



Logical Physical x: 1209 y: 140

Realtime 00:00:00



1. Устранить все проблемы с линиями, все линии должны подняться (вместо красных треугольников должны оказаться зеленые)
2. Настроить IP адреса и маску подсети 255.0.0.0 всем хостам согласно схеме
3. Проверить работу сети командой ping


```
10.0.0.1
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 10.0.0.5
Pinging 10.0.0.5 with 32 bytes of data:
Reply from 10.0.0.5: bytes=32 time=4ms TTL=128
Reply from 10.0.0.5: bytes=32 time<1ms TTL=128
Reply from 10.0.0.5: bytes=32 time<1ms TTL=128
Reply from 10.0.0.5: bytes=32 time<1ms TTL=128
Ping statistics for 10.0.0.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 1ms
C:\>
```

Time: 01:08:43

Scenario 0  
New Delete  
Toggle PDU List Window

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Realtime Simulation



[Top](#)