Ангид

```
main.c
   1 #include <stdio.h>
  3 int main()
  4 - {
         int i,n;
         scanf("%d",&n);
          for(i=1; i<=n; i++){
             printf("programming in c\n");
         return 0;
 12 }
Y 2 3
programming in c
...Program finished with exit code 0
Press ENTER to exit console.
```

```
▶ Run O Debug
                          ■ Stop
main.c
      int main()
          int i,n;
         scanf("%d",&n);
          for(i=n; i>=1; i--){
             printf("%d",i);
         printf("\n");
          return 0;
  13 }
 < 2 3
54321
 ..Program finished with exit code 0
Press ENTER to exit console.
```

```
main.c
     #include <stdio.h>
     int main()
   4 - {
          int n,i=1;
         scanf("%d",&n);
          do {
             printf("%d",i++);
          } while (i<n);
         printf("\n");
  11
  12
          return 0;
  13 }
 🕶 📝 🔏
12345
  .Program finished with exit code 0
Press ENTER to exit console.
```

3.

main.c

1 #include <stdio.h>
2 int main() {
3 int n, i, sum = 0;
4
5 printf("Eyreg int torliin too hiine uu: ");
6 scanf("%d", &n);
7
8 for (i = 1; i <= n; ++i) {
9 sum += i;
10 }
11
12 printf("Niilber = %d", sum);
13 return 0;
14 }

Eyreg int torliin too hiine uu: 10
Niilber = 55
...Program finished with exit code 0</pre>

Press ENTER to exit console.

5.

```
main.c
   1 #include<stdio.h>
   2 int main(){
          int n;
         printf("N iig oruulna uu\n");
         scanf("%d",&n);
          int t = 0;
         while(1){
          float c = t *1.8+32;
         if(c > n){
             return 0;
          printf("%d %.2f\n",t,c);
          t++;
          return 0;
  17 }
 < 2 3
N iig oruulna uu
0 32.00
1 33.80
2 35.60
3 37.40
...Program finished with exit code 0
```

Press ENTER to exit console.

```
main.c
6.
       1 #include<stdio.h>
          int main()
      3 → {
              int n,s=0,m;
             printf("Toogoo oruulna uu:");
             scanf("%d",&n);
             while(n>0){
                         m=n%10;
                         s=s+m;
                         n=n/10;
      11
      12
                 printf("Tsiipruudin niilber=%d",s);
              return 0;
      14 }
     Toogoo oruulna uu:54321
    Tsiipruudin niilber=15
    ...Program finished with exit code 0
    Press ENTER to exit console.
```

Гэрт

```
main.c
                                                               2.
   1 #include <stdio.h>
   2 int main() {
           int x, i;
          printf("Toogoo oruulna uu: ");
          scanf("%d", &x);
          printf("Enehuu toonii buh eyreg huvaagch ni: ");
           for(i = 1; i <= x; i++) {
               if((x\%i) == 0){
                   printf("\n%d", i);
  11
  12
  13
           return 0;
  14 }
Toogoo oruulna uu: 255
Enehuu toonii buh eyreg huvaagch ni:
15
17
51
85
255
```

```
main.c
      #include <stdio.h>
      int main()
          int n1, n2, i, x;
          printf("2 int turliin too oruulna uu: ");
          scanf("%d %d", &n1, &n2);
          for(i=1; i <= n1 && i <= n2; ++i)
  11
               if(n1%i==0 && n2%i==0)
  12
                  x = i;
  13
  14
  15
          printf("Hamgiin ih yronhii huvaagch ni %d",x);
  17
          return 0;
  18
2 int turliin too oruulna uu: 12 18
Hamgiin ih yronhii huvaagch ni 6
 .. Program finished with exit code 0
Press ENTER to exit console.
```

```
#include <stdio.h>
int main()
  int i;
  for(i=1; i<=31; i++)
    if (i==1) printf("Зсарын1 Даваа гараг");
    if (i==2) printf(" Зсарын2 Мягмар гараг");
    if (i==3) printf(" ЗсарынЗ Лхагва гараг");
    if (i==4) printf(" Зсарын4 Пурэв гараг");
    if (i==5) printf("Зсарын5 Баасан гараг");
    if (i==6) printf(" Зсарын6 Бямба гараг (амралтын өдөр)");
    if (i==7) printf(" Зсарын7 Ням гараг (амралтын өдөр)");
    if (i==8) printf("Зсарын8 Даваа гараг (Олон Улсын эмэгтэйчүүдийн баяр бүх нийтийн амралтын өдөр");
    if (i==9) printf("Зсарын9 Мягмар гараг");
    if (i==10) printf(" Зсарын10 Лхагва гараг");
    if (i==11) printf(" Зсарын11 Пурэв гараг");
    if (i==12) printf(" Зсарын12 Баасан гараг");
    if (i==13) printf("Зсарын13 Бямба гараг (амралтын өдөр)");
    if (i==14) printf(" 3сарын14 Ням гараг (амралтын өдөр)");
    if (i==15) printf(" Зсарын15 Даваа гараг");
    if (i==16) printf(" Зсарын16 Мягмар гараг");
    if (i==17) printf("Зсарын17 Лхагва гараг");
    if (i==18) printf(" Зсарын18 Пүрэв гараг (Цэргийн баяр бүх нийтийн амралтын өдөр)\n");
    if (i==19) printf("Зсарын19 Баасан гараг");
    if (i==20) printf(" Зсарын20 Бямба гараг (амралтын өдөр)");
    if (i==21) printf("Зсарын21 Ням гараг (амралтын өдөр)");
    if (i==22) printf(" Зсарын22 Даваа гараг");
    if (i==23) printf(" Зсарын23 Мягмар гараг");
    if (i==24) printf(" Зсарын24 Лхагва гараг");
    if (i==25) printf("3сарын25 Пүрэв гараг");
    if (i==26) printf(" Зсарын26 Баасан гараг");
    if (i==27) printf(" Зсарын27 Бямба гараг (амралтын өдөр)");
    if (i==28) printf(" Зсарын28 Ням гараг (амралтын өдөр)");
    if (i==29) printf("3сарын29 Даваа гараг");
    if (i==30) printf(" Зсарын30 Мягмар гараг");
    if (i==31) printf(" Зсарын31 Лхагва гараг");
  return 0;
```

3.