

SLOTIFY: A SMART APPOINTMENT BOOKING SYSTEM FOR SERVICE-BASED BUSINESSES

A Project Report

Submitted By

Aksh Thakkar - 2403031057002

Om Maurya - 2403031057048

Daksh Patel - 2403031057065

Jainil Patel - 2403031057071

in Partial Fulfilment For the Award of

the Degree of

BACHELOR OF TECHNOLOGY

COMPUTER SCIENCE AND ENGINEERING

Under the Guidance of

Prof. Pratik Gite

Your Guide Designation



VADODARA

November - 2026



PARUL UNIVERSITY

CERTIFICATE

This is to Certify that Project - II (303105423) of 7th Semester entitled “Slotify: A Smart Appointment Booking System for Service-Based Businesses” of Group No. CSE_182 has been successfully completed by

- Aksh Thakkar - 2403031057002
- Om Maurya - 2403031057048
- Daksh Patel - 2403031057065
- Jainil Patel - 2403031057071

under my guidance in partial fulfillment of the Bachelor of Technology (B.Tech) in Computer Science and Engineering of Parul University in Academic Year 2026- 2027.

Date of Submission :_____

Prof. Pratik Gite

Prof. Namrata Patel

Dr. Shailendra K Mishra

Project Guide

Project Coordinator

Head of Department

CSE, PIET

CSE, PIET

CSE, PIET

Parul University

Parul University

Parul University

Acknowledgements

“The single greatest cause of happiness is gratitude.”

-Auliq-Ice

Acknowledgements

We express our sincere gratitude to all those who supported and guided us throughout the successful completion of this project. First and foremost, we are thankful to the Almighty for granting us the strength, wisdom, and determination to carry out this work.

We extend our heartfelt thanks to our project guide, **Prof. Pratik Gite**, for his invaluable guidance, continuous encouragement, and constructive feedback at every stage of this project. His expertise and dedication have been a constant source of inspiration. We are also thankful to the faculty members and staff of the Department of Computer Science and Engineering, Parul Institute of Engineering and Technology, Parul University, for providing us with the necessary resources, infrastructure, and academic support.

We sincerely thank **Dr. Shailendra K. Mishra**, Head of Department, CSE, PIET, Parul University, for his support and leadership. Finally, we are deeply grateful to our parents, family members, and well-wishers for their constant moral support and motivation throughout this journey.

AKSH THAKKAR
OM MAURYA
DAKSH PATEL
JAINIL PATEL
CSE, PIET
Parul University,
Vadodara

Abstract

Slotify is a smart appointment booking platform developed to simplify scheduling and improve service efficiency for modern businesses. The system provides a digital environment where customers can discover service providers, check real-time availability, book appointments, and receive automated confirmations. It is designed specifically for service-based businesses such as salons, clinics, and wellness centers where scheduling accuracy, transparency, and customer convenience are critical.

The project focuses on solving common issues such as double booking, missed appointments, manual scheduling conflicts, and poor customer engagement. Slotify integrates a dynamic slot generation mechanism, role-based access control, and streamlined booking workflows to improve user experience for customers, staff, and administrators. It also supports features such as booking confirmation, rescheduling, review management, and business-specific service handling.

In simple terms, the system helps customers book services quickly without calling or waiting in long queues, while also helping businesses manage their staff schedules more efficiently. Customers can choose the right service, see available time slots, and reserve an appointment in a few steps. This reduces confusion and saves time for both the user and the service provider.

The platform also gives business owners a better way to organize daily appointments, avoid scheduling mistakes, and keep a clear record of bookings. It improves communication between customers and providers and creates a more professional and reliable service experience. The project uses a web application with a user-friendly interface and a structured backend to manage data securely and efficiently.

By combining a web-based frontend with a robust backend and database-driven logic, Slotify offers an efficient and scalable solution for appointment management. The project demonstrates how modern technologies can be used to create a reliable and user-friendly scheduling system that reduces operational overhead while increasing trust and satisfaction for both businesses and customers.

Table of Contents

Acknowledgements	iii
Abstract	iv
List of Tables	ix
List of Figures	x
1 Introduction	1
1.1 Background and Motivation	1
1.2 Problem Statement	2
1.3 Project Objectives	3
1.4 Scope	4
1.5 System Overview	4
1.6 Technology Stack	5
2 Literature Survey	7
2.1 Overview	7
2.2 Paper Reviews	8
2.3 Comparison of Existing Platforms	9
2.4 Reminder Effectiveness	10
2.5 Research Gap / What the Review Did Not Resolve	11

3	Software Requirements Specification (SRS)	13
3.1	Purpose and Scope	13
3.2	User Roles	14
3.2.1	Customer	14
3.2.2	Business Admin	14
3.2.3	Staff Member	14
3.2.4	Reception / Walk-In User	14
3.3	Functional Requirements	15
3.4	Non-Functional Requirements	15
3.5	Use Case Diagram	16
3.6	Constraints	17
4	System Design	18
4.1	Architecture Overview	18
4.2	Database Design	18
4.3	API Design	19
4.4	Booking Workflow	20
4.5	Security Design	22
4.6	UI Design Principles	22
5	Methodology	24
5.1	Development Approach	24
5.2	Phase 1: Requirements Gathering	25
5.3	Phase 2: System Design	25
5.4	Phase 3: Implementation	26
5.5	Phase 4: Testing	26
5.6	Tools and Environment	26

6	Implementation	29
6.1	Backend Implementation	29
6.1.1	Project Structure	29
6.1.2	Slot Availability Logic	29
6.1.3	Authentication Middleware	31
6.1.4	Email Notification Service	31
6.2	Frontend Implementation	31
6.2.1	Project Structure	32
6.2.2	Real-Time Slot Display	32
6.2.3	State Management and Prop Drilling Refactor	34
6.3	Implementation Status	34
7	Conclusion	36
7.1	Summary of Work Done	36
7.2	Objectives Met	36
7.3	Challenges Encountered	36
7.4	Key Takeaways	37
8	Future Work	38
8.1	What Comes Next	38
8.2	Payment Integration	38
8.3	Mobile Application	38
8.4	AI-Based Slot Recommendations	38
8.5	Advanced Analytics	39
8.6	Multi-Language Support	39
8.7	Multi-Branch Business Support	39

9	Research Paper / Survey Paper and Plagiarism Report	40
9.1	Research Paper	40
9.2	Plagiarism Report	49
	References	61

List of Tables

1.1	Key scheduling challenges and their solutions in Slotify	6
2.1	Feature Comparison: Slotify vs. Existing Platforms	10
3.1	Non-functional requirements for Slotify	16
4.1	Key design modules and responsibilities	21
4.2	Booking process stages in Slotify	21
5.1	Tools used during development	27
5.2	Development phases and expected outputs	28
6.1	Feature implementation status	35
7.1	Objective completion status	36

List of Figures

1.1	System overview of the Slotify appointment workflow	5
2.1	Overview of existing appointment scheduling challenges in service-based businesses	8
3.1	Use case diagram for Slotify user interactions and role-based workflow	17
4.1	System architecture of the Slotify booking platform	19
4.2	Database model and relationship flow for business, staff, and appointments	20
5.1	Methodology overview for the Slotify development lifecycle	24
6.1	Business configuration and setup screen	30
6.2	Business profile and service discovery interface	30
6.3	Landing page of the Slotify platform	32
6.4	Login interface for the user authentication flow	32
6.5	Admin dashboard showing bookings, activities, and business overview	33
6.6	Appointment list and scheduling records	33
6.7	Appointment lifecycle flow from booking to service completion	35

Chapter 1

Introduction

1.1 Background and Motivation

Most people who have tried to book an appointment at a local clinic, salon, or therapy center know the routine all too well. A customer calls, often having to try multiple times before getting through due to busy phone lines, waits on hold while the receptionist frantically checks a physical register or an outdated spreadsheet, confirms a time, writes it down, and hopes the other side remembers too. Sometimes the appointment goes smoothly, but very often it is missed, double-booked, or completely forgotten because the process depends entirely on manual coordination and human memory. This reliance on outdated, analog methods not only frustrates the customer—who expects seamless digital experiences in the modern era—but also creates immense and unnecessary stress for the business staff. These front-desk employees must constantly juggle ringing phones, respond to basic scheduling queries, and manually resolve conflicts, all while trying to warmly serve the clients already present in the establishment. The cognitive load placed on staff to manage these moving parts inevitably leads to human error, which translates directly into poor customer service and lost revenue.

This problem is extremely common in small and medium-sized service businesses where daily operations are still largely managed through phone calls, paper registers, whiteboards, and informal memory. For example, a salon owner may keep a physical register of appointments on the front desk, yet still face frequent missed bookings, cancelled slots without prior notice, or confusion over staff availability when multiple employees share the same physical workspace and equipment. In these environments, communication gaps are frequent; an employee might swap a shift without updating the master ledger, leading to a situation where a customer arrives for a service but the required specialist is absent. Even when digital tools and scheduling software exist in the market, many of them are heavily geared towards large enterprises. They are often prohibitively expensive, packed with unnecessary, complex features that make them difficult to learn, or simply not designed for the

specific, agile needs of small local businesses. These local businesses require a straightforward, highly focused solution that integrates seamlessly into their daily workflow without requiring extensive technical training or a dedicated IT administrator to maintain.

The motivation for **Slotify** came directly from observing this significant and persistent gap in the market. Small service businesses desperately need a simple, affordable, and highly reliable online system that empowers customers to book appointments quickly and autonomously, while simultaneously letting service providers manage their schedules and resources more efficiently from a centralized dashboard. The core aim of this project is to drastically reduce manual administrative work, completely avoid schedule conflicts like double-bookings through strict automated validation, improve transparent and timely communication between the service provider and the client, and ultimately provide a significantly smoother, frictionless booking experience for both customers and businesses. By automating the most tedious and repetitive parts of scheduling, business owners and their staff can redirect their valuable time and energy towards what truly matters: delivering high-quality, personalized services to their clients and growing their business organically.

1.2 Problem Statement

Manual coordination overhead and appointment attrition are two sides of the same operational issue that continuously plagues service-based industries. When bookings are managed strictly over phone calls, text messages, or handwritten records, every single transaction absolutely requires a human in the loop. Someone must explicitly answer the phone, confirm the requested time, manually record the booking in a physical ledger or simple spreadsheet, carefully check for potential conflicts across different staff members' schedules, and manually follow up with reminder calls or texts a day before the appointment. This highly manual approach might work adequately at a very low volume of customers, but it breaks down rapidly and becomes highly error-prone as the business grows and customer demand increases. The sheer volume of communication can easily overwhelm front-desk staff, leading to unavoidable mistakes—such as writing down the wrong date or forgetting to record a cancellation—that directly and negatively impact customer satisfaction and the business's professional reputation.

At the same time, customer no-shows and empty time slots create direct, immediate, and irrecoverable revenue loss for the business. Customers frequently forget their scheduled appointments if they are not actively reminded, and a last-minute cancellation is almost never re-filled quickly because there is no automated system in place to instantly notify other waiting customers of the newly available slot. Furthermore, the business owner has no real-time visibility into scheduling gaps, staff utilization rates, or overarching performance metrics. Without automated reminders, dynamic waitlists, or intelligent digital slot management, small businesses continually

lose valuable time, hard-earned money, and essential customer trust. The inherent unpredictability of daily schedules managed in this way also makes it incredibly difficult to manage staffing levels effectively, often leading to overstaffing on quiet days and severe understaffing during unexpected rushes.

Another major structural challenge contributing to this widespread problem is that many existing commercial booking systems are architected, marketed, and priced exclusively for large corporate organizations or specific medical enterprises. They simply do not fit the specific, dynamic, and often fluid needs of small, local businesses such as neighborhood salons, independent dental clinics, holistic wellness centres, and freelance tutors. These smaller businesses require highly flexible calendars that can gracefully handle irregular working hours, specific staff assignments based on individual expertise or seniority, and a very easy, intuitive process for managing daily appointments without introducing unnecessary technical complexity, forcing rigid workflows, or requiring dedicated IT support to configure and maintain the system.

1.3 Project Objectives

The main objectives of the project are as follows:

1. To design and build a highly responsive, customer-facing booking system that allows users to seamlessly search for service providers, view real-time available time slots, and securely book appointments online without any need for manual phone coordination or intervention.
2. To develop a comprehensive and intuitive provider dashboard specifically tailored for business owners and managers. This dashboard must allow them to manage daily schedules, track staff availability, adjust service timings, and monitor overall business operations efficiently from a centralized location.
3. To architect and implement a robust real-time appointment mechanism that strictly prevents double bookings, handles concurrent booking attempts gracefully, and significantly reduces overall schedule conflicts across the platform.
4. To provide a fully automated notification system that instantly sends confirmation emails upon booking and dispatches timely reminder emails prior to the appointment, ensuring that customers do not forget their scheduled times and thereby reducing no-show rates.
5. To create an exceptionally simple, clean, and user-friendly interface for both customers and service providers, minimizing the learning curve and making the platform highly accessible even to users with limited technical proficiency.

6. To support and generate actionable business analytics, providing business owners with clear insights into appointment trends, peak hours, cancellation rates, and workload distribution among staff members, ultimately aiding in better decision-making.

1.4 Scope

The current scope of the project comprehensively covers service-based businesses that operate strictly on a time-slot model. This includes, but is not limited to, medical clinics, beauty salons, tutoring services, repair shops, and physiotherapy centres. The system architecture is designed from the ground up to support a multi-tenant environment, meaning it caters to multiple independent businesses simultaneously, with each business having completely separate data, secure access controls, and customized settings.

The platform's primary focus in its initial phase is on delivering robust online appointment scheduling, detailed business management features, and automated email notifications. While features such as native mobile applications (for iOS and Android) and integrated in-app payment processing gateways (like Stripe or PayPal) are incredibly valuable, they are intentionally kept outside the scope of the current initial phase to ensure core stability. However, the system is architected with modularity in mind, so these features are actively considered and planned as major future enhancements in subsequent iterations.

1.5 System Overview

Slotify is comprehensively envisioned as a powerful, yet accessible web-based platform that seamlessly and intelligently connects customers, service providers, and business administrators through a single, unified scheduling ecosystem. From the customer's perspective, the platform acts as a digital concierge: they can easily browse through various listed services, read detailed descriptions, dynamically check the real-time availability of their preferred providers, and securely book appointments after selecting suitable time slots that perfectly fit their schedule. On the other side of the platform, service providers and business owners are equipped with a robust suite of tools. They can meticulously manage their daily working hours, define custom service durations, assign specific staff members to different specialized services, dynamically block out holidays or personal time off, and monitor all incoming, past, and cancelled bookings from a dedicated, interactive, and highly visual administrative dashboard.

The system is meticulously engineered to autonomously handle the entire, end-to-end lifecycle of a service booking. This complex journey begins with intuitive service discovery and intelligent, algorithmic slot selection by the user, moves securely through the backend validation and confirmation process to ensure data integrity, and concludes with automated, personalized reminder

notifications dispatched directly to the user's email inbox. Beyond just handling the mechanics of individual appointments, the platform also heavily supports continuous business-level data tracking and aggregation. By systematically collecting scheduling data over time, it makes it significantly easier for business owners to intuitively understand their busiest operational periods, accurately track individual staff performance and utilization, and make highly informed, data-driven operational decisions that can directly drive revenue growth and improve service quality.

The core philosophical principle and key architectural idea behind the system's design is to deeply and reliably automate the intricate, underlying scheduling process while intentionally keeping the frontend user interface as simple, clean, uncluttered, and accessible as humanly possible. This deliberate focus on exceptional user experience and intuitive design reduces the administrative effort required by the business staff to almost zero. Simultaneously, it creates a highly professional, entirely frictionless, and modern digital experience for the end customers, significantly elevating the business's overall brand perception and encouraging repeat visits through sheer convenience.




Figure 1.1: System overview of the Slotify appointment workflow

1.6 Technology Stack

The project is developed using the widely adopted MERN stack, which provides a highly flexible, robust, and scalable foundation for building modern web applications. The choice of this stack allows for seamless data flow using JavaScript across both the client and server sides. The stack includes:

- **MongoDB:** A powerful, document-oriented NoSQL database used to flexibly store complex

Table 1.1: Key scheduling challenges and their solutions in Slotify

Problem	How Slotify solves it
Double booking	Real-time slot checking and conflict prevention during appointment creation
Missed appointments	Confirmation emails and reminder notifications sent to customers
Manual coordination	Digital booking system reduces dependence on phone calls and paper records
Low business visibility	Dashboard tracks bookings, workload, and appointment trends

hierarchical data such as business details, user profiles, dynamic appointments, customizable services, and historical booking records. Its schema-less nature allows for rapid iteration during development.

- **Express.js:** A minimal and flexible Node.js web application backend framework that provides a robust set of features for web and mobile applications. It is used to define clear RESTful APIs, manage complex routing, and handle server-side business logic efficiently.
- **React.js:** A declarative, efficient, and flexible frontend JavaScript library used to build the interactive user interface. It enables the creation of reusable UI components, ensuring a highly responsive and dynamic user experience across different devices and screen sizes.
- **Node.js:** An asynchronous, event-driven JavaScript runtime environment designed to build scalable network applications. It is used for server-side execution, handling multiple concurrent connections with high throughput and low latency.

The application also securely integrates advanced authentication mechanisms such as JWT (JSON Web Tokens) for session management and Google OAuth for streamlined, secure login and user verification, reducing the friction of creating new accounts. Appointment notifications and system alerts are sent using Nodemailer, which enables reliable, real-time email confirmations and automated reminder messages directly from the server. This precise combination of modern web technologies ensures that the system is not only scalable to handle high traffic but also secure against common web vulnerabilities, and easy to maintain and extend in the future.

In summary, **Slotify** directly addresses the critical, everyday scheduling challenges faced by small and medium-sized service businesses by delivering a fully digital, highly automated, and exceptionally user-friendly appointment booking solution that transforms how they interact with their clientele.

Chapter 2

Literature Survey

2.1 Overview

Appointment scheduling plays a central and critical role in the daily operations of service-based businesses such as salons, clinics, beauty centers, repair shops, and wellness studios. In such businesses, time is the primary commodity being sold, and therefore each booking directly affects staff workload, customer satisfaction, and overall revenue generation. A poor or inefficient scheduling system can create a cascade of operational issues including double bookings, missed appointments, frustratingly long wait times for walk-ins, staff idle time during peak hours, and an immense amount of unnecessary manual administrative work. As a result, implementing an effective scheduling system is not merely a convenience feature or a nice-to-have upgrade, but rather an absolute operational necessity for survival and growth in a competitive market.

Despite the digital age, a surprising number of small businesses still rely heavily on conventional phone calls, physical manual calendars, whiteboards, or informal record keeping. Although this manual approach may work at a very small scale or during the initial startup phase of a business, it becomes increasingly difficult to manage and inherently error-prone as the business size, staff count, and customer demand increase. An influx of calls can easily overwhelm a front desk, leading to missed opportunities. Academic literature in scheduling algorithms and practical studies in service operations management consistently highlight that modern, effective booking systems should systematically reduce administrative confusion, dynamically improve resource utilization, and support timely, automated communication between customers and service providers. This automation allows human staff to focus on delivering the actual service rather than managing the queue.

The extensive review of relevant research literature and analysis of existing commercial platforms shows that modern systems generally focus heavily on online booking interfaces, basic availability management, and generic automated reminders. However, a critical limitation frequently identified




Figure 2.1: Overview of existing appointment scheduling challenges in service-based businesses

in these studies is that many of these tools are designed for general-purpose scheduling (such as corporate meetings or generic events) rather than for local, specialized service businesses. These local businesses uniquely require robust staff coordination, complex service-specific booking rules (where some services require preparation time or specific equipment), and comprehensive business-level operational visibility, which generic tools often fail to provide.

2.2 Paper Reviews

A comprehensive review of scheduling theory and service management literature indicates that appointment systems are most successful and widely adopted when they actively support real-time coordination, dramatically reduce administrative overhead, and continuously improve customer communication. Historically, earlier generations of software systems were primarily designed merely to digitize and automate manual calendars, acting simply as an electronic ledger. However, as the demands of the modern service sector evolved and consumer expectations for digital convenience skyrocketed, later solutions strategically expanded to include proactive reminders, automated confirmations, and dynamic real-time availability checks that empower the customer to self-serve 24/7 without requiring human assistance.

Research focused specifically on service operations suggests that booking systems are most effective when they intuitively help businesses actively manage time slots without inadvertently creating scheduling conflicts or operational bottlenecks. Frequent, highly disruptive issues documented in conventional and early digital systems include unresolvable conflicts between staff schedules, poor real-time visibility of current occupancy levels, and limited or no support for complex, service-specific duration and availability constraints. These operational problems become exponentially more severe in businesses such as multi-specialty clinics or large salons where different treatments inherently require significantly different durations, specific room assignments, equipment tracking, and staff members with highly specialized skills or certifications. When a generic system fails to account for these intricate nuances, it inevitably leads to overlapping

appointments, severely chaotic waiting rooms, and ultimately, a breakdown in service quality.

In addition to operational concerns, the literature on consumer psychology, customer behavior, and service delivery heavily emphasizes that missed appointments and late confirmations create substantial, cascading financial losses and simultaneously reduce customer trust and brand loyalty. This is particularly relevant for highly competitive service-based industries where long-term customer retention depends equally on booking convenience, service reliability, and professional, frictionless communication. If a customer finds it difficult to book an appointment, they are statistically very likely to abandon the process and seek services from a competitor with a more modern digital footprint. Therefore, the architectural design of a truly effective booking system must holistically consider both backend operational efficiency for the business and a seamless, highly engaging frontend experience for the customer.

Furthermore, several prominent studies in digital service technology and human-computer interaction (HCI) highlight that automation significantly improves coordination only when it is deeply and intelligently integrated into the entire booking cycle, rather than being bolted on as an isolated add-on or an afterthought. For example, highly personalized reminder messages, instant appointment confirmation receipts containing relevant preparation instructions, and real-time availability checks dynamically improve the overall efficiency of scheduling. They achieve this by drastically reducing the probability of no-shows and helping customers take immediate, timely action if they need to cancel or reschedule, rather than simply failing to appear. This seamless, invisible integration of communication and scheduling logic is one of the major foundational motivations behind developing a dedicated, purpose-built platform such as Slotify.

2.3 Comparison of Existing Platforms

Table 2.1 compares several existing scheduling platforms with the proposed Slotify system. The purpose is to identify the strengths of current tools and the missing features that are still not fully addressed for local service-based businesses.

From the detailed comparison presented above, it is clear that highly popular, well-funded platforms undoubtedly provide useful and polished features such as customizable booking forms, automated reminders, and basic analytical dashboards. However, a deeper analysis reveals that they still fundamentally tend to focus on general-purpose scheduling. They are built to cater to the widest possible audience, prioritizing generic workflows over the unique, complex operational needs of small service businesses. Many of these established tools do not provide sufficiently strong support for configuring separate staff scheduling rules, setting up service-based availability constraints, or maintaining granular business ownership control within one integrated, affordable system. Furthermore, their pricing models often scale poorly for a small business that simply wants

Table 2.1: Feature Comparison: Slotify vs. Existing Platforms

Feature	Calendly	Booksy	Acuity	SimplyBook	Slotify
Real-time slot display	✓	✓	✓	✓	✓
Automated email reminders	✓	✓	✓	✓	✓
Multi-staff support	✓	✓	✓	✓	✓
Analytics dashboard	Partial	✓	✓	✓	✓
Open-source / free	×	×	×	×	✓
Split-shift scheduling	×	Partial	Partial	✓	✓
AI-based slot suggestions	×	×	×	Partial	Planned
Payment integration	×	✓	✓	✓	Planned
Calendar sync	✓	Limited	✓	✓	✓
Self-hostable	×	×	×	×	✓

to add a few more staff members without paying enterprise-level licensing fees.

Slotify deliberately addresses these critical market gaps by natively supporting business-specific workflows, sophisticated multi-staff coordination, and an intentionally simplified booking experience that is specifically tailored to service-oriented businesses. By stripping away enterprise bloat and focusing entirely on the core needs of service scheduling, Slotify becomes much more suitable for local providers that urgently require flexibility, affordability, and transparent operational control over their daily schedules.

2.4 Reminder Effectiveness

Reminder systems are widely recognized in both academic literature and industry practice as one of the single most effective ways to actively reduce missed appointments and dramatically improve scheduling reliability. When a customer receives a timely confirmation immediately upon booking, followed by a well-timed reminder (usually 24 hours) before the appointment time, the statistical chance of a no-show decreases significantly. This psychological effect is profoundly important in service businesses because profit margins are often tight; even a very small number of unfilled, wasted slots in a given week can cause substantial lost revenue and disrupt the entire customer flow for the day.

The high effectiveness of these automated reminders is not only due to simple memory support for the forgetful customer, but also because they help to naturally create a stronger, more professional communication loop between the customer and the business. Automated reminders entirely eliminate the business's reliance on manual, time-consuming follow-ups, ensuring that all customers are consistently informed about their booking status without any extra effort from the receptionist. Furthermore, they help businesses efficiently recover from last-minute cancellations

by prompting the customer to cancel digitally if they cannot make it, thereby immediately freeing up the time slot to be dynamically offered to other waiting customers.

In this operational context, reminders can no longer be viewed as merely an optional or premium feature; they are a vital, core component of the modern booking experience. A comprehensive scheduling system that intrinsically includes robust reminder mechanisms can consistently deliver better punctuality across the client base, significantly lower cancellation risks, and ensure much stronger service continuity. This strong evidence from behavioral literature is exactly why Slotify emphasizes its confirmation and automated reminder functionality as a fundamental pillar of its core software design.

2.5 Research Gap / What the Review Did Not Resolve

Although existing scheduling platforms offer undeniably useful features and have successfully modernized many aspects of digital booking over the last decade, they still do not completely or elegantly solve the highly nuanced operational challenges faced by local service businesses on a daily basis. A significant portion of current market solutions are overwhelmingly generic—designed as “one-size-fits-all” calendar overlays—while the actual, day-to-day needs of high-volume salons, specialized medical clinics, physical therapy centers, and automotive repair shops are often highly specific and deeply workflow-dependent. The extensive literature review clearly shows that no single platform currently available fully combines highly flexible business management, robust multi-staff coordination, extremely low-cost deployment, and a deeply customer-focused scheduling interface in a single, simplified form factor that a non-technical owner can confidently operate.

Another glaring gap identified in the existing body of academic work and market analysis is the remarkably limited focus on service-specific business workflows. Many software systems excellently support the basic creation of an appointment block on a calendar, but they completely fail to adequately support complex staff availability rules, split-shift scheduling, granular operational analytics, or extensive business-level customization without forcing the business to upgrade to prohibitively expensive enterprise tiers. In many observed cases, the software solution appears to be designed purely from a theoretical software engineering standpoint, focused on raw feature count, rather than being grounded in the actual, messy daily challenges faced by stressed business owners and busy receptionists trying to maximize their daily throughput.

This extensive review of both academic literature and existing market solutions therefore clearly and unambiguously highlights the pressing need for a dedicated, highly specialized platform that is extremely practical, effortlessly scalable, and intimately tailored to real-world service operations. Slotify is explicitly intended to fill this exact market and research gap by cohesively combining intuitive online appointment booking, lightning-fast real-time availability checks, highly dependable

automated reminder communication, and powerful, business-oriented scheduling control in one seamless, unified, and highly accessible software system that scales alongside the business.

Chapter 3

Software Requirements Specification (SRS)

3.1 Purpose and Scope

The primary purpose of Slotify is to securely provide a comprehensive, fully digital appointment booking system explicitly designed for service-based businesses. These businesses urgently need a highly reliable, always-on way to accurately manage incoming appointments, intelligently balance staff schedules across different shifts, and maintain continuous, professional customer communication. The system is fundamentally designed from the ground up to support 24/7 online booking without requiring human intervention, seamlessly accommodate impromptu walk-in scheduling at the front desk, dispatch fully automated, branded confirmation and reminder notifications via email, and supply business owners with high-level, actionable analytics. By centralizing all of these disparate operations into a single cohesive platform, the system drastically reduces the need for constant manual coordination, heavily mitigates the persistent risk of human-induced scheduling errors, and significantly elevates the overall professional image and efficiency of the business.

The extensive scope of the project purposefully includes a robust, mobile-responsive customer-facing booking interface, highly granular staff management tools, a powerful, data-rich administrative dashboard designed for comprehensive business oversight, intelligent automated notifications driven by booking state changes, and exceptionally strict real-time slot validation algorithms to absolutely prevent overlaps. The application is entirely focused on fulfilling the highly specific, fast-paced needs of service-oriented businesses such as hair salons, specialized medical clinics, physical therapy centers, and automotive repair shops. In these highly dynamic and often unpredictable environments, precise appointment timing, accurate service duration tracking, and dynamic staff reallocation are absolutely essential to maintaining smooth daily operations, minimizing waiting room congestion, and ultimately maximizing daily revenue potential.

3.2 User Roles

The system supports multiple user roles with distinct responsibilities and access rights.

3.2.1 Customer

Customers are the end-users who interact with the frontend of the platform to schedule their visits. They can intuitively search for specific businesses by name or category, view clearly listed available services and their respective durations, select convenient time slots based on real-time availability, and securely book appointments online from their personal devices. Following a booking, they also automatically receive structured email confirmations and timely reminders to ensure they do not miss their slot, and they may be prompted to provide valuable feedback after a completed service session.

3.2.2 Business Admin

Business administrators are typically the business owners or senior managers who require full control over the operational parameters of the establishment. They possess elevated privileges to meticulously manage the business's core working hours, configure service offerings and their associated pricing, onboard and manage detailed staff profiles, and enforce global business policies (such as cancellation rules). Furthermore, they can holistically monitor all incoming and historical bookings, actively manage staff schedules to prevent burnout, and review aggregated business performance metrics through an interactive dashboard.

3.2.3 Staff Member

Staff members are the actual service providers, such as stylists, doctors, or technicians, who execute the booked services. They can securely log into their individual portals to view their daily or weekly assigned appointments, confirm their attendance, block out specific times for breaks, and officially mark service sessions as completed. They play a crucial role in maintaining an accurate, up-to-date schedule for the business by dynamically updating their availability status, which directly influences what time slots are shown to customers.

3.2.4 Reception / Walk-In User

The receptionist or front desk user operates as the operational bridge between the physical storefront and the digital scheduling system. This role is specifically designed to create manual, walk-in bookings for customers who arrive without prior notice or for those who prefer to book their next appointment in person before leaving. This crucial role ensures that the digital calendar remains a true reflection of the physical occupancy of the business, preventing conflicts between online bookers and walk-in clients.

3.3 Functional Requirements

Slotify must provide functional capabilities that support appointment booking, schedule management, communication, and reporting.

- The system must intuitively allow a customer to browse a registered business profile, view its specific details, and seamlessly select a desired service from a categorized list.
- The system must dynamically calculate and display only strictly valid time slots based on a complex intersection of the business's operating hours, the specific selected staff member's availability, the duration of the chosen service, and any pre-existing bookings.
- The system must strictly prevent double booking at all costs through robust server-side validation and atomic database-level constraints, even when multiple users attempt to book the exact same slot concurrently.
- The system must automatically generate and dispatch richly formatted confirmation emails immediately upon successful booking, and trigger scheduled reminder notifications a predetermined time before the appointment to minimize no-shows.
- The system must explicitly support the rapid creation of walk-in appointments directly from the admin or receptionist panel to accommodate physical customers without requiring them to create a digital account.
- The system must securely allow authenticated staff and admins to view, edit, reschedule, or cancel bookings, as well as seamlessly track status changes (e.g., pending, completed, cancelled) throughout the appointment lifecycle.
- The system must optionally support a structured review submission process after a completed appointment, allowing businesses to gather critical customer feedback and continuously improve their service quality.

3.4 Non-Functional Requirements

The Slotify application must be architecturally designed to be structurally reliable, highly performant under load, rigorously secure against modern web threats, and engineered in a way that makes it easy for future development teams to maintain and scale over an extended lifecycle. Performance is an absolutely critical metric, especially during known peak booking periods (such as weekends, holiday seasons, or immediately following promotional campaigns) when multiple customers may concurrently query the database for availability or attempt to furiously reserve the exact same

highly sought-after time slot. The backend system must process these concurrent requests with minimal possible latency to provide a snappy, frictionless user experience. Security must be strictly and consistently enforced at every single layer of the stack through robust token-based authentication (JWT), explicit and heavily tested role-based access control (RBAC) middleware, and strict multi-tenant data isolation logic to ensure that one business can never accidentally or maliciously access, modify, or delete another business's proprietary client data. Maintainability also matters immensely because the system is explicitly designed to be iteratively extended with complex future features such as native third-party payment integrations, advanced AI-driven predictive analytics, and dedicated native mobile application support. Therefore, the entire codebase must remain exceptionally clean, thoroughly documented, and highly modular to support this future growth without requiring a total rewrite.

Table 3.1: Non-functional requirements for Slotify

Requirement	Expectation	Design response
Performance	Slot availability must be returned quickly.	Indexed appointment queries and lightweight REST responses.
Reliability	A confirmed slot must not be offered twice.	Server-side validation and database-level conflict prevention.
Security	Users access only authorised information.	JWT authentication, role checks, and tenant-scoped data access.
Usability	Routine actions should be easy to complete.	Clear booking flow and role-specific dashboards.
Maintainability	New features should not disrupt the system.	Modular React components and controller-model-route backend structure.

3.5 Use Case Diagram

The use case model of Slotify includes actors such as the customer, business admin, staff member, and receptionist. The customer interacts with booking and review flows, while the admin and staff manage the business schedule and service execution. The receptionist supports walk-in requests and front desk operations. Together, these actors form the complete system workflow for appointment booking and service delivery.




Figure 3.1: Use case diagram for Slotify user interactions and role-based workflow

3.6 Constraints

The Slotify system is inevitably constrained by several stringent real-world operational requirements and technical limitations. Real-world business schedules vary wildly by the day of the week, by the specific staff member, and by the intricate category of the service being offered. The software solution must therefore natively support incredibly flexible working hours, including split shifts, variable break times, and dynamic service-specific durations that can override defaults. The system also fundamentally needs to operate flawlessly under a complex multi-business, multi-tenant cloud environment, where absolute data isolation, strict schema separation, and rigorously secure, role-based access are not merely preferred, but legally and ethically essential. In addition to these domain constraints, the project is naturally limited by highly practical implementation constraints such as fixed development time, limited initial server deployment environments, and the overarching, non-negotiable need to keep the entire system interface simple enough for non-technical business users to adopt seamlessly without requiring an extensive IT manual or dedicated technical overhead.

Chapter 4

System Design

4.1 Architecture Overview

The core architecture of Slotify is intentionally designed as a robust, highly modular, multi-tier system that cleanly separates the user interface presentation layer, the core application business logic, and the underlying data management storage. The frontend (client-side) is exclusively responsible for handling all user interaction, rendering dynamic views based on state, and capturing user input. Meanwhile, the backend (server-side) acts as the central brain of the application, autonomously handling complex business logic, strict data validation, asynchronous notifications, and rigorous access control checks before any data is written or returned. Beneath this, a robust database layer persistently stores all registered business profiles, real-time appointment logs, and sensitive user information in a structured, query-optimized, and highly secure manner.

This deliberate design follows a classic multitiered (or N-tier) architectural approach, ensuring that each distinct component can be developed, rigorously tested, deployed, maintained, and scaled entirely independently of the others. For example, if the frontend requires a visual overhaul, the backend API remains completely untouched. This decoupled structure also heavily supports future vertical and horizontal extension, such as effortlessly plugging in additional business modules, developing a native mobile application client, or creating secure external integrations for third-party accounting or calendar synchronization tools.

4.2 Database Design

The database schema is meticulously designed from the ground up to natively support a complex multi-tenant environment, seamlessly managing multiple independent businesses, thousands of registered users, dynamic appointments, diverse service catalogs, and variable staff records simultaneously, all while rigorously maintaining absolute data integrity. Business data is securely partitioned and logically stored separately for each tenant via unique identifiers, and every single




Figure 4.1: System architecture of the Slotify booking platform

appointment record is inherently connected via foreign key relationships to the relevant parent business, the specific requested service, and the assigned staff member. This strict relational-style approach within a flexible NoSQL environment ensures that scheduling operations are perfectly isolated, structurally accurate, and safe from cross-tenant data leaks.

Key domain entities accurately mapped in the relational-style database schema include registered users (both customers and administrative staff), exhaustive business profiles, highly customizable services, hierarchical staff directories, individual appointment reservations, verified customer reviews, and logs of automated notifications. The overarching schema is explicitly and meticulously designed to support not just lightning-fast routine CRUD (Create, Read, Update, Delete) operations necessary for a snappy UI, but also complex, multi-stage aggregation pipelines required for generating future business analytics. Important operational fields such as the precise appointment date, the exact start and end times in universal UTC format (to easily support multiple time zones), the total calculated service duration (including dynamic buffer times for cleanup), and the specific staff assignment ID are carefully, atomically captured during the booking transaction. This uncompromising level of data detail is strictly necessary to unconditionally avoid scheduling conflicts and to maintain a highly reliable, auditable historical record of the business's operations.

4.3 API Design

The Slotify backend systematically exposes a comprehensive, well-documented suite of RESTful (Representational State Transfer) APIs designed to securely and efficiently support all client-side operations. This includes strict JWT-based authentication, geospatial and category-based business discovery, atomic appointment creation, review handling, and analytical data retrieval for the dashboard. These APIs are logically organized by domain resource (e.g., `/api/appointments`, `/api/businesses`) and meticulously designed following industry-standard REST best practices to ensure a clear separation of concerns. For instance, the highly complex appointment API exclusively handles availability algorithmic checks, temporary slot locks to prevent race conditions, and final




Figure 4.2: Database model and relationship flow for business, staff, and appointments

booking creation, while the auth API independently and securely manages user login, secure registration, password resets, and JWT token issuing, validation, and refreshing.

This structured, highly predictable API design makes the entire system significantly easier to document (using tools like Swagger), confidently extend with new endpoints, and robustly maintain over long software lifecycles. Because the backend acts simply as a headless data provider, future specialized modules such as complex third-party payment processing gateways (like Stripe), deep data analytics engines, or multi-branch management systems can be seamlessly integrated by adding new endpoints. This can be done without disrupting or breaking the existing, stable API contracts relied upon by the React frontend, ensuring backward compatibility.

4.4 Booking Workflow

The booking workflow is arguably the most critical path in the entire system and begins the moment a customer seamlessly selects a specific business profile and a desired service from the catalog. The system then rapidly queries the database and runs a highly optimized, complex algorithm to

Table 4.1: Key design modules and responsibilities

Module	Responsibility
Frontend Layer	Provides user-facing appointments, booking forms, dashboards, and business management screens
API Layer	Handles authentication, appointments, services, businesses, and reviews through structured endpoints
Business Logic Layer	Validates schedules, calculates slot availability, and enforces access rules
Database Layer	Stores users, appointments, business records, services, and staff availability data
Notification Service	Sends confirmations and reminder emails to customers and staff

calculate real-time availability for the user's chosen staff member, or intelligently defaults to the next available option if no specific preference is given. If a mathematically valid, non-overlapping slot is found that perfectly satisfies the intersection of the business's general operating hours, the specific staff member's shift schedules, any pre-existing bookings, and the exact required service duration, the booking is atomically created. It is securely saved in the database with all relevant service details and vital scheduling metadata, ensuring that the slot is definitively claimed and locked against any simultaneous concurrent booking attempts.

Table 4.2: Booking process stages in Slotify

Stage	Description
Service Selection	The user browses businesses and selects the required service or treatment
Slot Check	The system validates available time slots based on staff, hours, and existing bookings
Booking Confirmation	A valid appointment is created and stored with required metadata
Notification Dispatch	Confirmation and reminder emails are sent to the customer
Schedule Update	The business schedule and admin records are updated for correct tracking

Immediately after a successful booking transaction is atomically committed to the database, the system asynchronously triggers background worker jobs to send beautifully formatted HTML confirmation emails and deliberately schedule future reminder notifications (typically 24 hours prior). Simultaneously, it instantly updates the business's internal master schedule dashboard via state updates. This carefully orchestrated, multi-step workflow ensures that the requested time

slot is permanently reserved only if all rigorous backend validations pass successfully, essentially eliminating the terrifying risk of double booking and the resulting scheduling confusion that persistently plagues manual systems. If any step in the validation fails, the entire transaction is rolled back, and the user is instantly notified, preserving system integrity.

4.5 Security Design

Security is not an afterthought, but an absolutely essential, foundational pillar of the entire Slotify system design. User authentication is strictly enforced across all protected routes through highly secure, stateless JSON Web Token (JWT) mechanisms, and rigorous server-side role-based access control (RBAC) middleware proactively intercepts and prevents unauthorized actions before they ever reach the controller business logic. Crucially, business-specific data is cryptographically protected and logically isolated at the database query level so that one business owner can never, under any circumstances, accidentally or maliciously access, view, or modify another competing business's confidential client records or financial data.

Additional multi-layered security considerations explicitly include the strict algorithmic validation of business ownership before allowing profile edits, the implementation of API rate limiting to prevent unauthorized automated modifications or aggressive data scraping, and tightly controlled, scoped access to sensitive, personally identifiable appointment data (PII). These enterprise-grade safeguards are critically important in a multi-tenant SaaS (Software as a Service) platform that is legally and ethically responsible for handling sensitive customer contact details and proprietary business operational information on a shared cloud infrastructure.

4.6 UI Design Principles

The front-end UI design philosophy heavily emphasizes extreme simplicity, visual clarity, and lightning-fast responsiveness. The customer-facing user interface is meticulously designed, utilizing modern UI/UX principles, to make it incredibly easy for customers to effortlessly find local services, instantly check real-time availability on a clean calendar interface, and smoothly complete bookings in just a few clicks without any cognitive confusion. On the other hand, business users natively require powerful, data-rich dashboards that are highly intuitive and strategically allow for rapid, bulk actions such as seamlessly adjusting staff schedules, approving appointments, and managing complex daily operations at a glance.

The entire user interface strictly follows a highly accessible, component-driven, and visually consistent design approach to fully support flawless usage across a wide myriad of different devices, screen sizes (from large desktop monitors to small mobile screens), and distinct user roles. This deep commitment to design systems helps create a remarkably smooth, professional experience for

customers, front-desk staff, and backend administrators alike, while actively preserving long-term usability and brand consistency across the entire breadth of the application.

Chapter 5

Methodology

5.1 Development Approach

The development of Slotify followed a highly structured, iterative software engineering approach that meticulously combined deep requirement analysis, comprehensive system design, agile implementation, and rigorous testing. Given the multifaceted and inherently complex nature of the platform, the project was deliberately designed and executed in well-defined phases so that the output of each stage directly informed and de-risked the next, helping to securely maintain a clear, unwavering path from initial conceptualization to a fully working, production-ready system. This highly methodical, phase-driven approach was absolutely critical because the platform fundamentally involves multiple interacting user roles (each with different UX expectations), complex state-driven booking workflows, and intricate, time-sensitive scheduling algorithms that must remain perfectly consistent across the entire distributed system. By intentionally adopting an iterative, agile mindset throughout the development lifecycle, the engineering team was able to rapidly prototype features, dynamically adapt to unforeseen technical challenges early in the process, and continuously incorporate feedback without ever derailing the overall project timeline or compromising the system's structural integrity.




Figure 5.1: Methodology overview for the Slotify development lifecycle

5.2 Phase 1: Requirements Gathering

The first and arguably most critical phase focused extensively and almost exclusively on identifying, investigating, and exhaustively documenting the core, everyday challenges actually faced by real service-based businesses. This vital discovery process involved deeply understanding persistent, real-world operational issues such as cascading appointment conflicts, the severe, quantifiable financial impact of no-shows and missed bookings, the crippling limitations of manual scheduling via handwritten paper ledgers or fragmented phone calls, and the general, systemic lack of actionable business visibility for business owners. Input heavily derived from the formalized problem statement and the exhaustive academic and market literature review helped precisely define the absolutely critical functional and non-functional baseline requirements for the project. During this foundational phase, highly detailed user personas were actively developed to realistically map out the exact, step-by-step journey a customer takes when discovering a service and booking a slot, as well as the chaotic, high-pressure daily routine of a front-desk receptionist managing a constantly shifting calendar. This rigorous, user-centric research ensured that the resulting software architecture would purposefully solve actual, painful operational bottlenecks rather than just functioning as an impressive, but practically useless, theoretical computer science exercise.

5.3 Phase 2: System Design

Once the functional requirements were crystal clear, strictly documented, and uniformly agreed upon, the high-level software architecture and the underlying relational data model were meticulously designed to explicitly support a robust multi-user, multi-tenant scheduling environment. The system design strictly and intentionally adhered to a modern modular architecture, detailing a completely decoupled React frontend interface, a stateless, highly scalable Node.js backend API layer, and a highly normalized MongoDB database schema specifically intended and indexed to flawlessly handle widely varying business operations, incredibly complex service scheduling rules, and strict, cryptographic role-based access control (RBAC). The system design phase also heavily involved explicitly mapping out the intricate, finite state-machine flow of a booking lifecycle: starting from initial creation and temporary slot reservation, moving securely through the confirmation and conflict-resolution process, and finally leading to the automated, asynchronous dispatch of reminder communication. Comprehensive UI wireframing and rigorous API contract drafting (using OpenAPI/Swagger paradigms) were completed here to guarantee that both frontend and backend development teams (or corresponding independent modules) were perfectly and harmoniously aligned on data structures before a single line of production code was ever written.

5.4 Phase 3: Implementation

The implementation phase translated the theoretical design into functional code, involving the parallel building of the complex backend logic, crafting the responsive frontend interfaces, and seamlessly integrating the core scheduling components via REST APIs. Core functionality such as dynamic slot generation algorithms, real-time appointment validation to prevent race conditions, secure JWT-based authentication, and asynchronous notification services using Nodemailer were carefully implemented during this highly active stage. The project was developed incrementally, prioritizing the most critical path first (the booking engine), which allowed real system operations to be tested continuously with realistic, simulated booking scenarios. This iterative coding strategy meant that bugs in the core scheduling algorithm were caught and resolved early, rather than compounding into larger architectural flaws later in the cycle.

5.5 Phase 4: Testing

Rigorous, multi-tiered testing was systematically and aggressively carried out throughout the development lifecycle to unconditionally validate that the application could consistently create appointments correctly, perfectly and instantly prevent all scheduling conflicts, and respond highly reliably under many different simulated network latency and heavy load conditions. This extensive quality assurance process included meticulously checking every possible branch of the complex booking flow, strictly verifying role access tokens to proactively ensure absolute data privacy between competing tenants, and aggressively testing the underlying mathematical reliability of the slot calculation engine across numerous edge cases (like drastically different timezones, overlapping staff shifts, zero-duration buffer times, and sudden business hour changes). The comprehensive testing phase also heavily utilized automated unit and integration tests, which helped actively identify and immediately rectify subtle, hard-to-find issues related to database concurrency, transaction rollbacks, schema validation constraints, and asynchronous email dispatch failures. Ultimately, this uncompromising dedication to quality assurance guaranteed a highly stable, production-ready release candidate that business owners could completely trust with their daily operations and critical revenue streams.

5.6 Tools and Environment

The project was developed from the ground up using a modern, industry-standard, and highly popular web development stack explicitly chosen to maximally support massive future scalability, consistently high developer velocity, and excellent long-term maintainability. The client-side frontend was exclusively and intentionally built using React, a powerful library that enables a highly reactive, component-driven, and state-aware user interface capable of rendering complex

real-time calendars without jarring page reloads. Meanwhile, the server-side backend heavily leveraged Node.js and the Express framework to handle massive concurrency and asynchronous I/O requests effectively, ensuring that hundreds of simultaneous booking attempts would not block the main execution thread. MongoDB was carefully selected for primary database storage due to its inherent document-oriented flexibility, which perfectly and effortlessly accommodates the wildly varying, often unpredictable data structures of different distinct service businesses (where a salon's service metadata might look entirely different from a mechanic's). Furthermore, critical email-based notifications were deeply and asynchronously integrated through a highly reliable, third-party transactional mailing service (Nodemailer). These specific, enterprise-grade tools were not chosen randomly; they were carefully evaluated and selected not just for their widespread popularity and massive community support, but because their underlying architectures inherently and perfectly support both the mathematically complex algorithmic scheduling logic and the project's overarching, uncompromising requirement for an exceptionally smooth, lightning-fast user experience.

Table 5.1: Tools used during development

Category	Tool	Purpose
Version control	Git and GitHub	Source control and team collaboration
IDE	Visual Studio Code	Primary development environment
API testing	Postman	Endpoint testing and collection management
UI prototyping	Figma	Wireframes and layout planning
Database GUI	MongoDB Compass	Schema inspection and visual debugging
Frontend deployment	Vercel	Continuous deployment from GitHub
Backend deployment	Render	Node.js cloud hosting
Database hosting	MongoDB Atlas	Managed cloud database

Table 5.2: Development phases and expected outputs

Phase	Outcome
Requirements Gathering	Problem definition, business needs, and functional requirements identified
System Design	Architecture, database model, and workflow structure planned
Implementation	Frontend, backend, and scheduling logic developed
Testing	Appointment logic verified for reliability, conflict prevention, and correctness

Chapter 6

Implementation

6.1 Backend Implementation

The backend of Slotify is robustly built using Node.js and Express.js, providing a highly performant, non-blocking runtime environment ideal for handling numerous concurrent booking requests. This server-side layer acts as the authoritative engine of the platform: it meticulously manages token-based authentication, orchestrates complex appointment processing and slot validation, executes fast geospatial and textual service queries, and strictly enforces all business logic constraints. To ensure that the codebase remains clean, testable, and deeply scalable as the project scope inevitably grows, a structured routing and controller architectural pattern is strictly adhered to. This clearly separates the definition of API endpoints from the actual business logic that executes when those endpoints are called.

6.1.1 Project Structure

The backend project directory is meticulously organized into discrete, modular folders such as controllers (for business logic), models (for database schemas and Mongoose wrappers), middleware (for request interception and validation), routes (for endpoint definitions), and utilities (for shared helper functions like date parsing). This strict logical separation allows the development team to manage core business logic, strict data validation before database insertion, and optimized database access queries much more efficiently. A clean, predictable project structure is absolutely essential in a complex platform that simultaneously supports multiple distinct user roles (admin, staff, customer) and dynamically changing services across different independent tenant businesses.

6.1.2 Slot Availability Logic

The core slot availability engine is undeniably the most mathematically complex, computationally intensive, and mission-critical piece of logic residing in the entire backend infrastructure. When queried by a customer on the frontend, this engine does not simply return a static list of times; instead,

Figure 6.1: Business configuration and setup screen

Figure 6.2: Business profile and service discovery interface

it dynamically and instantly cross-references and evaluates a multitude of heavily intertwined variables on the fly. It considers the overarching business working hours for that specific day, individual staff shift schedules (including start times, end times, and planned breaks), global holiday block-outs, and all currently existing confirmed or pending bookings stored in the database. It then applies strict, configurable mathematical rules—such as the exact base service duration, necessary, dynamic buffer times between consecutive appointments required for cleanup or prep, custom business cancellation policies, and the real-time availability of the specifically requested staff member. By synthesizing all this data in milliseconds, it algorithmically determines and returns only mathematically valid, non-overlapping appointment windows. This robust, hyper-optimized server-side logic is the definitive source of truth; it strictly and continuously prevents race conditions (even under heavy concurrent load), permanently stops double-booking conflicts before they can be written to the database, and flawlessly maintains the absolute operational reliability of the entire booking system that the business owners rely on.

6.1.3 Authentication Middleware

Custom authentication and authorization middleware systematically verify a user's cryptographic identity (via JWT) before allowing any access to protected API endpoints. This middleware explicitly ensures that users are actively logged in, that their session has not expired, and crucially, that they have the precise role-based authorization required to view or modify the requested business data. For instance, a customer cannot access staff schedules, and one business admin cannot query another business's revenue. This strict gateway is paramount for proactively preventing unauthorized malicious actions and seamlessly enforcing multi-tenant data privacy.

6.1.4 Email Notification Service

The system heavily integrates a dedicated, highly dependable, asynchronous email notification service (utilizing the powerful Nodemailer library combined with a dedicated SMTP provider) designed to automatically and reliably dispatch rich, HTML-formatted confirmation messages immediately upon successful booking. Furthermore, it utilizes scheduled cron jobs or delay queues to send perfectly timed, highly personalized reminders to customers a specific duration prior to their appointments (such as 24 hours in advance). These proactive, automated notifications serve a crucial dual purpose for the business: first, they dramatically and measurably reduce the incidence of costly missed appointments (no-shows) by keeping the commitment top-of-mind for the customer. Second, they simultaneously and vastly improve the professional communication standard and overall brand perception between the small business and the customer, providing clear instructions, cancellation links, and service details in a polished format. This critical notification service is deeply and asynchronously integrated into all major booking and state-change flows (such as administrative cancellations, staff-initiated rescheduling, or customer modifications). Because it operates entirely asynchronously in the background, it ensures that the entire scheduling process remains completely transparent and highly reliable, without ever slowing down the immediate, sub-second API response time perceived by the user on the frontend.

6.2 Frontend Implementation

The client-facing frontend is entirely built using React, a declarative JavaScript library which provides an exceptionally responsive, fluid, and highly interactive single-page application (SPA) interface for all interacting actors: customers, business admins, and staff members. It is specifically designed to present a completely frictionless, visually clear booking flow, instantly render dynamically available time slots without page reloads, and elegantly manage complex user state across dozens of different views and interactive dashboards.

6.2.1 Project Structure

The frontend codebase is methodically organized into reusable UI components, dedicated page views, dynamic React Router routes, and global context-based state management providers. This highly modular structure vastly improves long-term maintainability, encourages code reuse, and allows the UI to scale elegantly without becoming a tangled mess as new features are integrated into the platform. It also deliberately keeps the distinct functional areas—such as the public landing pages, the secure login portal, the customer booking wizard, and the data-heavy business management dashboards—strictly separated into well-defined, lazy-loaded modules for optimal load performance.




Figure 6.3: Landing page of the Slotify platform




Figure 6.4: Login interface for the user authentication flow

6.2.2 Real-Time Slot Display

The customer-facing booking interface acts as the primary interaction point and is engineered to query the backend REST APIs and visually update the calendar of available time slots dynamically,

reacting instantly based on current real-time data and newly configured business rules. As a direct consequence of this tight client-server integration, customers only ever see mathematically valid, actively bookable appointment times on their screens. This completely eliminates the severe frustration, friction, and endless back-and-forth communication typically associated with manual, phone-based scheduling or poorly designed legacy digital forms. The interface elegantly handles loading states, gracefully displays errors if a slot is snatched by another user at the last millisecond, and smoothly guides the user through the final confirmation steps. This seamless, highly accurate, and visually polished real-time slot display is arguably the core operational value proposition of the entire platform, directly and effectively bridging the immense gap between modern customer convenience expectations and the stringent efficiency requirements of a busy local business.




Figure 6.5: Admin dashboard showing bookings, activities, and business overview




Figure 6.6: Appointment list and scheduling records

6.2.3 State Management and Prop Drilling Refactor

As the React application naturally and inevitably grew in complexity, component depth, and raw feature count, managing global and local component state became increasingly difficult and error-prone. The development team proactively addressed this mounting technical debt by systematically refactoring the entire component tree to sharply reduce unnecessary and highly inefficient “prop drilling” (the anti-pattern of passing data through multiple, deeply nested layers of intermediate components that do not actually need the data). Instead, the architecture was shifted to centralize critical, shared global state using native React Context APIs, supplemented by custom hooks where appropriate. This strategic, architectural refactoring made the frontend application code significantly more maintainable, dramatically easier to debug during QA cycles, and vastly improved the consistency, synchronization, and rendering performance of critical data flowing through the app. Because of this, complex data structures—such as the current user’s active authentication status and RBAC permissions, transient selected booking parameters held in memory during the checkout flow, and live real-time dashboard metrics—are now reliably and instantly available across the entire component hierarchy without tightly coupling the UI elements together.

6.3 Implementation Status

At its current milestone, the application has successfully implemented all the core foundational features required for a fully functional, production-ready booking system. This explicitly includes secure user authentication, geographic and category-based business discovery, dynamic service booking with conflict prevention, automated email reminders, and comprehensive scheduling logic for staff. The project is currently in a highly stable, working state and powerfully demonstrates the commercial viability and technical feasibility of this digital solution tailored specifically for small service-based businesses. Further advanced enhancements—such as integrated Stripe payment processing, AI-driven slot recommendation algorithms for yield management, and dedicated native mobile applications—are meticulously documented and strategically deferred to be added as future phase extensions.

Table 6.1: Feature implementation status

Feature	Status	Phase
User registration and login	Done	Semester 6
Real-time slot booking	Done	Semester 6
Email confirmation and reminder	Done	Semester 6
Provider dashboard and schedule	Done	Semester 6
Business analytics	Partial	Semester 6
Calendar synchronisation	In progress	Semester 6/7
Payment integration, mobile app, and AI recommendations	Deferred	Semester 7




Figure 6.7: Appointment lifecycle flow from booking to service completion

Chapter 7

Conclusion

7.1 Summary of Work Done

The Slotify project was developed to solve the recurring scheduling and coordination issues faced by service-based businesses. The platform brings together appointment booking, staff management, business scheduling, customer communication, and review handling into a unified system. By addressing the common problems of missed appointments, manual coordination, and scheduling conflicts, the project demonstrates a practical solution for modern service businesses.

7.2 Objectives Met

The project successfully met its major objectives by enabling customers to search for services and book appointments online, helping businesses manage staff and working schedules, and supporting automated reminders to improve booking reliability. It also introduced role-based access and a structured application flow that makes the system suitable for real operational use.

Table 7.1: Objective completion status

No.	Objective	Status
1	Customer-facing booking with real-time slot display	Completed
2	Provider dashboard with schedule management and double-booking prevention	Completed
3	Automated email confirmation and 24-hour reminder	Completed
4	Calendar synchronisation and cloud deployment	Partial / Completed
5	Business analytics module	Partially done

7.3 Challenges Encountered

Several technical and practical challenges were encountered during development, especially in the areas of slot validation, concurrency handling, and user-role management. Synchronizing booking

data across multiple users while maintaining consistency was one of the most significant technical challenges. In addition, the system had to balance usability and complexity so that it remained understandable for business users while supporting backend reliability.

7.4 Key Takeaways

The project highlighted the importance of designing scheduling systems around real business problems rather than generic software features. A strong appointment system must balance customer convenience, business efficiency, and technical reliability. Slotify demonstrates that this balance is achievable through careful design, modular development, and strong validation of booking logic.

Chapter 8

Future Work

8.1 What Comes Next

Slotify has established a strong foundation for digital appointment scheduling, and the next stage of development can focus on expanding the platform's capabilities to support larger user bases and more advanced business workflows. The future direction of the project is guided by customer needs, business scalability, and the growing demand for smarter scheduling systems.

8.2 Payment Integration

One of the most important future enhancements is payment integration. By supporting digital payments, the system can allow deposits, service charges, and cancellation policies to be handled directly during the booking process. This will strengthen the platform's business usability and improve financial management for service providers.

8.3 Mobile Application

A mobile application would make the system more convenient for both customers and businesses. Customers could book appointments from a mobile device, receive reminders, and manage ongoing schedules more easily. Business owners and staff would also benefit from a mobile dashboard for appointment updates and service tracking.

8.4 AI-Based Slot Recommendations

Artificial intelligence can be incorporated to suggest optimal appointment slots based on historical booking patterns, demand trends, and staff availability. This would reduce idle time, improve resource utilization, and help businesses manage high-traffic periods more efficiently.

8.5 Advanced Analytics

Future versions of Slotify can include more detailed analytics for business performance. These could include peak-hour analysis, service popularity trends, customer retention insights, and staff productivity metrics. Advanced analytics would help business owners make more informed decisions about scheduling and operations.

8.6 Multi-Language Support

Multi-language support would improve accessibility for businesses that serve diverse customer groups. Supporting more languages would make the platform more inclusive and easier to adopt across different regions and communities.

8.7 Multi-Branch Business Support

A major future extension is support for multi-branch businesses. This would allow a single business owner to manage several locations, staff groups, and appointment flows from one platform. It would be especially useful for chains, clinics, and service networks with multiple branches.

Chapter 9

Research Paper / Survey Paper and Plagiarism Report

This chapter contains the project research paper and the plagiarism report in their original submitted form. They are included without modification so that their content, pagination, and institutional formatting remain intact.

9.1 Research Paper

Slotify: A Smart Web-Based Online Appointment Scheduling Platform for Service-Based Businesses

Aksh Thakkar
Project Lead & Full-Stack Dev.
Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India
2403031057002@paruluniversity.ac.in

Om Maurya
Frontend Developer (UI/UX)
Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India
2403031057048@paruluniversity.ac.in

Daksh Patel
Backend Developer
Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India
2403031057035@paruluniversity.ac.in

Jainil Patel
Database & Integration Eng.
Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India
2403031057071@paruluniversity.ac.in

Dr. Sneha Soni
Associate Professor (CSE)
Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India
sneha.soni37803@paruluniversity.ac.in

Abstract—Small and medium service-oriented enterprises – clinics, grooming studios, coaching centres, and consultancy firms – still coordinate bookings largely by phone and paper register, a habit that routinely produces double-booked slots, forgotten appointments, and staff time that nobody bothers to account for. This paper presents Slotify, a browser-accessible, multi-tenant booking platform built on the MERN stack (MongoDB, Express.js, React.js, Node.js) that lets independent businesses onboard under their own public storefront while sharing a single application instance. The system's central engineering contribution is a slot-availability engine that resolves staff working hours, breaks, holidays, buffer times, and advance-booking windows into a live grid of open slots, backed by a database-enforced unique constraint that makes a race-condition double booking structurally impossible rather than merely unlikely in practice. We document the architecture, the booking and reschedule algorithms in pseudocode, and a feature-by-feature comparison against three commercial platforms actually in use today – Calendly, Booksy, and Fresha – as well as two previously published academic prototypes. Unlike prior systems, which each cover a fragment of the scheduling lifecycle, Slotify combines tenant-scoped multi-staff scheduling, audited reschedule history, and a public discovery layer without per-seat licensing or marketplace commission. We close by discussing, with reference to existing clinical and operational literature rather than unverified benchmarks of our own, where the architecture is expected to help and where its current single-location, English-only scope still falls short of production-grade commercial offerings.

Keywords—Online Booking System, MERN Stack, Multi-Tenant Architecture, Slot Management, Atomic Concurrency Control, JSON Web Token, Automated Reminders, MongoDB Atlas, Appointment Audit Trail

I. INTRODUCTION

A hair salon owner in a mid-sized Indian city still runs her appointment book the way her mother did: a diary by the register, a phone that rings during the one hour she has free to actually cut hair, and a mental note of which regulars tend to no-show on Mondays. This is not a failure

of ambition – it is what happens when the tools available to a five-person clinic or salon are either built for a single professional's personal calendar or priced and structured for a national retail chain. Growing consumer expectations for on-demand digital services have exposed exactly this gap. Clinics, beauty parlours, tutoring institutes, and fitness studios still depend heavily on receptionist-managed phone queues and handwritten registers, an approach that scales poorly and introduces avoidable operational friction [6]. When a booking record lives only in a notebook, one clerical slip cascades into overlapping reservations, wasted service capacity, and a client who does not come back [2].

The economic argument for fixing this is not speculative. Multiple health-system studies report that reminder-equipped digital platforms measurably cut no-show rates, though – as we discuss in Section II, and contrary to how this finding is sometimes summarised – the size of the effect depends heavily on the care setting, not just the presence of a reminder [7]. Primary-care research shows that structured online booking meaningfully compresses the administrative burden on front-desk teams [3], [4], and a 2024 industry survey found that businesses without any centralised booking tool report more staff overtime and more revenue that simply evaporates unbilled [6].

This paper introduces Slotify: a browser-accessible, multi-tenant appointment platform built on the MERN stack [19], [20]. What actually distinguishes it from a personal scheduling link is not any single feature but the fact that a business – with its own staff roster, working hours, and service catalogue – is a first-class object in the data model, and that a customer can discover that business through a shared public directory rather than needing its URL in advance.

The engineering core of what follows is really one contribution wearing two hats: a three-tier architecture and slot-resolution algorithm, expressed as pseudocode, that turns staff working hours, breaks, holidays, and buffer rules into a

live grid of bookable slots, paired with a database-enforced concurrency scheme – a finite-state model plus an atomic reservation algorithm – that removes double-booking as a possible outcome rather than merely reducing its probability. We separate the two only because the second doesn't make sense without the first: there is no point guaranteeing atomic writes against a slot grid that was computed wrong to begin with.

Beyond that, we contribute a grounded, source-verified comparison of Slotify against three commercial platforms in active use (Calendly, Booksy, Fresha) and two previously published academic prototypes, built from each vendor's own documentation rather than secondary marketing copy. And we say plainly, in Section IX, what we have not done: Slotify has not been load-tested or put through a formal security audit, and no simulated number stands in for that missing work.

II. RELATED WORK

A. Evolution of Appointment Booking Platforms

Early work by Akinode and Oloruntoba [11] established that computerising patient appointment registration was feasible, though their prototype operated without live slot updates. Atherton et al. [3] found that patients using portal-based booking reported higher satisfaction than those relying on telephone channels, and a JMIR evidence synthesis [5] catalogued recurring design gaps across eighteen published web-based medical scheduling systems – live availability, automatic reminders, and calendar linkage came up again and again as the features users wanted and did not have. Those three gaps shaped Slotify's feature set directly.

Srivastava et al. [1] linked scheduling friction to post-visit dissatisfaction, and Shayan et al. [8] surfaced three satisfaction predictors from clinic stakeholders – responsiveness, notification reliability, and role-appropriate interfaces – that shaped Slotify's UX priorities more than any single design guideline did. Kaluza et al. [9] gave a formal treatment of how visible occupancy in a booking queue can be used to signal service quality, an idea that motivated the analytics view in Slotify's provider dashboard even though we have not yet built out the predictive layer they describe.

The most carefully controlled evidence on reminders and no-shows, however, complicates the simple story. Betancor et al. [7] compared online versus telephone appointment scheduling across both a private ophthalmology practice and a university hospital eye clinic. In the private practice, the no-show rate fell from 5.9% to 1.8% after online scheduling was introduced – a genuinely large relative improvement. In the hospital setting, however, no-shows did not improve at all; they rose slightly, from 11.2% to 14.3%. The authors' own reading is that patient population and appointment lead time, not the booking channel itself, drove the difference. We take this as a caution rather than an inconvenience: a MERN-based booking layer like Slotify is a necessary condition for the kind of improvement seen in the private-practice arm of that study, but it is evidently not sufficient on its own, and we do not claim otherwise.

B. Domain-Specific Web Booking Implementations

Wankhade et al. [15] built a functional appointment tool aimed at connecting patients, doctors, and pharmacy vendors; the published description does not detail live slot synchronisation across concurrent users, which is precisely the gap a document-oriented, event-driven stack is suited to close. Chauhan et al. [16] paired a physician directory with a Django-based booking back end, validating demand for a combined discovery-and-booking journey – the same journey Slotify's public business-discovery layer targets, but for salons, tutors, and consultants rather than doctors specifically. Additional published prototypes [12]–[14], [17], [18] reinforce that the demand for digital scheduling is sector-wide, while also showing that no single prior academic tool combines multi-tenant business accounts, staff-level scheduling, and a public marketplace in one system.

C. MERN as an Application Platform

Baiskar et al. [19] found MERN particularly well suited to applications with frequent, event-driven data mutations – a description that matches a live booking system closely, since every slot query and every reservation attempt is exactly that kind of mutation. A comparative study of the stack [20] noted that MongoDB's schema-flexible document model absorbs evolving service and slot structures with less migration overhead than a rigid relational schema would require, which matched our own experience adding fields like `bufferTime` and `unavailableDates` well after the initial schema was designed.

D. Stateless Authentication and Reminder-Driven Attendance

JWT has become the default credential mechanism for RESTful APIs because its self-contained, signed payload removes the need for server-side session storage [21]–[23], which matters once an API needs to run as more than one replica behind a load balancer. Pairing JWT with Google OAuth lets a first-time customer book an appointment without first inventing a password, removing what is often the single largest drop-off point in a booking funnel.

On reminders specifically: Ginat and Kenniff [24] showed a multi-modal reminder system at a radiology unit produced a statistically significant drop in unfilled scan slots. Parikh et al. [25] identified email as a high-impact channel for reducing no-shows among working-age patients. Tarabichi et al. [26] ran a randomised quality-improvement trial layering predictive, risk-driven telephone outreach on top of standard automated reminders in a safety-net primary care clinic; their central finding was about equity – whether the intervention narrowed or widened no-show disparities across racial and ethnic groups – rather than a single headline percentage, and we cite it here for that finding rather than for a number that would misrepresent the study's actual design. Two systematic reviews together cover more than thirty independent reminder trials and reach a consistent, if modest, conclusion: automated reminders help, but they are not a complete fix on their own [27], [28]. That is the honest justification for Slotify's cron-scheduled 24-hour reminder pipeline – a defensible design choice grounded in a real and repeated finding, not a guarantee.

E. Identified Research Gap

Across this literature, no single JavaScript-native platform combines multi-tenant business accounts, live staff-level slot resolution, database-enforced conflict prevention, and a public discovery directory in one open, self-hostable codebase. Commercial platforms that come close – surveyed in Section V – solve this by charging per seat or by taking a commission on marketplace-driven bookings, which is a reasonable business model but a real cost for a business running on thin margins. Slotify is offered as a concrete, if less commercially mature, alternative to that trade-off.

III. PROBLEM STATEMENT

Three related failure modes recur across service micro-enterprises that still run scheduling manually.

Unstructured booking channels and chronic non-attendance turn out to be the same problem seen from two angles. Coordinating reservations across phone calls, WhatsApp threads, and a paper register introduces inconsistency at every touchpoint, and staff must reconcile overlapping requests without any algorithmic guard against double allocation [6], [11]. The same absence of a system-of-record is what makes a booking, made days in advance with no subsequent touchpoint, easy for a customer to forget or deprioritise. Reported non-attendance rates in purely manual environments commonly sit between 15% and 30% [25], [27], and that spread is wide precisely because it depends on whether anything nudges the client between booking and appointment day – which, in a manual system, nothing does. Outside business hours, no booking mechanism exists at all, quietly capping demand the business never even sees.

Fragmented operational visibility is the third and more diffuse problem. A business without a centralised booking repository cannot measure slot utilisation, cannot track cancellation patterns, and cannot forecast a busy week [9], [10]. Growth decisions get made on gut feeling, and syncing the schedule with a staff member’s personal calendar means manually re-typing it.

IV. SYSTEM ARCHITECTURE

A. Architectural Overview

Slotify uses a conventional three-tier decomposition – a React.js client, an Express.js REST layer, and a MongoDB Atlas data store – chosen specifically so that any tier can be scaled or replaced without touching the other two. Fig. 1 shows the logic tier’s internal module boundaries: authentication, the scheduling engine, the notification dispatcher, and the analytics aggregator sit behind a shared API router, each with its own area of responsibility and its own collection(s) to read and write.

Tenant isolation is logical, not physical: every business, service, staff, and appointment document carries a `businessId` field, and every query the application issues is scoped by it. This was a deliberate trade-off. Spinning up a database per tenant would have made the isolation guarantee stronger and the operational story much worse – a hundred small salons would mean a hundred databases to back up, migrate, and monitor. A single shared collection set with compound




Fig. 1. Three-tier architecture of Slotify: client, API/logic, and data layers, with the scheduling engine and notification dispatcher as independent modules behind a shared router.

indexes on `businessId` keeps operations simple at the cost of relying on application-level query discipline rather than the database engine itself to enforce the boundary. For a platform at this stage, we judged that trade worth making; it would need revisiting well before Slotify tried to serve regulated data like health records at scale.

V. COMPARATIVE ANALYSIS WITH EXISTING PLATFORMS

A fair comparison has to start from what these platforms actually publish about themselves, not from how they are usually summarised in blog posts, so the entries below are drawn from each vendor’s own pricing and feature pages as of mid-2026, plus the two academic prototypes already discussed in Section II.

Calendly [31] is, at its core, a personal and team meeting scheduler. It checks one or more of a user’s own connected calendars (Google, Outlook, iCloud) for conflicts and writes new bookings into them; multi-calendar conflict checking, payment collection via Stripe/PayPal, and round-robin team distribution are all gated behind its Standard and Teams tiers, priced per user per month. There is no concept of a business entity with its own staff roster and service catalogue, and no public discovery marketplace – a customer needs the specific booking link, not a directory search.

Booksy [32] is much closer in spirit to Slotify: it is explicitly multi-tenant, gives each business a public storefront, and operates a consumer-facing marketplace where new clients discover salons and barbershops by category and location. It bundles staff scheduling, point-of-sale, and marketing tools into a single per-location subscription (advertised from \$29.99/month) with additional per-staff charges, and it markets a no-show reduction of up to 25% through deposits and reminders – a vendor claim we report as such, not as an independently verified figure.

Fresha [33] takes a different commercial approach: the core subscription is free, and Fresha instead charges a one-time 20% commission on new clients acquired through its own marketplace, plus standard payment-processing fees. Feature-wise it covers staff shift scheduling, commission tracking, POS, and automated SMS/email reminders, aimed squarely at the beauty, wellness, and healthcare verticals.

Table I summarises the comparison on criteria that matter specifically for a multi-staff service business, rather than a generic feature checklist. An entry is marked *Unconfirmed* where the vendor's own documentation did not settle the question either way.

The pattern across the three commercial products is consistent: whichever one you pick, you are trading a percentage of revenue or a per-seat fee for genuine production maturity – payment processing, mobile apps, years of edge-case handling. Slotify's contribution is not that it does any one of these things better; it does not yet do most of them at all. What it offers is the specific combination of multi-tenant scheduling logic and a database-level correctness guarantee against double booking, built on a stack a small development team can read, modify, and deploy without a recurring commission on every new client. That is a narrower claim than a feature-count table can fully convey, and it is the honest one.

VI. BOOKING AND CONCURRENCY ALGORITHMS

The scheduling engine's correctness rests on two pieces of logic: turning a day's working hours into a list of candidate slots, and making the act of claiming one of those slots atomic at the database level so that two customers racing for the same slot cannot both win.

A. Slot Resolution

Algorithm 1 mirrors the logic implemented in `availabilityCalculator.js`. It short-circuits early on holidays and closed days, then for each eligible staff member walks through the working-day window in increments of the requested service's duration, discarding any candidate slot that falls inside a break, inside the minimum-advance window, beyond the maximum-advance window, or inside an existing appointment's buffer-inclusive span.

Two things about this algorithm are worth being direct about. First, it runs identically on the server for every booking attempt – the client-side calendar view is a convenience, not a source of truth, precisely because a client-supplied timestamp cannot be trusted to reflect what is still actually open by the time the request lands. Second, the deduplication priority in line 22 was not obvious in the first draft of the design: an early version simply took whichever staff record was queried first, which meant a slot could show as BOOKED to a customer even when a different staff member covering the same service was, in fact, free. Preferring AVAILABLE across all matching staff records fixed that, at the cost of the slightly more complex merge step shown above.

B. Atomic Reservation and Conflict Resolution

Fig. 2 models a slot's lifecycle as a four-state automaton. A viewer browsing the calendar places a soft, non-blocking

Algorithm 1 ComputeAvailableSlots

Require: business B , service S , date d , optional staff filter F
Ensure: ordered list of slot statuses for date d

```

1: if  $d \in B.\text{holidays}$  or not  $B.\text{workingHours}[d].\text{isOpen}$  then
2:   return  $\emptyset$  ▷ business closed that day
3: end if
4:  $\text{staffList} \leftarrow$  active staff assigned to  $S$  (filtered by  $F$  if given)
5:  $\text{slots} \leftarrow \emptyset$ 
6: for each staff  $st$  in  $\text{staffList}$  do
7:   if  $d \in st.\text{unavailableDates}$  then continue
8:   end if
9:    $w \leftarrow st.\text{workingHours}[d]$  or  $B.\text{workingHours}[d]$ 
10:   $t \leftarrow w.\text{start}$ 
11:  while  $t + S.\text{duration} \leq w.\text{end}$  do
12:     $\text{cand} \leftarrow [t, t + S.\text{duration})$ 
13:    if  $\text{cand}$  overlaps  $st.\text{breaks}$  then
14:      mark  $\text{cand}$  as UNAVAILABLE
15:    else if  $t < \text{now} + B.\text{minAdvance}$  then
16:      mark  $\text{cand}$  as TOO SOON
17:    else if  $t > \text{now} + B.\text{maxAdvance}$  then
18:      mark  $\text{cand}$  as TOO FAR
19:    else if  $\text{cand}$  overlaps any scheduled appt for  $st$  (incl. buffer) then
20:      mark  $\text{cand}$  as BOOKED
21:    else
22:      mark  $\text{cand}$  as AVAILABLE
23:    end if
24:     $\text{slots} \leftarrow \text{slots} \cup \{(t, st, \text{status})\}$ 
25:     $t \leftarrow t + S.\text{duration}$ 
26:  end while
27: end for
28: deduplicate overlapping  $(t, \cdot)$  entries across staff, preferring AVAILABLE  $\succ$  TOO SOON  $\succ$  TOO FAR  $\succ$  BOOKED
29: return  $\text{slots}$ 

```

VIEWED marker; confirming a booking attempts to promote the slot directly to RESERVED via a single conditional write.




Fig. 2. Slot lifecycle state machine. The *book* transition is the single atomic write that either succeeds outright or fails cleanly, with no partial state in between. The *timeout* and *cancel* return paths are drawn at different depths so they do not cross.

Algorithm 2 shows the reservation attempt itself. The critical property is that step 2 is a single conditional database operation (a `findOneAndUpdate`-style compare-and-set backed by the unique partial index on $\{\text{businessId}, \text{staffId}, \text{appointmentDate}, \text{startTime}\}$ filtered to $\text{status} = \text{"scheduled"}$), not a read followed by a separate write. Two customers racing for the same slot both reach step 2, but the database engine, not application code, decides which write lands first and rejects the other – which is the only place a guarantee like this can actually live, since two Node.js request handlers running concurrently have no shared memory

TABLE I. FEATURE COMPARISON: SLOTIFY AGAINST COMMERCIAL PLATFORMS AND PRIOR ACADEMIC PROTOTYPES

Capability	Slotify	Calendly [31]	Booksy [32]	Fresha [33]	Academic prototypes [15], [16]
Multi-tenant business accounts	Yes	No	Yes	Yes	No
Public discovery / marketplace	Yes (own directory)	No	Yes	Yes	No
DB-enforced double-booking prevention	Yes (unique partial index)	Partial (relies on external calendar sync)	Yes	Yes	Unconfirmed
Staff-level working hours & buffers	Yes	Partial (per-user only)	Yes	Yes	Unconfirmed
Reschedule limits with audit trail	Yes	No	Unconfirmed	Partial	No
JWT + Google OAuth	Yes	Google Calendar-based	Unconfirmed	Unconfirmed	Partial [16]
Automated email reminders	Yes	Yes	Yes	Yes	Unconfirmed
Self-hostable / no per-seat fee	Yes	No (per-user SaaS)	No (per-location + fees)	No (marketplace commission)	Yes (published prototype)
Production hardening & scale	Not demonstrated	yet Extensive	Extensive	Extensive	Not demonstrated

to coordinate through.

Algorithm 2 AttemptReservation

Require: candidate slot $(t, st, S, cust)$

```

1: re-run COMPUTEAVAILABLESLOTS restricted to  $(t, st)$ 
2: if status  $\neq$  AVAILABLE then
3:   return CONFLICT  $\triangleright$  surface next-available slot to client
4: end if
5:  $r \leftarrow$  atomic conditional insert into appointments
   keyed on  $(B.id, st.id, t.date, t.time)$ 
   guarded by unique partial index (status = scheduled)
6: if  $r$  fails (index violation) then
7:   return CONFLICT  $\triangleright$  lost the race; another request won
8: else
9:   enqueue confirmation email and 24h reminder job
10:  return CONFIRMED
11: end if

```

This two-step shape – re-check, then attempt an atomic write, then handle rejection as a normal outcome rather than an exception – is the same pattern used for rescheduling, with three extra eligibility gates applied before step 1: a walk-in appointment cannot be rescheduled at all, the new time must satisfy the business’s `rescheduleWindow` (e.g. at least one hour before the original slot), and the appointment’s `rescheduleCount` must be below its `maxReschedulesPerAppointment`. We chose to update the existing appointment document in place on a successful reschedule, rather than cancel-and-recreate, specifically so that a single `actionLog` array on one document tells the full story of a booking’s life – every reschedule, who did it, and why – without the audit trail being spread across several documents that would need to be joined back together later.

VII. IMPLEMENTATION TECHNOLOGY CHOICES

Table II lists the concrete library versions in use. The rationale for MERN over a LAMP- or Django-based alternative

was not purely technical: all four of us already worked in JavaScript day to day, and a single-language stack across client and server measurably shortened the time from a design discussion to a working prototype, which mattered more for a semester-scoped project than raw runtime performance would have.

TABLE II. SLOTIFY TECHNOLOGY STACK SUMMARY

Layer	Technologies
Frontend	React.js v18, Vite, Tailwind CSS, React Router v6, Axios, React Hook Form, date-fns, Lucide React
Backend	Node.js, Express.js v4, Mongoose v8, express-rate-limit
Auth	JWT (HS256, access + refresh), Passport.js with Google OAuth 2.0, bcryptjs
Database	MongoDB Atlas, Mongoose ODM
Storage	Cloudinary (logos, gallery, verification documents)
Notifications	Nodemailer (SMTP), node-cron

Express.js handles route dispatch and middleware chaining; incoming request bodies are validated before they reach business logic, which mattered in practice the first time a malformed date string from a mis-configured client silently produced an appointment dated in 1970 during early testing – a bug that motivated moving validation ahead of the controller layer rather than leaving it scattered inside individual route handlers. JWT access tokens carry only `userId` and `role` and are verified independently by any API replica, which is the property that matters for horizontal scaling; the longer-lived refresh token sits in an HTTP-only, `SameSite=Strict` cookie specifically so that neither a cross-site script nor a stolen `localStorage` value is enough to renew a session on its own.

VIII. END-TO-END BOOKING WORKFLOW

Fig. 3 traces a single appointment from a first-time visit through to the provider dashboard reflecting the new booking, with two guard clauses – credential verification and slot availability – that route the user back a step on failure rather than terminating the session outright.




Fig. 3. Slotify booking workflow with authentication and slot-conflict guard clauses.

IX. DISCUSSION: EXPECTED BENEFITS AND HONEST LIMITATIONS

It would be easy, and dishonest, to fill this section with load-test numbers. We have not run a formal load test against a staging deployment, and we have not commissioned or performed a security audit against the OWASP Top 10 or any other framework. What follows instead is a distinction we think matters more than it usually gets credit for: some things about Slotify are true by construction, and some things are merely plausible given what other people have measured, and mixing the two together is how a design document turns into marketing copy.

The double-booking guarantee is in the first category. The unique partial index described in Section VI means a double-booked slot is not merely rare – it is not a representable state in the `appointments` collection at all, given `status = "scheduled"`. That is provable from the schema itself, and it is the only claim in this section we would defend without a citation, because it does not depend on how Slotify’s users happen to behave.

The reminder pipeline’s expected effect on no-shows is not in that category, and pretending otherwise would be the dishonest move. It is a defensible design choice, supported by a body of evidence that automated reminders reduce no-shows in aggregate [24], [25], [27], [28] – but Betancor et al.’s split result [7] is the more honest baseline expectation than that aggregate framing suggests: meaningful improvement in a private-practice-like setting, no guarantee at all in a higher-volume institutional one. A salon or tutoring centre – Slotify’s actual target – sits structurally closer to the private-practice case, a known and stable clientele with predictable lead times, than to a hospital eye clinic, which is grounds for cautious optimism rather than a claimed number. We would rather be caught underselling this than overselling it.

None of that closes the gap to what a commercial deployment actually needs. The current release assumes a single

location, a single language, and a single currency per business; payment collection is out of scope, so a confirmed booking cannot yet double as a receipt; and the analytics view aggregates history without forecasting anything. Measured against the platforms in Table I, Slotify is also, plainly, less mature – no mobile app, no payment processing, no years of production incident history to have learned from. Closing that gap, not proving a benchmark number nobody asked for, is the actual roadmap.

X. PROJECTED IMPACT OF SLOTIFY

Slotify has not yet been deployed at a scale that would let us report its own measured impact, and the honest position, as Section IX makes clear, is to say so rather than to invent a number. One of the three problems named in Section III barely needs a projection, though: double booking (P1) is handled by construction, not by expectation. Because the reservation path in Algorithm 2 makes a conflicting write structurally impossible rather than merely unlikely, the expected outcome for a correctly deployed instance is exactly zero double-booking incidents, independent of load – the one figure in this section that follows from the schema rather than from an analogy to prior studies. The other two problems are not so clean, and deserve to be treated that way.

Non-attendance (P2) is where an honest answer has to be a range, not a point. Fig. 4 plots three reference points, each taken directly from studies already cited in Section II rather than invented for this paper: the commonly reported manual-scheduling baseline of 15–30% [25], [27]; the private-practice outcome measured by Betancor et al. after online scheduling replaced telephone booking (5.9% falling to 1.8%) [7]; and the same authors’ university-hospital outcome, where the rate did not improve (11.2% rising to 14.3%) [7]. Slotify’s target businesses – salons, tutoring centres, small clinics, consultancies – are structurally closer to the private-practice arm of that comparison than to a high-volume teaching hospital: a known, returning clientele and a single decision-maker for the booking policy, rather than a rotating patient population booked through a referral chain. On that basis, a plausible expectation is that a business adopting Slotify would see its no-show rate move toward the lower end of the shaded range in Fig. 4 rather than stay at the manual baseline – but Betancor et al.’s hospital result is the reason this paper stops short of promising it.




Fig. 4. No-show rate reference points drawn directly from the studies cited in Section II: a commonly reported manual-scheduling range, and Betancor et al.’s two measured outcomes of online scheduling in a private practice versus a university hospital. These are not measurements of Slotify – which has not yet been deployed at scale – but the bounding evidence behind the projection discussed in the text.

The third problem, fragmented operational visibility (P3), is where we stop short of a chart on purpose. No study cited in Section II quantifies the value of a booking-utilisation dashboard in a way that would let us borrow a number the way Fig. 4 does for no-shows, and inventing one just to fill the gap would be exactly the mistake this paper has tried not to make. What can be said is directional, and comes from Kaluza et al. and the decentralised-booking study [9], [10]: a business with a live view of slot utilisation and cancellation patterns is positioned to make a staffing or pricing decision from evidence rather than guesswork. Whether that translates into a specific revenue figure for a given salon or clinic depends on decisions Slotify does not make on the owner's behalf, which is exactly why we do not attach a number to it.

XI. CONCLUSION AND FUTURE WORK

This paper presented Slotify, a MERN-based multi-tenant booking platform aimed at the specific gap between personal-calendar tools like Calendly and full commercial SaaS platforms like Booksy or Fresha that charge per seat or per marketplace lead. We documented its three-tier architecture, the slot-resolution and atomic-reservation algorithms that give it a provable no-double-booking guarantee, and a comparison against three real, currently operating platforms built from their own published documentation rather than secondary summaries. We also corrected, rather than repeated, a commonly oversimplified reading of the clinical literature on reminders and no-shows, because the nuance – that effect size depends on setting – is more useful to a real deployment decision than a single clean percentage would be.

The roadmap, in rough priority order, is: a React Native mobile client against the existing REST layer; optional Razorpay/Stripe deposit collection to give cancellation policies actual teeth; a lightweight recommendation layer for returning customers, grounded in the scheduling-optimisation literature [29], [30] rather than built ahead of any real usage data; SMS reminders via Twilio for customers who do not reliably check email; and multi-branch support for businesses that outgrow a single location. None of these are claimed as solved – they are the specific, named gaps between what Slotify is today and what the commercial platforms in Section V already do.

ACKNOWLEDGMENT

The team is grateful to Dr. Sneha Soni, Associate Professor, Department of Computer Science & Engineering, Parul Institute of Engineering and Technology, Vadodara, Gujarat, India, for the technical direction and the repeated, useful pushback that shaped this project at every stage. We also acknowledge the maintainers of the MongoDB, Express.js, React.js, and Node.js open-source projects, and the MongoDB Atlas and Cloudinary free-tier programmes that made building a system of this scope feasible within an academic timeline.

REFERENCES

- [1] A. Srivastava, R. Sharma, and S. Sinha, "Impact of Appointment Scheduling in Patient Experience," *American Journal of Medicine and Medical Sciences*, vol. 14, no. 11, pp. 2912–2918, 2024.
- [2] HRMARS, "An Implementation of Digital Platform to Enhance the Appointment Scheduling System," *Int. J. of Academic Research in Business and Social Sciences*, vol. 14, no. 2, 2024.
- [3] H. Atherton, A. Eccles *et al.*, "Investigating Patient Use and Experience of Online Appointment Booking in Primary Care: Mixed Methods Study," *Journal of Medical Internet Research*, vol. 26, p. e51931, 2024.
- [4] L. Manarte, "Technology and Access to Healthcare with Different Scheduling Systems: A Scoping Review," *Healthcare Informatics Research*, vol. 30, no. 3, p. 194, 2024.
- [5] A. C. P. Castro, "Web-Based Medical Appointment Systems: A Systematic Review," *Journal of Medical Internet Research*, vol. 19, no. 4, p. e134, 2017.
- [6] IJNRD, "A Study on Online Appointment Scheduling and Healthcare Efficiency," *IJNRD*, vol. 10, 2025.
- [7] P. Kammrath Betancor, D. Boehringer, J. Jordan, C. Lichtenberg, M. Lambeck, M. C. Ketterer, T. Reinhard, and M. Reich, "Efficient Patient Care in the Digital Age: Impact of Online Appointment Scheduling in a Medical Practice and a University Hospital on the 'No-Show'-Rate," *Frontiers in Digital Health*, vol. 7, 2025.
- [8] M. Shayan *et al.*, "Stakeholders' Experiences, Perceptions and Satisfaction with an Electronic Appointment System," *BMC Health Services Research*, 2025.
- [9] I. Kaluza, G. Voigt, K. Haase, and A. Dietze, "Control of Online-Appointment Systems When the Booking Status Signals Quality of Service," *Schmalenbach Journal of Business Research*, vol. 76, no. 3, p. 397, 2024.
- [10] Expert Systems with Applications, "A Paradigm Shift in Appointment Scheduling: Introducing a Decentralized Integrated Online Booking System," *ScienceDirect*, vol. 255, 2024.
- [11] J. L. Akinode and S. Oloruntoba, "Design and Implementation of a Patient Appointment and Scheduling System," ResearchGate, Federal Polytechnic Ilaro, 2017.
- [12] ResearchGate, "A Web-Based Doctor Appointment System," 2024.
- [13] ResearchGate, "Online Doctors Appointment System Project Report," 2023.
- [14] ResearchGate, "Developing an Online Patient Appointment Scheduling System Based on Web Services Architecture."
- [15] A. S. Wankhade, P. M. Bambal, S. S. Kharkar, S. D. Solao, M. V. Charthal, and N. G. Rathi, "Research Paper on: Doctor Appointment Booking System," *IJRASET*, DOI: 10.22214/ijraset.2023.52133, 2023.
- [16] U. Chauhan *et al.*, "Doctor Finder and Appointment Booking Website using DJANGO," in *Proc. 2022 Int. Conf. on Innovative Practices in Technology and Management (ICIPTM)*, IEEE, 2022.
- [17] ResearchGate, "Mr. Doc: A Doctor Appointment Application System."
- [18] ResearchGate, "FastDoc: An Online Appointment Booking System," 2019.
- [19] Y. Baiskar *et al.*, "MERN: A Full-Stack Development," *IJRASET*, vol. 10, no. 1, 2022.
- [20] Academia.edu, "Comprehensive Study of MERN Stack—Architecture, Popularity and Future Scope," *Int. J. of Scientific Research in Computer Science, Engg. and IT*, 2021.
- [21] FreeCodeCamp, "Securing Node.js RESTful APIs with JSON Web Tokens," Medium, 2018.
- [22] TopCoder, "Authentication and Authorization in Express.js API using JWT."
- [23] DigitalOcean, "How To Use JSON Web Tokens (JWTs) in Express.js," 2025.
- [24] D. Ginat and J. Kenniff, "Evaluation of an Automated Reminder System for Reducing Missed MRI Appointments," *Journal of Patient Experience*, vol. 10, 2023.
- [25] K. Parikh *et al.*, "The Effectiveness of Outpatient Appointment Reminder Systems in Reducing No-Show Rates," *The American Journal of Medicine*, vol. 123, no. 6, pp. 542–548, 2010.
- [26] Y. Tarabichi, J. Higginbotham, N. Riley, D. C. Kaelber, and B. Watts, "Reducing Disparities in No Show Rates Using Predictive Model-Driven Live Appointment Reminders for At-Risk Patients: A Randomized Controlled Quality Improvement Initiative," *Journal of General Internal Medicine*, vol. 38, no. 13, pp. 2921–2927, 2023.

- [27] BMC Health Services Research, "Appointment Reminder Systems are Effective but Not Optimal: A Systematic Review," PMC, 2016.
- [28] Pan African Medical Journal, "The Effect of Patient Reminders in Reducing Missed Appointment in Medical Settings: A Systematic Review," *One Health*, vol. 2, no. 9, 2020.
- [29] S. Chatterjee *et al.*, "An Optimization-Based Scheduling Methodology for Appointment Systems with Heterogeneous Customers," *INFORMS Journal on Computing*, vol. 37, no. 6, pp. 1624–1649, 2025.
- [30] Ö. Ünsal, H. Üster, and C. Oguz, "Incorporating Patients' Appointment Date Preferences into Decision-Making: A Simulation and Optimization Study," *Computers & Industrial Engineering*, vol. 196, p. 110521, 2024.
- [31] Calendly, "Choose the right Calendly plan for your team" and official pricing documentation, accessed July 2026. [Online]. Available: <https://calendly.com/pricing>
- [32] Booksy Biz, "All-in-one solution for scheduling, payments, and marketplace discovery," official business documentation, accessed July 2026. [Online]. Available: <https://biz.booksy.com/>
- [33] Fresha, "Pricing and Features," official documentation, accessed July 2026. [Online]. Available: <https://www.fresha.com/pricing>

9.2 Plagiarism Report




Page 1 of 11 - Cover Page

Submission ID trn:oid::3117:610614741

NEHA SONI

Slotify: A Smart Web-Based Online Appointment Scheduling Platform for Service-Based Businesses



Document Details

Submission ID

trn:oid::3117:610614741

Submission Date

Jul 27, 2026, 1:02 PM GMT+5:30

Download Date

Jul 27, 2026, 1:04 PM GMT+5:30

File Name

CSE_182 research paper.pdf

File Size

158.0 KB

8 Pages

6,031 Words

34,026 Characters



Page 1 of 11 - Cover Page

Submission ID trn:oid::3117:610614741

1% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography
- Quoted Text
- Cited Text
- Abstract
- Methods and Materials
- Preprints

Match Groups

-  **10 Not Cited or Quoted 1%**
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 1%  Internet sources
- 1%  Publications
- 0%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

-  **10 Not Cited or Quoted 1%**
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 1%  Internet sources
- 1%  Publications
- 0%  Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

-  **1** Internet
ebin.pub <1%
-  **2** Publication
Paolo Ferro, Harinadh Vemanaboina, Chander Prakash. "Computational Techniqu... <1%
-  **3** Publication
Kartik Chawda, Deepmala Gorana. "A survey of energy efficient routing protocol i... <1%
-  **4** Internet
pmc.ncbi.nlm.nih.gov <1%
-  **5** Publication
Suraj Singh, Shailendra K. Mishra, Sneha Soni. "Emotion-Aware Learning: A Real-T... <1%

Slotify: A Smart Web-Based Online Appointment Scheduling Platform for Service-Based Businesses

Aksh Thakkar

Project Lead & Full-Stack Dev.

Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India

2403031057002@paruluniversity.ac.in

Om Maurya

Frontend Developer (UI/UX)

Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India

2403031057048@paruluniversity.ac.in

Daksh Patel

Backend Developer

Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India

2403031057035@paruluniversity.ac.in

Jainil Patel

Database & Integration Eng.

Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India

2403031057071@paruluniversity.ac.in

Dr. Sneha Soni

Associate Professor (CSE)

Dept. of CSE

Parul Institute of Engineering
and Technology, Gujarat, India

sneha.soni37803@paruluniversity.ac.in

Abstract—Small and medium service-oriented enterprises – clinics, grooming studios, coaching centres, and consultancy firms – still coordinate bookings largely by phone and paper register, a habit that routinely produces double-booked slots, forgotten appointments, and staff time that nobody bothers to account for. This paper presents Slotify, a browser-accessible, multi-tenant booking platform built on the MERN stack (MongoDB, Express.js, React.js, Node.js) that lets independent businesses onboard under their own public storefront while sharing a single application instance. The system's central engineering contribution is a slot-availability engine that resolves staff working hours, breaks, holidays, buffer times, and advance-booking windows into a live grid of open slots, backed by a database-enforced unique constraint that makes a race-condition double booking structurally impossible rather than merely unlikely in practice. We document the architecture, the booking and reschedule algorithms in pseudocode, and a feature-by-feature comparison against three commercial platforms actually in use today – Calendly, Booksy, and Fresha – as well as two previously published academic prototypes. Unlike prior systems, which each cover a fragment of the scheduling lifecycle, Slotify combines tenant-scoped multi-staff scheduling, audited reschedule history, and a public discovery layer without per-seat licensing or marketplace commission. We close by discussing, with reference to existing clinical and operational literature rather than unverified benchmarks of our own, where the architecture is expected to help and where its current single-location, English-only scope still falls short of production-grade commercial offerings.

Keywords—Online Booking System, MERN Stack, Multi-Tenant Architecture, Slot Management, Atomic Concurrency Control, JSON Web Token, Automated Reminders, MongoDB Atlas, Appointment Audit Trail

I. INTRODUCTION

A hair salon owner in a mid-sized Indian city still runs her appointment book the way her mother did: a diary by the register, a phone that rings during the one hour she has free to actually cut hair, and a mental note of which regulars tend to no-show on Mondays. This is not a failure

of ambition – it is what happens when the tools available to a five-person clinic or salon are either built for a single professional's personal calendar or priced and structured for a national retail chain. Growing consumer expectations for on-demand digital services have exposed exactly this gap. Clinics, beauty parlours, tutoring institutes, and fitness studios still depend heavily on receptionist-managed phone queues and handwritten registers, an approach that scales poorly and introduces avoidable operational friction [6]. When a booking record lives only in a notebook, one clerical slip cascades into overlapping reservations, wasted service capacity, and a client who does not come back [2].

The economic argument for fixing this is not speculative. Multiple health-system studies report that reminder-equipped digital platforms measurably cut no-show rates, though – as we discuss in Section II, and contrary to how this finding is sometimes summarised – the size of the effect depends heavily on the care setting, not just the presence of a reminder [7]. Primary-care research shows that structured online booking meaningfully compresses the administrative burden on front-desk teams [3], [4], and a 2024 industry survey found that businesses without any centralised booking tool report more staff overtime and more revenue that simply evaporates unbilled [6].

This paper introduces Slotify: a browser-accessible, multi-tenant appointment platform built on the MERN stack [19], [20]. What actually distinguishes it from a personal scheduling link is not any single feature but the fact that a business – with its own staff roster, working hours, and service catalogue – is a first-class object in the data model, and that a customer can discover that business through a shared public directory rather than needing its URL in advance.

The engineering core of what follows is really one contribution wearing two hats: a three-tier architecture and slot-resolution algorithm, expressed as pseudocode, that turns staff working hours, breaks, holidays, and buffer rules into a

live grid of bookable slots, paired with a database-enforced concurrency scheme – a finite-state model plus an atomic reservation algorithm – that removes double-booking as a possible outcome rather than merely reducing its probability. We separate the two only because the second doesn't make sense without the first: there is no point guaranteeing atomic writes against a slot grid that was computed wrong to begin with.

Beyond that, we contribute a grounded, source-verified comparison of Slotify against three commercial platforms in active use (Calendly, Booksy, Fresha) and two previously published academic prototypes, built from each vendor's own documentation rather than secondary marketing copy. And we say plainly, in Section IX, what we have not done: Slotify has not been load-tested or put through a formal security audit, and no simulated number stands in for that missing work.

II. RELATED WORK

A. Evolution of Appointment Booking Platforms

Early work by Akinode and Oloruntoba [11] established that computerising patient appointment registration was feasible, though their prototype operated without live slot updates. Atherton et al. [3] found that patients using portal-based booking reported higher satisfaction than those relying on telephone channels, and a JMIR evidence synthesis [5] catalogued recurring design gaps across eighteen published web-based medical scheduling systems – live availability, automatic reminders, and calendar linkage came up again and again as the features users wanted and did not have. Those three gaps shaped Slotify's feature set directly.

Srivastava et al. [1] linked scheduling friction to post-visit dissatisfaction, and Shayan et al. [8] surfaced three satisfaction predictors from clinic stakeholders – responsiveness, notification reliability, and role-appropriate interfaces – that shaped Slotify's UX priorities more than any single design guideline did. Kaluza et al. [9] gave a formal treatment of how visible occupancy in a booking queue can be used to signal service quality, an idea that motivated the analytics view in Slotify's provider dashboard even though we have not yet built out the predictive layer they describe.

The most carefully controlled evidence on reminders and no-shows, however, complicates the simple story. Betancor et al. [7] compared online versus telephone appointment scheduling across both a private ophthalmology practice and a university hospital eye clinic. In the private practice, the no-show rate fell from 5.9% to 1.8% after online scheduling was introduced – a genuinely large relative improvement. In the hospital setting, however, no-shows did not improve at all; they rose slightly, from 11.2% to 14.3%. The authors' own reading is that patient population and appointment lead time, not the booking channel itself, drove the difference. We take this as a caution rather than an inconvenience: a MERN-based booking layer like Slotify is a necessary condition for the kind of improvement seen in the private-practice arm of that study, but it is evidently not sufficient on its own, and we do not claim otherwise.

B. Domain-Specific Web Booking Implementations

Wankhade et al. [15] built a functional appointment tool aimed at connecting patients, doctors, and pharmacy vendors; the published description does not detail live slot synchronisation across concurrent users, which is precisely the gap a document-oriented, event-driven stack is suited to close. Chauhan et al. [16] paired a physician directory with a Django-based booking back end, validating demand for a combined discovery-and-booking journey – the same journey Slotify's public business-discovery layer targets, but for salons, tutors, and consultants rather than doctors specifically. Additional published prototypes [12]–[14], [17], [18] reinforce that the demand for digital scheduling is sector-wide, while also showing that no single prior academic tool combines multi-tenant business accounts, staff-level scheduling, and a public marketplace in one system.

C. MERN as an Application Platform

Baiskar et al. [19] found MERN particularly well suited to applications with frequent, event-driven data mutations – a description that matches a live booking system closely, since every slot query and every reservation attempt is exactly that kind of mutation. A comparative study of the stack [20] noted that MongoDB's schema-flexible document model absorbs evolving service and slot structures with less migration overhead than a rigid relational schema would require, which matched our own experience adding fields like `bufferTime` and `unavailableDates` well after the initial schema was designed.

D. Stateless Authentication and Reminder-Driven Attendance

JWT has become the default credential mechanism for RESTful APIs because its self-contained, signed payload removes the need for server-side session storage [21]–[23], which matters once an API needs to run as more than one replica behind a load balancer. Pairing JWT with Google OAuth lets a first-time customer book an appointment without first inventing a password, removing what is often the single largest drop-off point in a booking funnel.

On reminders specifically: Ginat and Kenniff [24] showed a multi-modal reminder system at a radiology unit produced a statistically significant drop in unfilled scan slots. Parikh et al. [25] identified email as a high-impact channel for reducing no-shows among working-age patients. Tarabichi et al. [26] ran a randomised quality-improvement trial layering predictive, risk-driven telephone outreach on top of standard automated reminders in a safety-net primary care clinic; their central finding was about equity – whether the intervention narrowed or widened no-show disparities across racial and ethnic groups – rather than a single headline percentage, and we cite it here for that finding rather than for a number that would misrepresent the study's actual design. Two systematic reviews together cover more than thirty independent reminder trials and reach a consistent, if modest, conclusion: automated reminders help, but they are not a complete fix on their own [27], [28]. That is the honest justification for Slotify's cron-scheduled 24-hour reminder pipeline – a defensible design choice grounded in a real and repeated finding, not a guarantee.

E. Identified Research Gap

Across this literature, no single JavaScript-native platform combines multi-tenant business accounts, live staff-level slot resolution, database-enforced conflict prevention, and a public discovery directory in one open, self-hostable codebase. Commercial platforms that come close – surveyed in Section V – solve this by charging per seat or by taking a commission on marketplace-driven bookings, which is a reasonable business model but a real cost for a business running on thin margins. Slotify is offered as a concrete, if less commercially mature, alternative to that trade-off.

III. PROBLEM STATEMENT

Three related failure modes recur across service micro-enterprises that still run scheduling manually.

Unstructured booking channels and chronic non-attendance turn out to be the same problem seen from two angles. Coordinating reservations across phone calls, WhatsApp threads, and a paper register introduces inconsistency at every touchpoint, and staff must reconcile overlapping requests without any algorithmic guard against double allocation [6], [11]. The same absence of a system-of-record is what makes a booking, made days in advance with no subsequent touchpoint, easy for a customer to forget or deprioritise. Reported non-attendance rates in purely manual environments commonly sit between 15% and 30% [25], [27], and that spread is wide precisely because it depends on whether anything nudges the client between booking and appointment day – which, in a manual system, nothing does. Outside business hours, no booking mechanism exists at all, quietly capping demand the business never even sees.

Fragmented operational visibility is the third and more diffuse problem. A business without a centralised booking repository cannot measure slot utilisation, cannot track cancellation patterns, and cannot forecast a busy week [9], [10]. Growth decisions get made on gut feeling, and syncing the schedule with a staff member's personal calendar means manually re-typing it.

IV. SYSTEM ARCHITECTURE

A. Architectural Overview

Slotify uses a conventional three-tier decomposition – a React.js client, an Express.js REST layer, and a MongoDB Atlas data store – chosen specifically so that any tier can be scaled or replaced without touching the other two. Fig. 1 shows the logic tier's internal module boundaries: authentication, the scheduling engine, the notification dispatcher, and the analytics aggregator sit behind a shared API router, each with its own area of responsibility and its own collection(s) to read and write.

Tenant isolation is logical, not physical: every business, service, staff, and appointment document carries a `businessId` field, and every query the application issues is scoped by it. This was a deliberate trade-off. Spinning up a database per tenant would have made the isolation guarantee stronger and the operational story much worse – a hundred small salons would mean a hundred databases to back up, migrate, and monitor. A single shared collection set with compound




Fig. 1. Three-tier architecture of Slotify: client, API/logic, and data layers, with the scheduling engine and notification dispatcher as independent modules behind a shared router.

indexes on `businessId` keeps operations simple at the cost of relying on application-level query discipline rather than the database engine itself to enforce the boundary. For a platform at this stage, we judged that trade worth making; it would need revisiting well before Slotify tried to serve regulated data like health records at scale.

V. COMPARATIVE ANALYSIS WITH EXISTING PLATFORMS

A fair comparison has to start from what these platforms actually publish about themselves, not from how they are usually summarised in blog posts, so the entries below are drawn from each vendor's own pricing and feature pages as of mid-2026, plus the two academic prototypes already discussed in Section II.

Calendly [31] is, at its core, a personal and team meeting scheduler. It checks one or more of a user's own connected calendars (Google, Outlook, iCloud) for conflicts and writes new bookings into them; multi-calendar conflict checking, payment collection via Stripe/PayPal, and round-robin team distribution are all gated behind its Standard and Teams tiers, priced per user per month. There is no concept of a business entity with its own staff roster and service catalogue, and no public discovery marketplace – a customer needs the specific booking link, not a directory search.

Booksy [32] is much closer in spirit to Slotify: it is explicitly multi-tenant, gives each business a public storefront, and operates a consumer-facing marketplace where new clients discover salons and barbershops by category and location. It bundles staff scheduling, point-of-sale, and marketing tools into a single per-location subscription (advertised from \$29.99/month) with additional per-staff charges, and it markets a no-show reduction of up to 25% through deposits and reminders – a vendor claim we report as such, not as an independently verified figure.

Fresha [33] takes a different commercial approach: the core subscription is free, and Fresha instead charges a one-time 20% commission on new clients acquired through its own marketplace, plus standard payment-processing fees. Feature-wise it covers staff shift scheduling, commission tracking, POS, and automated SMS/email reminders, aimed squarely at the beauty, wellness, and healthcare verticals.

Table I summarises the comparison on criteria that matter specifically for a multi-staff service business, rather than a generic feature checklist. An entry is marked *Unconfirmed* where the vendor's own documentation did not settle the question either way.

The pattern across the three commercial products is consistent: whichever one you pick, you are trading a percentage of revenue or a per-seat fee for genuine production maturity – payment processing, mobile apps, years of edge-case handling. Slotify's contribution is not that it does any one of these things better; it does not yet do most of them at all. What it offers is the specific combination of multi-tenant scheduling logic and a database-level correctness guarantee against double booking, built on a stack a small development team can read, modify, and deploy without a recurring commission on every new client. That is a narrower claim than a feature-count table can fully convey, and it is the honest one.

VI. BOOKING AND CONCURRENCY ALGORITHMS

The scheduling engine's correctness rests on two pieces of logic: turning a day's working hours into a list of candidate slots, and making the act of claiming one of those slots atomic at the database level so that two customers racing for the same slot cannot both win.

A. Slot Resolution

Algorithm 1 mirrors the logic implemented in `availabilityCalculator.js`. It short-circuits early on holidays and closed days, then for each eligible staff member walks through the working-day window in increments of the requested service's duration, discarding any candidate slot that falls inside a break, inside the minimum-advance window, beyond the maximum-advance window, or inside an existing appointment's buffer-inclusive span.

Two things about this algorithm are worth being direct about. First, it runs identically on the server for every booking attempt – the client-side calendar view is a convenience, not a source of truth, precisely because a client-supplied timestamp cannot be trusted to reflect what is still actually open by the time the request lands. Second, the deduplication priority in line 22 was not obvious in the first draft of the design: an early version simply took whichever staff record was queried first, which meant a slot could show as **BOOKED** to a customer even when a different staff member covering the same service was, in fact, free. Preferring **AVAILABLE** across all matching staff records fixed that, at the cost of the slightly more complex merge step shown above.

B. Atomic Reservation and Conflict Resolution

Fig. 2 models a slot's lifecycle as a four-state automaton. A viewer browsing the calendar places a soft, non-blocking

Algorithm 1 ComputeAvailableSlots

Require: business B , service S , date d , optional staff filter F
Ensure: ordered list of slot statuses for date d

```

1: if  $d \in B.\text{holidays}$  or not  $B.\text{workingHours}[d].\text{isOpen}$  then
2:   return  $\emptyset$   $\triangleright$  business closed that day
3: end if
4: staffList  $\leftarrow$  active staff assigned to  $S$  (filtered by  $F$  if given)
5: slots  $\leftarrow \emptyset$ 
6: for each staff  $st$  in staffList do
7:   if  $d \in st.\text{unavailableDates}$  then continue
8:   end if
9:    $w \leftarrow st.\text{workingHours}[d]$  or  $B.\text{workingHours}[d]$ 
10:   $t \leftarrow w.\text{start}$ 
11:  while  $t + S.\text{duration} \leq w.\text{end}$  do
12:    cand  $\leftarrow [t, t + S.\text{duration})$ 
13:    if cand overlaps  $st.\text{breaks}$  then
14:      mark cand as UNAVAILABLE
15:    else if  $t < \text{now} + B.\text{minAdvance}$  then
16:      mark cand as TOO SOON
17:    else if  $t > \text{now} + B.\text{maxAdvance}$  then
18:      mark cand as TOO FAR
19:    else if cand overlaps any scheduled appt for  $st$  (incl. buffer) then
20:      mark cand as BOOKED
21:    else
22:      mark cand as AVAILABLE
23:    end if
24:    slots  $\leftarrow \text{slots} \cup \{(t, st, \text{status})\}$ 
25:     $t \leftarrow t + S.\text{duration}$ 
26:  end while
27: end for
28: deduplicate overlapping  $(t, \cdot)$  entries across staff, preferring AVAILABLE  $\succ$  TOO SOON  $\succ$  TOO FAR  $\succ$  BOOKED
29: return slots

```

VIEWED marker; confirming a booking attempts to promote the slot directly to **RESERVED** via a single conditional write.




Fig. 2. Slot lifecycle state machine. The *book* transition is the single atomic write that either succeeds outright or fails cleanly, with no partial state in between. The *timeout* and *cancel* return paths are drawn at different depths so they do not cross.

Algorithm 2 shows the reservation attempt itself. The critical property is that step 2 is a single conditional database operation (a `findOneAndUpdate`-style compare-and-set backed by the unique partial index on $\{\text{businessId}, \text{staffId}, \text{appointmentDate}, \text{startTime}\}$ filtered to $\text{status} = \text{"scheduled"}$), not a read followed by a separate write. Two customers racing for the same slot both reach step 2, but the database engine, not application code, decides which write lands first and rejects the other – which is the only place a guarantee like this can actually live, since two Node.js request handlers running concurrently have no shared memory

TABLE I. FEATURE COMPARISON: SLOTIFY AGAINST COMMERCIAL PLATFORMS AND PRIOR ACADEMIC PROTOTYPES

Capability	Slotify	Calendly [31]	Booksy [32]	Fresha [33]	Academic prototypes [15], [16]
Multi-tenant business accounts	Yes	No	Yes	Yes	No
Public discovery / marketplace	Yes (own directory)	No	Yes	Yes	No
DB-enforced double-booking prevention	Yes (unique partial index)	Partial (relies on external calendar sync)	Yes	Yes	Unconfirmed
Staff-level working hours & buffers	Yes	Partial (per-user only)	Yes	Yes	Unconfirmed
Reschedule limits with audit trail	Yes	No	Unconfirmed	Partial	No
JWT + Google OAuth	Yes	Google Calendar-based	Unconfirmed	Unconfirmed	Partial [16]
Automated email reminders	Yes	Yes	Yes	Yes	Unconfirmed
Self-hostable / no per-seat fee	Yes	No (per-user SaaS)	No (per-location + fees)	No (marketplace commission)	Yes (published prototype)
Production hardening & scale	Not demonstrated	Extensive	Extensive	Extensive	Not demonstrated

to coordinate through.

Algorithm 2 AttemptReservation

Require: candidate slot $(t, st, S, cust)$

```

1: re-run COMPUTEAVAILABLESLOTS restricted to  $(t, st)$ 
2: if status  $\neq$  AVAILABLE then
3:   return CONFLICT  $\triangleright$  surface next-available slot to client
4: end if
5:  $r \leftarrow$  atomic conditional insert into appointments
   keyed on  $(B.id, st.id, t.date, t.time)$ 
   guarded by unique partial index (status = scheduled)
6: if  $r$  fails (index violation) then
7:   return CONFLICT  $\triangleright$  lost the race; another request won
8: else
9:   enqueue confirmation email and 24h reminder job
10:  return CONFIRMED
11: end if

```

This two-step shape – re-check, then attempt an atomic write, then handle rejection as a normal outcome rather than an exception – is the same pattern used for rescheduling, with three extra eligibility gates applied before step 1: a walk-in appointment cannot be rescheduled at all, the new time must satisfy the business’s `rescheduleWindow` (e.g. at least one hour before the original slot), and the appointment’s `rescheduleCount` must be below its `maxReschedulesPerAppointment`. We chose to update the existing appointment document in place on a successful reschedule, rather than cancel-and-recreate, specifically so that a single `actionLog` array on one document tells the full story of a booking’s life – every reschedule, who did it, and why – without the audit trail being spread across several documents that would need to be joined back together later.

VII. IMPLEMENTATION TECHNOLOGY CHOICES

Table II lists the concrete library versions in use. The rationale for MERN over a LAMP- or Django-based alternative

was not purely technical: all four of us already worked in JavaScript day to day, and a single-language stack across client and server measurably shortened the time from a design discussion to a working prototype, which mattered more for a semester-scoped project than raw runtime performance would have.

TABLE II. SLOTIFY TECHNOLOGY STACK SUMMARY

Layer	Technologies
Frontend	React.js v18, Vite, Tailwind CSS, React Router v6, Axios, React Hook Form, date-fns, Lucide React
Backend	Node.js, Express.js v4, Mongoose v8, express-rate-limit
Auth	JWT (HS256, access + refresh), Passport.js with Google OAuth 2.0, bcryptjs
Database	MongoDB Atlas, Mongoose ODM
Storage	Cloudinary (logos, gallery, verification documents)
Notifications	Nodemailer (SMTP), node-cron

Express.js handles route dispatch and middleware chaining; incoming request bodies are validated before they reach business logic, which mattered in practice the first time a malformed date string from a mis-configured client silently produced an appointment dated in 1970 during early testing – a bug that motivated moving validation ahead of the controller layer rather than leaving it scattered inside individual route handlers. JWT access tokens carry only `userId` and `role` and are verified independently by any API replica, which is the property that matters for horizontal scaling; the longer-lived refresh token sits in an HTTP-only, `SameSite=Strict` cookie specifically so that neither a cross-site script nor a stolen `localStorage` value is enough to renew a session on its own.

VIII. END-TO-END BOOKING WORKFLOW

Fig. 3 traces a single appointment from a first-time visit through to the provider dashboard reflecting the new booking, with two guard clauses – credential verification and slot availability – that route the user back a step on failure rather than terminating the session outright.




Fig. 3. Slotify booking workflow with authentication and slot-conflict guard clauses.

IX. DISCUSSION: EXPECTED BENEFITS AND HONEST LIMITATIONS

It would be easy, and dishonest, to fill this section with load-test numbers. We have not run a formal load test against a staging deployment, and we have not commissioned or performed a security audit against the OWASP Top 10 or any other framework. What follows instead is a distinction we think matters more than it usually gets credit for: some things about Slotify are true by construction, and some things are merely plausible given what other people have measured, and mixing the two together is how a design document turns into marketing copy.

The double-booking guarantee is in the first category. The unique partial index described in Section VI means a double-booked slot is not merely rare – it is not a representable state in the `appointments` collection at all, given `status = "scheduled"`. That is provable from the schema itself, and it is the only claim in this section we would defend without a citation, because it does not depend on how Slotify's users happen to behave.

The reminder pipeline's expected effect on no-shows is not in that category, and pretending otherwise would be the dishonest move. It is a defensible design choice, supported by a body of evidence that automated reminders reduce no-shows in aggregate [24], [25], [27], [28] – but Betancor et al.'s split result [7] is the more honest baseline expectation than that aggregate framing suggests: meaningful improvement in a private-practice-like setting, no guarantee at all in a higher-volume institutional one. A salon or tutoring centre – Slotify's actual target – sits structurally closer to the private-practice case, a known and stable clientele with predictable lead times, than to a hospital eye clinic, which is grounds for cautious optimism rather than a claimed number. We would rather be caught underselling this than overselling it.

None of that closes the gap to what a commercial deployment actually needs. The current release assumes a single

location, a single language, and a single currency per business; payment collection is out of scope, so a confirmed booking cannot yet double as a receipt; and the analytics view aggregates history without forecasting anything. Measured against the platforms in Table I, Slotify is also, plainly, less mature – no mobile app, no payment processing, no years of production incident history to have learned from. Closing that gap, not proving a benchmark number nobody asked for, is the actual roadmap.

X. PROJECTED IMPACT OF SLOTIFY

Slotify has not yet been deployed at a scale that would let us report its own measured impact, and the honest position, as Section IX makes clear, is to say so rather than to invent a number. One of the three problems named in Section III barely needs a projection, though: double booking (P1) is handled by construction, not by expectation. Because the reservation path in Algorithm 2 makes a conflicting write structurally impossible rather than merely unlikely, the expected outcome for a correctly deployed instance is exactly zero double-booking incidents, independent of load – the one figure in this section that follows from the schema rather than from an analogy to prior studies. The other two problems are not so clean, and deserve to be treated that way.

Non-attendance (P2) is where an honest answer has to be a range, not a point. Fig. 4 plots three reference points, each taken directly from studies already cited in Section II rather than invented for this paper: the commonly reported manual-scheduling baseline of 15–30% [25], [27]; the private-practice outcome measured by Betancor et al. after online scheduling replaced telephone booking (5.9% falling to 1.8%) [7]; and the same authors' university-hospital outcome, where the rate did not improve (11.2% rising to 14.3%) [7]. Slotify's target businesses – salons, tutoring centres, small clinics, consultancies – are structurally closer to the private-practice arm of that comparison than to a high-volume teaching hospital: a known, returning clientele and a single decision-maker for the booking policy, rather than a rotating patient population booked through a referral chain. On that basis, a plausible expectation is that a business adopting Slotify would see its no-show rate move toward the lower end of the shaded range in Fig. 4 rather than stay at the manual baseline – but Betancor et al.'s hospital result is the reason this paper stops short of promising it.




Fig. 4. No-show rate reference points drawn directly from the studies cited in Section II: a commonly reported manual-scheduling range, and Betancor et al.'s two measured outcomes of online scheduling in a private practice versus a university hospital. These are not measurements of Slotify – which has not yet been deployed at scale – but the bounding evidence behind the projection discussed in the text.

The third problem, fragmented operational visibility (P3), is where we stop short of a chart on purpose. No study cited in Section II quantifies the value of a booking-utilisation dashboard in a way that would let us borrow a number the way Fig. 4 does for no-shows, and inventing one just to fill the gap would be exactly the mistake this paper has tried not to make. What can be said is directional, and comes from Kaluza et al. and the decentralised-booking study [9], [10]: a business with a live view of slot utilisation and cancellation patterns is positioned to make a staffing or pricing decision from evidence rather than guesswork. Whether that translates into a specific revenue figure for a given salon or clinic depends on decisions Slotify does not make on the owner's behalf, which is exactly why we do not attach a number to it.

XI. CONCLUSION AND FUTURE WORK

This paper presented Slotify, a MERN-based multi-tenant booking platform aimed at the specific gap between personal-calendar tools like Calendly and full commercial SaaS platforms like Booksy or Fresha that charge per seat or per marketplace lead. We documented its three-tier architecture, the slot-resolution and atomic-reservation algorithms that give it a provable no-double-booking guarantee, and a comparison against three real, currently operating platforms built from their own published documentation rather than secondary summaries. We also corrected, rather than repeated, a commonly oversimplified reading of the clinical literature on reminders and no-shows, because the nuance – that effect size depends on setting – is more useful to a real deployment decision than a single clean percentage would be.

The roadmap, in rough priority order, is: a React Native mobile client against the existing REST layer; optional Razorpay/Stripe deposit collection to give cancellation policies actual teeth; a lightweight recommendation layer for returning customers, grounded in the scheduling-optimisation literature [29], [30] rather than built ahead of any real usage data; SMS reminders via Twilio for customers who do not reliably check email; and multi-branch support for businesses that outgrow a single location. None of these are claimed as solved – they are the specific, named gaps between what Slotify is today and what the commercial platforms in Section V already do.

ACKNOWLEDGMENT

The team is grateful to Dr. Sneha Soni, Associate Professor, Department of Computer Science & Engineering, Parul Institute of Engineering and Technology, Vadodara, Gujarat, India, for the technical direction and the repeated, useful pushback that shaped this project at every stage. We also acknowledge the maintainers of the MongoDB, Express.js, React.js, and Node.js open-source projects, and the MongoDB Atlas and Cloudinary free-tier programmes that made building a system of this scope feasible within an academic timeline.

REFERENCES

- [1] A. Srivastava, R. Sharma, and S. Sinha, "Impact of Appointment Scheduling in Patient Experience," *American Journal of Medicine and Medical Sciences*, vol. 14, no. 11, pp. 2912–2918, 2024.
- [2] HRMARS, "An Implementation of Digital Platform to Enhance the Appointment Scheduling System," *Int. J. of Academic Research in Business and Social Sciences*, vol. 14, no. 2, 2024.
- [3] H. Atherton, A. Eccles et al., "Investigating Patient Use and Experience of Online Appointment Booking in Primary Care: Mixed Methods Study," *Journal of Medical Internet Research*, vol. 26, p. e51931, 2024.
- [4] L. Manarte, "Technology and Access to Healthcare with Different Scheduling Systems: A Scoping Review," *Healthcare Informatics Research*, vol. 30, no. 3, p. 194, 2024.
- [5] A. C. P. Castro, "Web-Based Medical Appointment Systems: A Systematic Review," *Journal of Medical Internet Research*, vol. 19, no. 4, p. e134, 2017.
- [6] IJNRD, "A Study on Online Appointment Scheduling and Healthcare Efficiency," *IJNRD*, vol. 10, 2025.
- [7] P. Kammrath Betancor, D. Boehringer, J. Jordan, C. Lichtenberg, M. Lambeck, M. C. Ketterer, T. Reinhard, and M. Reich, "Efficient Patient Care in the Digital Age: Impact of Online Appointment Scheduling in a Medical Practice and a University Hospital on the 'No-Show'-Rate," *Frontiers in Digital Health*, vol. 7, 2025.
- [8] M. Shayan et al., "Stakeholders' Experiences, Perceptions and Satisfaction with an Electronic Appointment System," *BMC Health Services Research*, 2025.
- [9] I. Kaluza, G. Voigt, K. Haase, and A. Dietze, "Control of Online-Appointment Systems When the Booking Status Signals Quality of Service," *Schmalenbach Journal of Business Research*, vol. 76, no. 3, p. 397, 2024.
- [10] Expert Systems with Applications, "A Paradigm Shift in Appointment Scheduling: Introducing a Decentralized Integrated Online Booking System," *ScienceDirect*, vol. 255, 2024.
- [11] J. L. Akinode and S. Oloruntoba, "Design and Implementation of a Patient Appointment and Scheduling System," ResearchGate, Federal Polytechnic Ilaro, 2017.
- [12] ResearchGate, "A Web-Based Doctor Appointment System," 2024.
- [13] ResearchGate, "Online Doctors Appointment System Project Report," 2023.
- [14] ResearchGate, "Developing an Online Patient Appointment Scheduling System Based on Web Services Architecture."
- [15] A. S. Wankhade, P. M. Bambal, S. S. Kharkar, S. D. Solao, M. V. Charthal, and N. G. Rathi, "Research Paper on: Doctor Appointment Booking System," *IJRASET*, DOI: 10.22214/ijraset.2023.52133, 2023.
- [16] U. Chauhan et al., "Doctor Finder and Appointment Booking Website using DJANGO," in *Proc. 2022 Int. Conf. on Innovative Practices in Technology and Management (ICIPTM)*, IEEE, 2022.
- [17] ResearchGate, "Mr. Doc: A Doctor Appointment Application System."
- [18] ResearchGate, "FastDoc: An Online Appointment Booking System," 2019.
- [19] Y. Baiskar et al., "MERN: A Full-Stack Development," *IJRASET*, vol. 10, no. 1, 2022.
- [20] Academia.edu, "Comprehensive Study of MERN Stack—Architecture, Popularity and Future Scope," *Int. J. of Scientific Research in Computer Science, Engg. and IT*, 2021.
- [21] FreeCodeCamp, "Securing Node.js RESTful APIs with JSON Web Tokens," Medium, 2018.
- [22] TopCoder, "Authentication and Authorization in Express.js API using JWT."
- [23] DigitalOcean, "How To Use JSON Web Tokens (JWTs) in Express.js," 2025.
- [24] D. Ginat and J. Kenniff, "Evaluation of an Automated Reminder System for Reducing Missed MRI Appointments," *Journal of Patient Experience*, vol. 10, 2023.
- [25] K. Parikh et al., "The Effectiveness of Outpatient Appointment Reminder Systems in Reducing No-Show Rates," *The American Journal of Medicine*, vol. 123, no. 6, pp. 542–548, 2010.
- [26] Y. Tarabichi, J. Higginbotham, N. Riley, D. C. Kaelber, and B. Watts, "Reducing Disparities in No Show Rates Using Predictive Model-Driven Live Appointment Reminders for At-Risk Patients: A Randomized Controlled Quality Improvement Initiative," *Journal of General Internal Medicine*, vol. 38, no. 13, pp. 2921–2927, 2023.

- [27] BMC Health Services Research, "Appointment Reminder Systems are Effective but Not Optimal: A Systematic Review," PMC, 2016.
- [28] Pan African Medical Journal, "The Effect of Patient Reminders in Reducing Missed Appointment in Medical Settings: A Systematic Review," *One Health*, vol. 2, no. 9, 2020.
- [29] S. Chatterjee *et al.*, "An Optimization-Based Scheduling Methodology for Appointment Systems with Heterogeneous Customers," *INFORMS Journal on Computing*, vol. 37, no. 6, pp. 1624–1649, 2025.
- [30] Ö. Ünsal, H. Üster, and C. Oguz, "Incorporating Patients' Appointment Date Preferences into Decision-Making: A Simulation and Optimization Study," *Computers & Industrial Engineering*, vol. 196, p. 110521, 2024.
- [31] Calendly, "Choose the right Calendly plan for your team" and official pricing documentation, accessed July 2026. [Online]. Available: <https://calendly.com/pricing>
- [32] Booksy Biz, "All-in-one solution for scheduling, payments, and marketplace discovery," official business documentation, accessed July 2026. [Online]. Available: <https://biz.booksy.com/>
- [33] Fresha, "Pricing and Features," official documentation, accessed July 2026. [Online]. Available: <https://www.fresha.com/pricing>

References

- [1] Bailey, N.T.J. and Welch, J.D., 1952. Appointment systems in hospital outpatient departments. *The Lancet*, 259(6718), pp. 1105–1108.
- [2] Cayirli, T. and Veral, E., 2003. Outpatient scheduling in health care: a review of literature. *Production and Operations Management*, 12(4), pp. 519–549.
- [3] Fielding, R.T., 2000. *Architectural Styles and the Design of Network-Based Software Architectures*. Doctoral Dissertation, University of California, Irvine.
- [4] Gupta, D. and Denton, B., 2008. Appointment scheduling in health care: challenges and opportunities. *IIE Transactions*, 40(9), pp. 800–819.
- [5] Madden, N., 2020. *API Security in Action*. Manning Publications, Shelter Island, NY.
- [6] Parikh, A., Gupta, M., Wilson, A., Fields, K., Cosgrove, N. and Kostis, J., 2010. The effectiveness of outpatient appointment reminder systems in reducing no-show rates. *The American Journal of Medicine*, 123(6), pp. 542–548.
- [7] Pressman, R.S. and Maxim, B.R., 2014. *Software Engineering: A Practitioner's Approach*. 8th ed. McGraw-Hill Education, New York.
- [8] Richardson, L. and Ruby, S., 2007. *RESTful Web Services*. O'Reilly Media, Sebastopol, CA.
- [9] Sadalage, P.J. and Fowler, M., 2012. *NoSQL Distilled: A Brief Guide to the Emerging World of Polyglot Persistence*. Addison-Wesley Professional, Upper Saddle River, NJ.
- [10] Shmueli, A., Hadad, N. and Haklai, Z., 2003. Ambulatory care utilization: wait time, type of visit and medical condition. *Israel Medical Association Journal*, 5(2), pp. 114–118.
- [11] Sommerville, I., 2016. *Software Engineering*. 10th ed. Pearson Education Limited, Harlow.
- [12] Stack Overflow, 2023. *Stack Overflow Developer Survey 2023* [Online]. Available at: <https://survey.stackoverflow.co/2023> [Accessed: 10 February 2025].

- [13] MongoDB Inc., 2024. *MongoDB Documentation: Data Modeling* [Online]. Available at: <https://www.mongodb.com/docs/manual/data-modeling/> [Accessed: 15 January 2025].
- [14] React.js Team, 2024. *React: A JavaScript Library for Building User Interfaces* [Online]. Available at: <https://react.dev> [Accessed: 5 January 2025].
- [15] Nodemailer Project, 2024. *Nodemailer – Send Emails from Node.js* [Online]. Available at: <https://nodemailer.com/about/> [Accessed: 8 February 2025].
- [16] OpenJS Foundation, 2024. *Express.js – Fast, Minimalist Web Framework for Node.js* [Online]. Available at: <https://expressjs.com> [Accessed: 6 January 2025].
- [17] Auth0 Inc., 2024. *Introduction to JSON Web Tokens* [Online]. Available at: <https://jwt.io/introduction> [Accessed: 12 February 2025].
- [18] Tailwind Labs, 2024. *Tailwind CSS Documentation* [Online]. Available at: <https://tailwindcss.com/docs> [Accessed: 11 January 2025].
- [19] Vercel Inc., 2024. *Vercel Documentation* [Online]. Available at: <https://vercel.com/docs> [Accessed: 20 January 2025].
- [20] Cloudinary Inc., 2024. *Cloudinary Developer Documentation* [Online]. Available at: <https://cloudinary.com/documentation> [Accessed: 10 January 2025].