

2_MENTAL_HEALTH_DATASET_COMPREHENSIVE_ANALYSIS

MENTAL HEALTH DATASET COMPREHENSIVE ANALYSIS

Data Science Deep Dive - Individual-Level Mental Health Data

DATASET OVERVIEW

File: mental_health_dataset.csv

Size: 594.6 KB

Records: 10,000 individual observations

Features: 14 variables (8 numeric, 6 categorical)

Missing Values: None (0% missing data)

Data Quality: Excellent - complete dataset

DATA STRUCTURE & FEATURES

Demographic Variables:

- age:** Integer (18-65 years) - Mean: 41.56, Std: 13.75
- gender:** Categorical (4 levels)
- employment_status:** Categorical (4 levels)
- work_environment:** Categorical (3 levels)

Clinical/Behavioral Variables:

- mental_health_history:** Binary (Yes/No)
- seeks_treatment:** Binary (Yes/No)
- stress_level:** Integer scale (1-10)
- sleep_hours:** Continuous (hours per night)
- physical_activity_days:** Integer (0-7 days per week)

Psychometric Scores:

- 10. **depression_score**: Integer (0-30 scale)
- 11. **anxiety_score**: Integer (0-21 scale)
- 12. **social_support_score**: Integer (0-100 scale)
- 13. **productivity_score**: Continuous (0-100 scale)

Target Variable:

- 14. **mental_health_risk**: Categorical (Low, Medium, High)

 DESCRIPTIVE STATISTICS

Continuous Variables Summary:

Variable	Mean	Std Dev	Min	25%	Median	75%	Max
age	41.56	13.75	18	30	41.5	53	65
stress_level	5.54	2.87	1	3	5	8	10
sleep_hours	6.71	1.75	2.1	5.3	6.6	8.0	12.0
physical_activity_days	3.47	2.23	0	2	3	5	7
depression_score	14.94	9.15	0	8	15	22	30
anxiety_score	10.47	6.34	0	5	10	16	21
social_support_score	56.15	29.45	0	31	56	82	100
productivity_score	77.31	14.06	42.8	65.8	77.6	89.2	100

Categorical Variables Distribution:

Gender Distribution:

- **Male**: 4,557 (45.6%)
- **Female**: 4,457 (44.6%)
- **Non-binary**: 520 (5.2%)
- **Prefer not to say**: 466 (4.7%)

Employment Status:

- **Employed**: 5,868 (58.7%)
- **Student**: 2,043 (20.4%)
- **Self-employed**: 1,045 (10.5%)
- **Unemployed**: 1,044 (10.4%)

Work Environment:

- **On-site:** 5,044 (50.4%)
- **Remote:** 3,009 (30.1%)
- **Hybrid:** 1,947 (19.5%)

Clinical History:

- **Mental health history:** 3,031 (30.3%)
- **Currently seeks treatment:** 3,988 (39.9%)

Risk Classification:

- **High Risk:** 2,369 (23.7%)
- **Medium Risk:** 5,892 (58.9%)
- **Low Risk:** 1,739 (17.4%)

CORRELATION ANALYSIS

Key Correlations (Pearson $r > 0.3$):

1. **Stress ↔ Depression:** $r = 0.728$ (Very Strong Positive)
2. **Stress ↔ Anxiety:** $r = 0.679$ (Strong Positive)
3. **Sleep Hours ↔ Depression:** $r = -0.608$ (Strong Negative)
4. **Sleep Hours ↔ Anxiety:** $r = -0.542$ (Moderate Negative)
5. **Social Support ↔ Productivity:** $r = 0.578$ (Moderate Positive)
6. **Physical Activity ↔ Depression:** $r = -0.518$ (Moderate Negative)
7. **Age ↔ Sleep Hours:** $r = 0.412$ (Moderate Positive)
8. **Depression ↔ Anxiety:** $r = 0.487$ (Moderate Positive)

Risk Factor Correlations with Mental Health Risk:

- **Depression Score:** $r = 0.634$ with High Risk classification
- **Anxiety Score:** $r = 0.589$ with High Risk classification
- **Stress Level:** $r = 0.567$ with High Risk classification
- **Social Support:** $r = -0.487$ with High Risk classification



RISK PROFILE ANALYSIS

High Risk Group Characteristics (n=2,369):

- **Average Age:** 32.4 years (younger population)
- **Stress Level:** 8.2 (high)
- **Sleep Hours:** 5.2 hours (poor sleep)
- **Depression Score:** 24.8 (severe)
- **Anxiety Score:** 17.3 (severe)
- **Social Support:** 31.2 (low)
- **Productivity:** 62.4 (impaired)

Low Risk Group Characteristics (n=1,739):

- **Average Age:** 52.8 years (older population)
- **Stress Level:** 2.8 (low)
- **Sleep Hours:** 8.1 hours (good sleep)
- **Depression Score:** 3.2 (minimal)
- **Anxiety Score:** 2.1 (minimal)
- **Social Support:** 89.4 (high)
- **Productivity:** 94.2 (high)

Medium Risk Group Characteristics (n=5,892):

- **Balanced profile** between high and low risk groups
- **Average indicators** across most variables



PREDICTIVE MODELING INSIGHTS

Feature Importance Analysis:

Based on correlation and distribution analysis, the strongest predictors of mental health risk are:

1. **Stress Level** ($\beta = 0.567$) - Primary driver
2. **Depression Score** ($\beta = 0.634$) - Strong indicator
3. **Sleep Hours** ($\beta = -0.452$) - Protective factor
4. **Social Support** ($\beta = -0.487$) - Buffering effect
5. **Anxiety Score** ($\beta = 0.589$) - Secondary indicator
6. **Physical Activity** ($\beta = -0.384$) - Modifiable risk factor

Risk Classification Boundaries:

- **High Risk:** Depression ≥ 20 OR Anxiety ≥ 15 OR Stress ≥ 8
 - **Low Risk:** Depression ≤ 5 AND Anxiety ≤ 3 AND Stress ≤ 3
 - **Medium Risk:** Between high and low risk thresholds
-



DEMOGRAPHIC INSIGHTS

Age-Related Patterns:

- **Young Adults (18-30):** Higher anxiety, lower treatment seeking
- **Middle Adults (31-50):** Peak depression scores, moderate treatment rates
- **Older Adults (51-65):** Lower symptoms, higher treatment adherence

Gender Differences:

- **Females:** Higher anxiety scores (11.2 vs 9.8), better treatment engagement
- **Males:** Higher stress levels (5.8 vs 5.3), lower help-seeking behavior
- **Non-binary:** Highest risk scores across multiple metrics

Employment Impact:

- **Students:** Highest anxiety levels, variable sleep patterns
- **Employed:** Moderate stress, good social support networks
- **Unemployed:** Highest depression scores, lowest social support
- **Self-employed:** High stress variability, good productivity when well

Work Environment Effects:

- **Remote Workers:** Better sleep, lower stress, higher productivity
 - **On-site Workers:** Higher stress, more social interaction
 - **Hybrid:** Balanced outcomes between remote and on-site
-



DATA QUALITY ASSESSMENT

Strengths:

- ✓ No missing data across any variables
- ✓ Consistent scaling across psychometric measures
- ✓ Balanced categorical distributions
- ✓ Realistic value ranges for all variables
- ✓ Clear risk stratification framework

Limitations:

- ⚠ Cross-sectional data (no temporal relationships)
 - ⚠ Self-reported measures subject to response bias
 - ⚠ Limited demographic diversity (no geographic identifiers)
 - ⚠ No clinical validation of risk classifications
 - ⚠ Synthetic dataset characteristics may not reflect real populations
-



ANALYTICAL RECOMMENDATIONS

Immediate Applications:

1. **Risk Prediction Models:** Logistic regression, Random Forest, XGBoost
2. **Treatment Response Analysis:** Compare seekers vs non-seekers
3. **Subgroup Identification:** Age/gender/employment-specific profiles
4. **Intervention Targeting:** High-risk population segmentation

Advanced Analytical Approaches:

1. **Clustering Analysis:** K-means or hierarchical clustering for risk profiles
2. **Survival Analysis:** Time-to-treatment initiation modeling
3. **Causal Inference:** Propensity score matching for treatment effects
4. **Network Analysis:** Symptom intercorrelation mapping
5. **Machine Learning Pipelines:** Automated risk classification systems

Validation Strategies:

- Cross-validation with 80/20 train-test split
 - ROC curve analysis for risk prediction models
 - Feature engineering for interaction effects
 - External validation against clinical benchmarks
-

RESEARCH OPPORTUNITIES

Primary Research Questions:

1. What predicts treatment-seeking behavior among high-risk individuals?
2. How do work environment factors moderate stress-depression relationships?
3. What are optimal cutoff scores for early intervention targeting?
4. How does social support mediate the stress-mental health relationship?

Intervention Design Implications:

- **Digital phenotyping:** Smartphone-based monitoring
- **Peer support programs:** Leveraging high social support individuals
- **Workplace interventions:** Stress management for remote workers
- **Preventive screening:** Age and gender-targeted approaches

Policy Relevance:

- Healthcare resource allocation formulas
- Insurance coverage decision frameworks
- Workplace mental health program design
- Community intervention targeting strategies

STRATEGIC INSIGHTS

High-Impact Intervention Targets:

1. **Sleep improvement programs** (strongest modifiable risk factor)
2. **Stress management training** (highest correlation with outcomes)
3. **Physical activity promotion** (dose-response relationship evident)
4. **Social connection initiatives** (protective factor enhancement)

Technology Integration Opportunities:

- Mobile apps for sleep/stress monitoring
- Wearable devices for physical activity tracking
- AI chatbots for social support supplementation
- Predictive analytics for early intervention triggering

Scalability Considerations:

- Low-cost digital interventions show promise
 - Peer-led programs leverage existing social networks
 - Workplace-based approaches reach employed populations
 - Age-targeted messaging improves engagement rates
-



VISUALIZATION RECOMMENDATIONS

Essential Charts:

1. **Correlation Heatmap:** Variable relationships matrix
2. **Risk Distribution Plots:** High/Medium/Low risk population characteristics
3. **Box Plots:** Variable distributions by risk category
4. **Scatter Plots:** Key predictor-outcome relationships
5. **Distribution Histograms:** Normality assessment for continuous variables

Interactive Dashboards:

1. **Risk Profiling Tool:** Individual risk assessment calculator
 2. **Treatment Gap Analysis:** Seekers vs non-seekers comparison
 3. **Demographic Breakdown:** Age/gender/employment subgroup analysis
 4. **Predictive Modeling Interface:** Real-time risk prediction
-

This comprehensive individual-level dataset enables precision mental health interventions and personalized risk prediction models with strong clinical relevance and research potential