

MA

```
— DNS
1 # sudo -i
  # apt update
  # ss -upta | grep 53
  # systemctl disable --now systemd-resolved
  # systemctl stop systemd--resolved
  # unlink /etc/resolv.conf
2 # nano /etc/resolv.conf
  |-> 1a línea: nameserver 127.0.0.1
  # host mva.gixpd.org
  |-> (???)
  # host 20.20.20.X
  |-> (???)
3 # apt install dnsmasq
  # ip a
  # nano /etc/dnsmasq.conf
  |-> interface = <interface>
  # systemctl reload dnsmasq
  # systemctl status dnsmasq
  # host mva.gixpd.org
  |-> (???)
4 # apt install dnsutils
5 # dig www.uab.cat
11 # reboot
— SSH
12 # sudo -i
  # apt update
  # systemctl status ssh
  # <<< Habilitar acceso/login root> mva... mvb???
13 # ssh adminp@mvb.gixpd.org
  # ssh -X adminp@mvb.gixpd.org
  # xeyes
  # firefox
  #logout
14 # ssh-keygen
  # cd .ssh
  # ls -l
  # more id_rsa
  # more id_rsa.pub
  # ssh-copy-id adminp@mvb.gixpd.org
15 # ssh adminp@mvb.gixpd.org
16 # cd .ssh
  # ls -l
  # more autorized_keys
  # logout
18 # ssh -X mvb.gixpd.org
  # xeyes
20 # logout
```

=> bleachbit

MB

```
— DNS
6 # sudo -i
  # apt install dnsutils
7 # host mva.gixpd.org
  |-> (???)
8 # nano /etc/resolv.conf
  |-> Dejar solo 1 línea: nameserver 20.20.20.X
9 # host mva.gixpd.org
  |-> (???)
  # host mva-gw.gixpd.org
  |-> (???)
  # host www.uab.cat
  |-> (???)
  # dig mva.gixpd.org
  |-> (???)
10 # /etc/one-context.d/loc-11-dns
  |-> 2a línea insertar: "exit"

— SSH

19 # ps -edaf | grep firefox
```