

# The Agent Master Workflow

Every action the agent workforce takes, from the moment a business is found to the month a retainer renews — what starts it, who owns it, which tools it calls, what stops it, and where it ends.

## BEFORE ANYTHING RUNS

- 00 · How to read this
- 01 · The rules that govern every step
- 02 · The clock
- 03 · Who reports to whom
- 04 · The whole thing, on one page
- 05 · How an agent actually runs

## THE NINE STAGES

- 1 · Acquisition
- 2 · Qualification
- 3 · Outreach
- 4 · Consultation and proposal
- 5 · Onboarding
- 6 · Delivery
- 7 · Handover
- 8 · Invoicing and collection
- 9 · The retainer

## STANDING RULES

- The support loop
- 11 · What always stops and asks
- 12 · Commissioning it
- A · Every agent, and what it may reach
- B · Every tool, and what it costs to be wrong

# How to read this

Every step below answers the same six questions in the same order. If a step cannot answer all six it is not a step — it is a wish, and it does not belong in a workflow.

| FIELD             | WHAT IT MEANS, AND WHY IT IS THERE                                                                                                                                                |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Starts when       | The exact trigger. A clock tick, a status change, an inbound event, or a person pressing something. A step with no trigger never runs; a step with two triggers runs twice.       |
| Does              | The work itself, in one or two sentences. Written so that somebody reading only this column can tell whether it happened.                                                         |
| Tools             | The exact catalogue keys called. These are real: they match <code>server/src/services/tools/catalogue.ts</code> , and an agent that has not been granted one cannot run the step. |
| Gate              | What has to be true for the step to take effect rather than merely be prepared. This is the autonomy level, the dry-run flag, and any spend ceiling.                              |
| Ends when         | The state change that proves it finished. Almost always a status moving, a record being written, or a document existing.                                                          |
| Stops and asks if | The conditions under which the agent must not proceed. This column is the reason the rest of the document is safe.                                                                |

## THE THREE KINDS OF STEP

- Automatic** — the clock or an event fires it. Nobody asks.
- Agent** — an agent does the work, within its gate.
- Decision** — a person decides. The agent prepares and waits.

### Nothing in this document is live until you raise it

Every agent ships at **autonomy 1 with dry run on**. At that setting each step below still runs, still reads the record, still produces its output — and stops before the output reaches a client, a card or a live system, showing you what it would have done instead. That is not a limitation to be worked around; it is how the workflow is meant to be commissioned. Section 12 sets out the order to lift it in.

# The rules that govern every step

Five rules apply to all twenty-seven agents and all thirty-nine tools. They are enforced in one place — `services/tools/invoke.ts` — rather than repeated in each tool, which is what makes a new tool safe on the day it is added.

RULE 1 · THE AUTONOMY LADDER

|   |            |                                                                                                                                                         |
|---|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 | Observe    | Reads and reports. Takes no action of any kind.                                                                                                         |
| 1 | Draft      | Prepares work. Nothing leaves the building. <b>Every agent seeds here.</b>                                                                              |
| 2 | Recommend  | Chooses an action and explains why. A person decides.                                                                                                   |
| 3 | Execute    | Acts outside the company without asking — an email leaves, a meeting is booked, an issue is opened. <b>The threshold for every outward-facing tool.</b> |
| 4 | Autonomous | Spends money. Runs whole routine workflows; only escalations reach you. <b>The threshold for every tool that charges.</b>                               |
| 5 | Delegated  | Material financial and legal authority. Not settable from the app at all — it needs a recorded owner decision first, and the API refuses it.            |

RULE 2 · THE FOUR GATES, IN ORDER

Every tool call passes through the same four checks before the handler runs. A call that fails any of them is refused *and recorded* — the refusals are what answer “why did nothing happen last night”.

| # | GATE      | REFUSES WHEN                                                                                                                                                                                                                                     |
|---|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Readiness | The integration behind the tool has no credential. The refusal names the exact settings tab to paste it into.                                                                                                                                    |
| 2 | Grant     | The agent’s toolkit does not include this key. An agent with an empty toolkit can call nothing at all.                                                                                                                                           |
| 3 | Autonomy  | The tool is outward-facing and the agent is below level 3, or it spends and the agent is below level 4. This does not error — it <i>downgrades the call to a preview</i> , because a prepared action a person can approve is the useful outcome. |
| 4 | Schema    | The arguments are not the declared shape. A model will confidently pass a string where a date was wanted; this catches it before the handler does something strange with it.                                                                     |

RULE 3 · DRY RUN IS A FLOOR, NOT A DEFAULT

An agent’s `dryRun` flag sits *above* its autonomy level. When it is on, every write, every outward action and every spend is prepared and stopped — and an owner asking for a real run from the call site cannot switch it off. Turning dry run off is a deliberate act on that agent’s own card, and it is the single most consequential control in the system.

Every call lands in ToolCall: which agent, which tool, the arguments, the result, whether it was a dry run, what it cost, how long it took, and — for a refusal — the reason. Nothing an agent does is invisible, including the things it was stopped from doing.

A tool that can spend is flagged as such in the catalogue, and that flag is not decoration: it raises the autonomy threshold to 4, records the cost against the call, and is checked against the ceiling in agents.maxCallUsd. Four tools spend today.

capture.run

capture.plan

proposal.draft

content.draft

image.generate

The one thing that is never delegated

No agent can grant a permission — not to itself, not to another agent. **AI People Operations** can recommend that a toolkit be widened or narrowed and must escalate it; it cannot act on its own recommendation. The grant model has exactly one writer, and it is you.

SECTION 02

The clock

Five jobs run without anyone asking. They tick once a minute, are settled independently — lead capture failing must not stop an invoice going out — and each advances its own next-due marker *before* starting work, so a crash cannot be retried in a loop and a restart cannot fire the same slot twice.

| JOB               | FIRES                                   | WHAT IT DOES, AND ITS SAFETY RAIL                                                                                                                                                                               |
|-------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lead capture      | Per source, at its own local times      | Starts any scraper source whose next run is due. A slot missed by more than <b>six hours</b> is skipped rather than stamped through on boot. Refuses if the monthly budget or the concurrency limit is reached. |
| Care plan billing | 06:00 local, on each plan's billing day | Raises the retainer invoice. At most <b>three</b> missed months are billed after an outage. A duplicate is a database error, not a duplicate.                                                                   |
| Scheduled email   | Every minute                            | Sends anything whose scheduled time has passed, up to 25 per tick. Suppression is re-checked immediately before the socket opens.                                                                               |
| Sequences         | Every minute                            | Sends the next due step of every active enrolment, inside that sequence's send window only.                                                                                                                     |
| Housekeeping      | Every minute                            | Resumes interrupted capture runs and prunes run history past its retention window.                                                                                                                              |

Why in-process rather than a cron container

Dakyworld OS runs as a single Railway service. One interval inside it has no moving parts to keep in step with a deploy — no second image, no second set of environment variables, and no way for the schedule to be running a version of the code the app is not.

# Who reports to whom

Three working tiers and one governing one. The distinction that matters is between agents whose output is a *decision* and agents whose output is a *thing*: the first three tiers decide, the specialists make. Every escalation runs up this chart, and an agent with nobody above it has nowhere to stop and ask.

**Who owns this?** Read down a lane. Every piece of work belongs to exactly one department and, within it, to exactly one agent. Work that belongs to nobody does not get done; work that belongs to two gets done twice, and differently.

**Where does this stop?** Read up. An escalation always goes to the named manager — never sideways, never to “the system”. A specialist that cannot answer hands it to its executive; an executive that cannot hands it to the CEO; the CEO and the Board Chair hand it to you.

GOVERNANCE — RECOMMENDS, BLOCKS, AND MANAGES THE WORKFORCE ITSELF

|                                                                                                                                          |                                                                                                                                |                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <div><b>Board Chair</b><br/>board.chair<br/>Strategy, risk and capital discipline. Never executes — every output is a memo to you.</div> | <div><b>Risk &amp; QA Director</b><br/>risk.qa<br/>May block any action. Never weakens a control to make a task succeed.</div> | <div><b>AI People Operations</b><br/>people.ops<br/>Scores the agents themselves. Cannot grant a permission, including to itself.</div> |
|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

EXECUTIVE — TURNS STRATEGY INTO WEEKLY PRIORITIES

|                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><b>Chief Executive</b> — reports to the Board Chair<br/>ceo<br/>Picks the few actions with the highest business impact each week, and says what is deliberately not being done.</div> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

DEPARTMENTS — EACH OWNS A LANE END TO END

|                                                                                                                                                                                                                                           |                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                     |                                                                                                                         |                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <div><b>Sales Director</b><br/>cro · Revenue</div> <div><b>Lead Lifecycle Manager</b><br/>lead.orchestrator</div> <div><b>Outbound Comms Manager</b><br/>email.sequencer</div> <div><b>Commercial Operations</b><br/>commercial.ops</div> | <div><b>Operations Director</b><br/>coo · Delivery</div> <div><b>Delivery Director</b><br/>delivery.director</div> <div><b>Support Desk</b><br/>support.desk</div> | <div><b>Technical Director</b><br/>cto · Technology</div> <div><b>Business Intelligence</b><br/>analytics.engine</div> <div><b>Integration Architect</b><br/>integration.manager</div> <div><b>Web Developer</b><br/>dev.web</div> <div><b>Automation Engineer</b><br/>dev.automation</div> <div><b>QA Tester</b><br/>qa.testers</div> | <div><b>Growth &amp; Content</b><br/>cmo · Marketing</div> <div><b>Graphic Designer</b><br/>design.graphic</div> <div><b>Video Editor</b><br/>video.editor</div> <div><b>Ad Designer</b><br/>ads.designer</div> <div><b>Copywriter</b><br/>content.writer</div> <div><b>SEO Specialist</b><br/>seo.specialist</div> | <div><b>Finance Controller</b><br/>cfo · Finance</div> <div><b>Recurring Revenue Manager</b><br/>careplan.manager</div> | <div><b>Client Success</b><br/>cco · Client</div> <div><b>Client Communications</b><br/>client.notifier</div> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|

- Governs — recommends or blocks, never executes
- Executive — owns a department
- Operational — runs one workflow end to end
- Specialist — makes the thing

# The whole thing, on one page

Nine stages from a business nobody has heard of to a retainer renewing itself. Each row names who owns the stage, the state it takes in and the state it hands on — and every one of those states is a real status on a real record, not a label invented for this diagram.

| STAGE & OWNER |                                                                       | WHAT GOES IN, WHAT COMES OUT |                                                                      | RUNS WITHOUT ASKING                    |
|---------------|-----------------------------------------------------------------------|------------------------------|----------------------------------------------------------------------|----------------------------------------|
| 1             | <b>Acquisition</b><br>Lead Lifecycle · Integration Architect          | IN<br>OUT                    | A business nobody has heard of<br>Lead at NEW, scored, de-duplicated | Scheduled capture · webhook intake     |
| 2             | <b>Qualification</b><br>Lead Lifecycle · Sales Director               | IN<br>OUT                    | Lead at NEW<br>QUALIFIED or DISQUALIFIED, with the reason            | Audit runs on every new lead           |
| 3             | <b>Outreach</b><br>Outbound Communications                            | IN<br>OUT                    | Lead at QUALIFIED<br>A reply, or the series ends                     | Enrol · send in window · stop on reply |
| 4             | <b>Consultation &amp; proposal</b><br>Sales Director · Commercial Ops | IN<br>OUT                    | A reply asking to talk<br>Proposal WON or LOST                       | Follow-up series after SENT            |
| 5             | <b>Onboarding</b><br>Commercial Ops · Delivery Director               | IN<br>OUT                    | Proposal WON<br>Project at PLANNING, tasks assigned                  | Welcome email on project open          |
| 6             | <b>Delivery</b><br>The nine specialists                               | IN<br>OUT                    | Tasks at TODO<br>Every task DONE, QA signed off                      | Routing by craft                       |
| 7             | <b>Handover</b><br>Client Communications                              | IN<br>OUT                    | QA sign-off<br>Project DELIVERED                                     | Testimonial & care-plan series         |
| 8             | <b>Invoicing</b><br>Finance Controller                                | IN<br>OUT                    | Milestone or delivery<br>Invoice PAID                                | Overdue reminders escalate             |
| 9             | <b>The retainer</b><br>Recurring Revenue · Client Success             | IN<br>OUT                    | Care plan ACTIVE<br>Renews — or churn is caught early                | Billing at 06:00 on the billing day    |

Read the right-hand column first. It is the part that happens whether or not anybody opens the app, and it is therefore the part worth being certain about before an autonomy level is raised.

# How an agent actually runs

Every stage in this document is carried out by the same machine. A task is created, an agent claims it, a loop turns, and the task ends in one of five states — each of which means something different and needs something different from you.

## THE LIFE OF ONE TASK

| # | WHAT HAPPENS            | DETAIL                                                                                                                                                                                                                           |
|---|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | A task is created       | By you, by the clock, by an event, or by a manager agent handing work to one of its reports. It names the agent, the brief, and the record it is about.                                                                          |
| 2 | A runner claims it      | The claim is a conditional write, so two runners reaching for the same task cannot both get it. Only agents set to <b>Active</b> are picked up — a queue can be filled before its agent is switched on.                          |
| 3 | It is told who it is    | Its ten prompt layers, its skills, the company's own details, <i>and what it already concluded about this subject</i> — see the memory band below.                                                                               |
| 4 | It is told what this is | The record resolved in full: the lead's score, status, contact details and discovery notes; the invoice's age and amount; the project's open tasks. It fetches anything further with a tool, which is what makes a fact citable. |
| 5 | It is handed its tools  | Only what its toolkit grants, plus escalate, remember and — for a manager — delegate.                                                                                                                                            |
| 6 | The loop turns          | It calls a tool, reads the answer, decides again. Every call goes through the same four gates as before; the timeline is written as it happens, so a task that is still running shows what it has done so far.                   |
| 7 | It ends                 | In one of the five states below, with a summary in its own words: what it did, what it found, what a person should do next.                                                                                                      |

## THE FIVE WAYS A TASK ENDS

| STATE             | WHAT IT MEANS                                                                                                                                           | WHAT YOU DO                                                                                                                                |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Done              | It finished, and everything it did took effect.                                                                                                         | Nothing. Read the summary if you want to.                                                                                                  |
| Ready to approve  | It finished, and <i>some or all of the work was prepared rather than carried out</i> — the agent is in dry run, or below the autonomy those tools need. | Read the timeline: the prepared steps say exactly what would have happened. Approve it, or raise the agent's autonomy to stop being asked. |
| Stopped and asked | It hit one of the conditions in Section 11 and used escalate rather than guessing.                                                                      | Answer the question in the drawer. The answer is appended to the brief and it carries on from there.                                       |
| Failed            | Something broke — no API key, a model error, a tool that threw.                                                                                         | The reason is on the task. A rate limit re-queues itself; everything else waits for you.                                                   |

|           |                                   |                                                                                                                                  |
|-----------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Cancelled | You stopped it before it started. | Nothing. A task mid-run cannot be cancelled — the loop is not interruptible, and a status that claimed otherwise would be a lie. |
|-----------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|

**“Ready to approve” is the point of autonomy level 1, not a failure of it**

An agent at level 1 with dry run on still does the whole job — it reads the records, works out what should happen, and prepares every action. What it does not do is let any of it take effect. So the normal outcome at the shipped settings is **one thing to approve rather than five things to do**, and the timeline tells you precisely what each prepared step would have done. That is why the commissioning order in Section 12 starts where it does.

WHAT AN AGENT REMEMBERS

Every agent's prompt has always ended with the rule — *retain decisions, their reasons and their outcomes; never retain secrets*. There was nowhere to put them, so every task started from nothing and an agent could reach the same wrong conclusion about the same lead every morning without noticing it had been there before. Now it keeps them, and is handed them back.

| KIND       | WHAT GOES IN IT                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Decision   | A choice it made, and why. “Wrote about the missing website rather than the slow checkout — the audit found no site at all, which is the stronger opening.” |
| Outcome    | What came of it. The half that makes a decision worth keeping.                                                                                              |
| Fact       | Something it learnt about a lead, a client or the business.                                                                                                 |
| Lesson     | A general conclusion about its own work: “this approach does not land on this segment”.                                                                     |
| Preference | Something you told it to do differently. You can write one directly from its drawer.                                                                        |

**Recall is by subject, not by similarity.** A memory is filed against the thing it is about — a lead, a client, or self for a standing lesson — and an agent picking up a task about a lead is handed what *it* concluded about *that* lead, plus its own standing lessons, and nothing about anybody else. A search across everything would occasionally surface a fact about a different client in the context of this one, and the failure mode of that is a letter to the wrong company containing the right facts.

**A memory is never allowed to hold a credential**

Not because an agent would not be told — every prompt says so — but because a memory is a durable record that is *re-read into a prompt every time its subject comes up*. A token written into one is a token re-read every morning for a year. So the store refuses anything credential-shaped outright: known key formats, private keys, and the sentence somebody writes when they are about to hand one over. It is deliberately eager, because refusing a memory costs a rephrase and accepting one costs far more.

DELEGATION RUNS DOWN THE CHART ONLY

A manager may hand work to one of *its own direct reports* — never sideways, never upward. The child task carries the same record and the same priority, and the manager does not wait for it: it carries on with its own part, and the two show up on the same board. An agent routing work around the person who owns a lane is the failure this prevents, and the rule is enforced in code rather than asked for in a prompt.

# Getting a business into the pipeline

Three doors, and only one of them is a person typing. Everything that arrives is scored, de-duplicated against everything already known, and filed with the run that found it — so “where did this lead come from” is answerable a year later.

## DOOR A — SCHEDULED CAPTURE

1.A.1 A capture source comes due

CLOCK

|                   |                                                                                                                                                                                                               |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The minute tick finds a source whose nextRunAt has passed. Each source carries its own local times and timezone.                                                                                              |
| DOES              | Advances nextRunAt <i>first</i> , then starts the run. A slot missed by more than six hours is skipped rather than replayed — coming back from an outage should not mean six hours of scrapes firing at once. |
| TOOLS             | <code>scheduler</code> — not an agent action                                                                                                                                                                  |
| GATE              | Refused outright if the month’s Apify spend is at the budget ceiling, or the concurrent-run limit is reached. Neither is negotiable by an agent.                                                              |
| ENDS WHEN         | A ScraperRun row exists with a run id from Apify.                                                                                                                                                             |
| STOPS AND ASKS IF | No Apify token is connected, or the budget is exhausted. The run is not attempted and the reason is recorded.                                                                                                 |

1.A.2 Price it before it runs

LEAD LIFECYCLE MANAGER

|                   |                                                                                                                                                                                                            |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A capture is being planned, by hand or by an agent.                                                                                                                                                        |
| DOES              | Reads the actor’s <i>published rates from Apify at run time</i> and turns the input into a count of billable events. A hard ceiling is derived for any pay-per-event run that has not been capped by hand. |
| TOOLS             | <code>capture.cost</code> <code>capture.plan</code> <code>capture.spend</code>                                                                                                                             |
| GATE              | <code>capture.plan</code> asks Claude and therefore spends; level 4 to run it for real, otherwise it is priced and shown.                                                                                  |
| ENDS WHEN         | An estimate exists, with the ceiling that will be enforced.                                                                                                                                                |
| STOPS AND ASKS IF | The estimate exceeds the per-run ceiling. Never re-priced from memory: actor rates change, and a stale number in a spending guard fails silently.                                                          |

### 1.A.3 Run the capture

LEAD LIFECYCLE MANAGER

|                   |                                                                                                                     |
|-------------------|---------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | 1.A.1 fires, or a person presses Run, or an agent at level 4 decides to.                                            |
| DOES              | Executes the actor, normalises each row, builds a de-duplication key, scores it, and writes the ones that are new.  |
| TOOLS             | <code>capture.run</code>                                                                                            |
| GATE              | <b>Level 4.</b> This is the tool that spends real money on every call, and the only one an operational agent holds. |
| ENDS WHEN         | The run records its tally: fetched, created, skipped as duplicates, filtered below the score floor.                 |
| STOPS AND ASKS IF | <b>The run would exceed its derived charge ceiling, or another run is already in flight for the same source.</b>    |

### 1.A.4 Score and file

AUTOMATIC

|                   |                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | Each row of a run is normalised.                                                                                                                                                                                                                                                                                                                                                              |
| DOES              | Scores 0–100 from what is actually known: a contact email is worth the most, then a phone number, then a website — and a business on a free page-builder domain scores <i>higher</i> than one on a proper domain, because it is the strongest buying signal Dakyworld has. Review count and rating add credibility; a business with neither address nor city loses nothing but gains nothing. |
| TOOLS             | <code>scoring – part of the run</code>                                                                                                                                                                                                                                                                                                                                                        |
| GATE              | None. Scoring reads and writes nothing outside the lead itself.                                                                                                                                                                                                                                                                                                                               |
| ENDS WHEN         | The lead exists at status <b>NEW</b> with a score, a source, and the run that found it.                                                                                                                                                                                                                                                                                                       |
| STOPS AND ASKS IF | <b>Below the source's score floor it is not created at all. A run that creates nothing is a run whose floor is too high for the segment — the report says so rather than reporting failure.</b>                                                                                                                                                                                               |

## DOOR B – THE WEBSITE FORM

### 1.B.1 An enquiry arrives

INTEGRATION ARCHITECT

|                   |                                                                                                                                                                                                                                                                                                                  |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A signed POST lands on the webhook endpoint from the contact form on dakyworld.com, a Typeform, or a Zap.                                                                                                                                                                                                        |
| DOES              | Records the raw payload first, then reads the fields whatever the sender decided to call them — name, full_name and Your Name are all the same field, and rejecting an enquiry over a field name loses a real customer. Creates a scored lead, de-duplicated against everything the scrapers have already found. |
| TOOLS             | <code>webhooks.read</code> <code>webhook.dispatch</code>                                                                                                                                                                                                                                                         |
| GATE              | Intake is not an agent action and needs no autonomy. Dispatching an event <i>outward</i> is, and needs level 3.                                                                                                                                                                                                  |
| ENDS WHEN         | A lead exists at <b>NEW</b> , and the event is marked handled with the lead id.                                                                                                                                                                                                                                  |
| STOPS AND ASKS IF | <b>The signature does not match: the event is still recorded, flagged unverified, and not acted on. A run of these is either a misconfigured sender or somebody probing.</b>                                                                                                                                     |

1.C.1 Import a list

YOU

|                   |                                                                                                                                                              |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A workbook is uploaded or picked out of Google Drive.                                                                                                        |
| DOES              | Claude reads the grids, proposes which table is the data and what each column means, and shows a preview. You correct the plan; the commit writes the leads. |
| TOOLS             | imports — Owner-only, not agent-callable                                                                                                                     |
| GATE              | <b>A person, always.</b> No agent can import a list — the blast radius of a mis-mapped column across 3,000 rows is too large to delegate.                    |
| ENDS WHEN         | The batch exists as a LeadGroup, and every lead carries the import it came from.                                                                             |
| STOPS AND ASKS IF | <b>Always. The plan is never committed without being looked at.</b>                                                                                          |

What all three doors share

Whichever door a business comes through, it lands as a **NEW** lead with a score, a de-duplication key, and a traceable origin — and it immediately becomes eligible for any active sequence whose trigger is LEAD\_CREATED and whose filter it matches. That single fact is what makes Stage 3 automatic rather than remembered.

STAGE 2 • QUALIFICATION

Deciding who is worth writing to

A score says how reachable a business is. It does not say whether they need anything. That is what the audit is for — and it is also what makes the first email specific rather than a mail merge, because every claim in it traces to something the audit actually observed.

2.1 Audit the business

LEAD LIFECYCLE MANAGER

|                   |                                                                                                                                                                                                                                                                                   |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A lead reaches <b>NEW</b> with a website or a domain to look at.                                                                                                                                                                                                                  |
| DOES              | A live check of the site and the domain: TLS and certificate validity, whether the site is served over plain HTTP, mail authentication (SPF, DKIM, DMARC), DNS, CMS version and exposed platform detail, mobile usability, and whether the business is running on a free mailbox. |
| TOOLS             | company.audit security.scan lead.read                                                                                                                                                                                                                                             |
| GATE              | Read-only. Runs at any level, including O.                                                                                                                                                                                                                                        |
| ENDS WHEN         | Findings exist, each with the evidence behind it.                                                                                                                                                                                                                                 |
| STOPS AND ASKS IF | <b>Nothing. An audit that finds little is a result — it means write a shorter email, not invent a longer one.</b>                                                                                                                                                                 |

## 2.2 Qualify or disqualify

LEAD LIFECYCLE MANAGER

|                   |                                                                                                                                                                                                                             |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The audit returns.                                                                                                                                                                                                          |
| DOES              | Moves the lead to <b>QUALIFYING</b> , then to <b>QUALIFIED</b> when there is an identifiable technology problem Dakyworld sells the fix for, or <b>DISQUALIFIED</b> when there is not. Writes why, in one line, either way. |
| TOOLS             | <code>Lead.update</code> <code>Lead.read</code>                                                                                                                                                                             |
| GATE              | A write to a lead. Below level 3 with dry run on it proposes the change and shows the reason; the status does not move until somebody agrees.                                                                               |
| ENDS WHEN         | LeadStatus is QUALIFIED or DISQUALIFIED, with a recorded reason.                                                                                                                                                            |
| STOPS AND ASKS IF | The evidence contradicts itself, or the only reason to qualify is the score. A high score with no findings is a reachable business with no problem to solve.                                                                |

## 2.3 Is this worth doing at all?

SALES DIRECTOR

|                   |                                                                                                                                                                                    |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A batch of leads reaches QUALIFIED.                                                                                                                                                |
| DOES              | Ranks them by the evidence rather than the score, and recommends the smallest credible next step for each — which is almost always the thirty-minute consultation, not a proposal. |
| TOOLS             | <code>crm.read</code> <code>lead.read</code> <code>calendar.read</code>                                                                                                            |
| GATE              | Read-only; the output is a recommendation whatever the level.                                                                                                                      |
| ENDS WHEN         | Each opportunity has a named next step, an owner and a date.                                                                                                                       |
| STOPS AND ASKS IF | Anything reputationally risky, or a business whose pain is real but outside what Dakyworld sells — no on-site work, no hardware, no office networking, ever.                       |

## STAGE 3 • OUTREACH

# The first email, and the four that follow it

This is the stage that most obviously pays for the whole system, and the one most able to do damage. Every control in it exists because outbound email done badly costs a sending domain its reputation — which is not recoverable in the same week.

## 3.1 Enrol in a sequence

AUTOMATIC

|                   |                                                                                                                                                    |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A lead is created, and an active sequence has trigger LEAD_CREATED with a filter the lead matches. Six other triggers exist — see the table below. |
| DOES              | Creates an enrolment and schedules step 1 into the next open send slot.                                                                            |
| TOOLS             | <code>sequence.enrol</code> <code>suppression.check</code>                                                                                         |
| GATE              | <b>Level 3.</b> Enrolling somebody is committing to write to them.                                                                                 |
| ENDS WHEN         | An enrolment exists at ACTIVE with a nextSendAt.                                                                                                   |
| STOPS AND ASKS IF | There is no email address, the address is suppressed, or the person is already in this sequence. All three report rather than failing the batch.   |

### 3.2 Write the email

OUTBOUND COMMUNICATIONS MANAGER

|                   |                                                                                                                                                                                                                                                                                                |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A step comes due and is marked to be written rather than templated.                                                                                                                                                                                                                            |
| DOES              | Drafts from the audit findings and the record — and <i>only</i> from those. The facts it may use are shown to whoever is reading, in the same words the drafter saw, which is what makes the difference between a tailored email and a mail merge visible before it is sent rather than after. |
| TOOLS             | <code>email.draft</code> <code>lead.read</code> <code>company.audit</code>                                                                                                                                                                                                                     |
| GATE              | Drafting writes nothing outward. It runs at level 1.                                                                                                                                                                                                                                           |
| ENDS WHEN         | A subject and a body exist, with the rationale for the angle taken.                                                                                                                                                                                                                            |
| STOPS AND ASKS IF | <b>The facts are thin. The instruction is to write a <i>shorter</i> email, never to fill the space with claims.</b>                                                                                                                                                                            |

### 3.3 Send it

CLOCK

|                   |                                                                                                                                                                                                                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The minute tick finds a scheduled message whose time has passed, or a due sequence step inside its window.                                                                                                                                                                                            |
| DOES              | Re-checks suppression, claims the message as <b>SENDING</b> <i>before</i> the network call, renders on the current letterhead, attaches the logo as an inline part, and sends. A cold approach carries a one-click unsubscribe in its headers; a client being handed their finished website does not. |
| TOOLS             | <code>email.send</code>                                                                                                                                                                                                                                                                               |
| GATE              | <b>Level 3.</b> Safe to call twice: a message already SENT returns without doing anything, which is what stops the scheduler and the Send button colliding.                                                                                                                                           |
| ENDS WHEN         | Status is SENT with a timestamp, and the send is logged to the lead's history as a contact.                                                                                                                                                                                                           |
| STOPS AND ASKS IF | <b>The address was suppressed between drafting and sending — the message is cancelled, not sent and not silently dropped. Suppression is checked at send, never at compose, because somebody can unsubscribe in between.</b>                                                                          |

### 3.4 Stop the moment they reply

AUTOMATIC

|                   |                                                                                                                                   |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A reply is logged, an unsubscribe link is clicked, or an address is added to suppression by hand.                                 |
| DOES              | Stops <i>every</i> sequence that person is in, not just the one that reached them.                                                |
| TOOLS             | <code>sequence.stop</code> <code>suppression.check</code>                                                                         |
| GATE              | None. Stopping is always allowed, at any level, including 0.                                                                      |
| ENDS WHEN         | Every enrolment for that person is REPLIED or STOPPED.                                                                            |
| STOPS AND ASKS IF | <b>Never. An opt-out is honoured even when the signature does not match — refusing one over a token mismatch is indefensible.</b> |

#### THE SEVEN TRIGGERS A SEQUENCE CAN START ON

| TRIGGER             | FIRES ON          | WHAT IT IS FOR                                                     |
|---------------------|-------------------|--------------------------------------------------------------------|
| LEAD_CREATED        | A new lead        | The cold approach, on a filter — “website missing, score over 60”. |
| LEAD_STATUS_CHANGED | Pipeline movement | A lead going QUALIFIED starts a different, warmer series.          |

|                      |                      |                                                                   |
|----------------------|----------------------|-------------------------------------------------------------------|
| PROPOSAL_SENT        | A proposal going out | The follow-up nobody remembers on day 3 and day 8.                |
| PROJECT_COMPLETED    | Delivery finishing   | The testimonial ask, and the care-plan conversation.              |
| INVOICE_OVERDUE      | A due date passing   | Payment reminders that escalate in tone on a schedule.            |
| CARE_PLAN_REVIEW_DUE | A review falling due | Booking the periodic review before the client notices it is late. |
| MANUAL               | You enrol them       | Everything that is a judgement call.                              |

The send window is not a preference

Sequences send inside a window — **08:00–18:00, weekdays only, Africa/Accra** by default — computed in the sequence’s own timezone rather than the server’s. A step that comes due at 02:00 on a Sunday waits until Monday morning. Business email arriving at 3am reads as automation, and automation is easier to ignore and easier to report.

STAGE 4 • CONSULTATION AND PROPOSAL

Turning a conversation into a number

The proposal writer is not allowed to invent a price. What it may quote is a fixed catalogue, and everything it says about the reader has to trace to something the audit observed — because a prospect who checks one claim and finds it true believes the rest, and one who finds an invented claim stops reading.

4.1 Book the consultation

SALES DIRECTOR

|                   |                                                                                                                                                 |                |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| STARTS WHEN       | A lead replies asking for a call, or accepts the meeting request in the sequence.                                                               |                |
| DOES              | Reads free time, offers slots, and creates the calendar event with the invitation.                                                              |                |
| TOOLS             | calendar.read                                                                                                                                   | calendar.write |
| GATE              | Level 3 to actually book. Below it the slots are proposed and the invitation waits.                                                             |                |
| ENDS WHEN         | An event exists and the lead has the invitation.                                                                                                |                |
| STOPS AND ASKS IF | The Google connection predates calendar access — reconnecting is the fix, and the refusal says so rather than failing at the moment of booking. |                |

## 4.2 Write the proposal

COMMERCIAL OPERATIONS

|                   |                                                                                                                                                                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The consultation has happened and the scope is understood.                                                                                                                                                                                                                                           |
| DOES              | Writes findings—with-evidence, scope, and an investment table drawn from the published catalogue: website builds from <b>GHS 35,000</b> ; care plans at <b>GHS 5,000 / 12,500 / 25,000+</b> a month. Anything with no published price says the number comes after the call rather than guessing one. |
| TOOLS             | <code>proposal.draft</code> <code>lead.read</code> <code>company.audit</code>                                                                                                                                                                                                                        |
| GATE              | Spends on Claude, so <b>level 4</b> to run unattended. Below that it is priced and prepared.                                                                                                                                                                                                         |
| ENDS WHEN         | A proposal exists at <b>DRAFT</b> with a price, a tier and an expiry.                                                                                                                                                                                                                                |
| STOPS AND ASKS IF | <b>Custom pricing, unclear scope, unusual terms — all three are approval-gated by policy, not by autonomy level. Anything it cannot evidence goes into a list of claims to check rather than into the document.</b>                                                                                  |

## 4.3 Read it and send it

YOU

|                   |                                                                                                                                                                                                                                                          |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The draft exists.                                                                                                                                                                                                                                        |
| DOES              | You read it. The PDF and the Word cut are rendered on the letterhead; the covering email attaches the proposal, which is rendered <i>at send time</i> so the client receives the document as it stands then, not as it stood when the email was drafted. |
| TOOLS             | <code>document.render</code> <code>email.draft</code> <code>email.send</code>                                                                                                                                                                            |
| GATE              | <b>A person, always.</b> A proposal is a commercial commitment under your name.                                                                                                                                                                          |
| ENDS WHEN         | Status is <b>SENT</b> . A PROPOSAL_SENT sequence picks up the follow-up from here.                                                                                                                                                                       |
| STOPS AND ASKS IF | <b>Always. This step is the gate.</b>                                                                                                                                                                                                                    |

## 4.4 Follow up, then close

OUTBOUND COMMUNICATIONS

|                   |                                                                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The proposal reaches SENT.                                                                                                      |
| DOES              | Runs the follow-up series, stopping instantly on any reply. Status moves SENT → VIEWED → ACCEPTED as the client engages.        |
| TOOLS             | <code>sequence.enrol</code> <code>email.draft</code> <code>sequence.stop</code>                                                 |
| GATE              | Level 3 to send.                                                                                                                |
| ENDS WHEN         | <b>WON</b> — go to Stage 5. Or <b>LOST</b> , with the objection recorded, and the lead becomes eligible for reactivation later. |
| STOPS AND ASKS IF | <b>Any negotiation on price. Discounting is never an agent decision.</b>                                                        |

The gap between “yes” and “work starting” is where new clients decide whether they made a mistake. Everything here exists to close it inside a day.

5.1 Convert the lead

COMMERCIAL OPERATIONS

|                   |                                                                                                                                                                  |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A proposal reaches WON.                                                                                                                                          |
| DOES              | Creates the client record, links the proposal, and moves the lead to <b>CONVERTED</b> . The lead is not deleted — it is the record of how this client was found. |
| TOOLS             | <div>lead.updateclient.read</div>                                                                                                                                |
| GATE              | A write; level 3 to take effect unattended.                                                                                                                      |
| ENDS WHEN         | A client exists with the proposal attached.                                                                                                                      |
| STOPS AND ASKS IF | A client with the same name or domain already exists — merging two client records afterwards is far worse than pausing here.                                     |

5.2 Open the project

DELIVERY DIRECTOR

|                   |                                                                                                                                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The client exists.                                                                                                                                                                                                      |
| DOES              | Creates the project at <b>PLANNING</b> , breaks the accepted scope into milestones and tasks, and assigns each to the specialist whose craft it is — matched against the skills on the roster, not against who is free. |
| TOOLS             | <div>projects.readtasks.writetime.read</div>                                                                                                                                                                            |
| GATE              | Writes to tasks; level 3 unattended.                                                                                                                                                                                    |
| ENDS WHEN         | Every milestone has tasks, an owner and a date.                                                                                                                                                                         |
| STOPS AND ASKS IF | The scope as written cannot be broken into tasks — that means it was not agreed, it was described.                                                                                                                      |

5.3 Welcome them properly

CLIENT COMMUNICATIONS

|                   |                                                                                                                            |
|-------------------|----------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The project reaches PLANNING.                                                                                              |
| DOES              | Sends the onboarding email: what happens next, what is needed from them, who they talk to, and when the first thing lands. |
| TOOLS             | <div>email.draftemail.sendclient.read</div>                                                                                |
| GATE              | Level 3. Carries no unsubscribe link — a client being onboarded is not being marketed to.                                  |
| ENDS WHEN         | The email is SENT and logged against the client.                                                                           |
| STOPS AND ASKS IF | It would name a date the project data does not support. Never promise a date the plan does not contain.                    |

## The specialists do the work

Every step above this one produces a decision, a status or a document. This is the stage where something is actually made — and it is the only stage where the agent doing the work is

chosen by *craft* rather than by department.

6.0 Route the task to a craft

DELIVERY DIRECTOR

|                   |                                                                                                                                                                                                                        |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A task moves to TODO with no owner.                                                                                                                                                                                    |
| DOES              | Matches the task against the skills on each specialist — “Subtitles and burned-in captions”, “Local SEO and Google Business Profile” — and assigns it. Skills are written in a client’s words for exactly this reason. |
| TOOLS             | <div>agents.read</div> <div>tasks.write</div> <div>projects.read</div>                                                                                                                                                 |
| GATE              | Level 3 to assign unattended.                                                                                                                                                                                          |
| ENDS WHEN         | The task has an owner and a due date.                                                                                                                                                                                  |
| STOPS AND ASKS IF | No specialist’s skills cover it. That is a hiring signal, not an assignment problem — and hiring a specialist is one screen.                                                                                           |

6.1 · THE BUILD LANE – WEB DEVELOPER, AUTOMATION ENGINEER, QA

6.1.a Build the pages

WEB DEVELOPER

|                   |                                                                                                                                                                                                                                                                                       |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A build task is assigned.                                                                                                                                                                                                                                                             |
| DOES              | Produces a complete, self-contained page on the brand design system — real copy in Dakyworld’s voice, semantic markup, one h1, alt text, visible focus states, contrast that passes AA, and real breakpoints. Returns with it a list of what a developer must change before it ships. |
| TOOLS             | <div>web.page</div> <div>github.read</div> <div>github.issue</div> <div>tasks.write</div>                                                                                                                                                                                             |
| GATE              | web.page writes nothing outward and runs at level 1. Opening an issue is outward: level 3.                                                                                                                                                                                            |
| ENDS WHEN         | The page exists and the task moves to REVIEW.                                                                                                                                                                                                                                         |
| STOPS AND ASKS IF | The change touches production, a client’s DNS, or a live site’s availability. Nothing goes near production without a stated rollback.                                                                                                                                                 |

6.1.b Wire the systems together

AUTOMATION ENGINEER

|                   |                                                                                                                                                                                                                          |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | An automation task is assigned.                                                                                                                                                                                          |
| DOES              | Maps the current path step by step before proposing a new one, then builds it — saying which steps disappear and which merely move. Every integration names its failure mode and what happens to a record when it fires. |
| TOOLS             | <div>webhooks.read</div> <div>webhook.dispatch</div> <div>integrations.read</div> <div>github.read</div>                                                                                                                 |
| GATE              | Dispatching outward: level 3.                                                                                                                                                                                            |
| ENDS WHEN         | The workflow runs and the manual steps it replaced are named.                                                                                                                                                            |
| STOPS AND ASKS IF | It would write into a client’s system, move money, or send on a client’s behalf. Those are prepared and approved, never run unasked. A secret is never logged.                                                           |

6.1.c Try to break it

QA TESTER

|                   |                                                                                                                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A task reaches REVIEW.                                                                                                                                                                                               |
| DOES              | Tests against the acceptance criteria, then against what a real person would do instead. Checks TLS, mail authentication, forms, links and accessibility. Every defect carries steps, expected, actual and severity. |
| TOOLS             | <code>company.audit</code> <code>security.scan</code> <code>github.issue</code> <code>tasks.write</code>                                                                                                             |
| GATE              | Level 3 to raise an issue.                                                                                                                                                                                           |
| ENDS WHEN         | Every task is DONE or has a defect against it.                                                                                                                                                                       |
| STOPS AND ASKS IF | It has not actually exercised the work. It never signs off on inspection alone, and a blocker goes up the same day it is found.                                                                                      |

6.2 · THE STUDIO LANE — DESIGN, VIDEO, ADS, COPY, SEO

Four of the five studio tools produce a **specification** rather than a finished artefact. That is the honest boundary of what this system does alone — and it is also what a designer, an editor or a developer actually wants handed to them. The fifth, `image.generate`, makes a real picture, and can only do so through a connected MCP server.

| SPECIALIST       | TOOL                        | WHAT COMES BACK                                                                                                                                                                                                      |
|------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Graphic Designer | <code>design.brief</code>   | Objective, audience, reading hierarchy, the exact set-ready copy, the palette drawn from the brand system, real pixel dimensions per placement, and what would break the system on this piece.                       |
| Video Editor     | <code>video.plan</code>     | Structure with second counts that add up to the target, the shot list, the burned-in caption script, music direction, and the cut per platform with aspect and duration.                                             |
| Ad Designer      | <code>ad.concept</code>     | Genuinely different angles — not variants of one idea, which test nothing — each with hook, visual, primary text, headline and CTA; plus the platform specs, the test plan, and the claims that need checking first. |
| Copywriter       | <code>content.draft</code>  | The copy, the audience, the proof behind every claim, and a separate list of anything unevidenced. Spends on Claude.                                                                                                 |
| SEO Specialist   | <code>company.audit</code>  | The technical faults costing rankings, ranked by what they cost, each with its evidence and its fix. Fix what is broken before chasing what is missing.                                                              |
| Designer / Ads   | <code>image.generate</code> | An actual image, through whichever MCP server is connected. <b>Spends — level 4.</b> With none connected it refuses with a sentence saying what to connect.                                                          |

Why `image.generate` names a capability rather than a provider

A specialist’s toolkit says “this one draws”. Which service draws is a connection you make on the Tools screen and can change without touching an agent, a seed or a deploy. That is the same reason the tool catalogue has two halves: what a tool *does* stays in code where it can be reviewed, and *which servers are trusted and how far* is configuration, because that is a permission and permissions are yours.

A project that is technically finished and not handed over is a project the client thinks is late.  
This stage is short on purpose.

### 7.1 Hand over the work

CLIENT COMMUNICATIONS

|                   |                                                                                                                                                            |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | Every milestone is complete and QA has signed off.                                                                                                         |
| DOES              | Sends the handover: what was built, what changed for their business, what they need to do, and the files attached. Moves the project to <b>DELIVERED</b> . |
| TOOLS             | <code>email.draft</code> <code>email.send</code> <code>document.render</code> <code>projects.read</code>                                                   |
| GATE              | Level 3.                                                                                                                                                   |
| ENDS WHEN         | Project status is DELIVERED and the client has the deliverables.                                                                                           |
| STOPS AND ASKS IF | It would expose internal notes, internal costs, credentials, or another client's data. Never.                                                              |

### 7.2 Ask for the thing you never ask for

AUTOMATIC

|                   |                                                                                                                                                                                    |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The project reaches DELIVERED and a PROJECT_COMPLETED sequence is active.                                                                                                          |
| DOES              | Runs the short series that asks for a testimonial and opens the care-plan conversation — the two things that are always meant to happen after a good delivery and almost never do. |
| TOOLS             | <code>sequence.enrol</code>                                                                                                                                                        |
| GATE              | Level 3.                                                                                                                                                                           |
| ENDS WHEN         | They reply, or the series ends.                                                                                                                                                    |
| STOPS AND ASKS IF | The delivery went badly. A testimonial request after a difficult project is worse than silence — check the project's own record first.                                             |

## STAGE 8 • INVOICING AND COLLECTION

# Getting paid

Not being paid is the failure everybody plans for. Being paid *twice* is the one that costs a client relationship, and three separate mechanisms exist to prevent it.

### 8.1 Raise the invoice

FINANCE CONTROLLER

|                   |                                                                                                                             |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A milestone completes, a project is delivered, or a retainer period comes due.                                              |
| DOES              | Drafts the invoice against the accepted proposal, takes the next number in sequence, and renders the PDF on the letterhead. |
| TOOLS             | <code>invoice.draft</code> <code>finance.read</code> <code>document.render</code>                                           |
| GATE              | A write; level 3 unattended. Every figure must trace to a source record — never a number the agent worked out.              |
| ENDS WHEN         | The invoice exists at <b>DRAFT</b> with a number, a due date and line items.                                                |
| STOPS AND ASKS IF | Any non-routine charge, refund or dispute; or any figure it cannot trace. Never charges without a validated billing rule.   |

## 8.2 Send it

YOU

|                   |                                                                                                                                                                                                |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The draft exists.                                                                                                                                                                              |
| DOES              | You send it. The PDF is rendered at send time, so a line item changed this morning is on the invoice that goes out this afternoon. A Stripe payment link is attached when Stripe is connected. |
| TOOLS             | <code>email.draft</code> <code>email.send</code> <code>document.render</code>                                                                                                                  |
| GATE              | <b>A person, always.</b> Every invoice raised by the system is DRAFT, deliberately — a status that says “sent” with no email behind it is worse than one that waits.                           |
| ENDS WHEN         | Status is <b>SENT</b> , then <b>VIEWED</b> when they open it.                                                                                                                                  |
| STOPS AND ASKS IF | <b>Always.</b>                                                                                                                                                                                 |

## 8.3 Chase it

AUTOMATIC

|                   |                                                                                                                    |
|-------------------|--------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | The due date passes and the invoice is not PAID. Status moves to <b>OVERDUE</b> .                                  |
| DOES              | Starts the INVOICE_OVERDUE series — reminders that escalate in tone on a schedule rather than in somebody’s head.  |
| TOOLS             | <code>sequence.enrol</code> <code>finance.read</code>                                                              |
| GATE              | Level 3.                                                                                                           |
| ENDS WHEN         | Payment lands and the status moves to <b>PAID</b> , which stops the series.                                        |
| STOPS AND ASKS IF | <b>The client has raised a dispute, or the amount is contested. A reminder sent into a dispute makes it worse.</b> |

## 8.4 Watch the money

FINANCE CONTROLLER

|                   |                                                                                                                                                                                                |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | Weekly, or on request.                                                                                                                                                                         |
| DOES              | Reconciles invoice status against payment status and reports: cash position, days sales outstanding, MRR, what is owed and how late, unusual discounts, low-margin projects, and spend spikes. |
| TOOLS             | <code>finance.read</code> <code>analytics.read</code> <code>careplan.read</code>                                                                                                               |
| GATE              | Read-only. Runs at any level.                                                                                                                                                                  |
| ENDS WHEN         | The report exists, with what needs a decision named.                                                                                                                                           |
| STOPS AND ASKS IF | <b>Any figure it cannot trace to a record.</b>                                                                                                                                                 |

Most clients arrive through a project — usually a website build — and the business only compounds if they move onto a care plan afterwards. This stage is the one that turns delivered work into recurring revenue, and it is the most automatic stage in the document.

### 9.1 The billing day comes round

CLOCK

|                   |                                                                                                                                                                                                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | O6:00 local time on the plan's own billing day — before the working day starts, so an invoice is waiting rather than arriving mid-morning.                                                                                                                                                                            |
| DOES              | Raises the invoice for the coming month <i>and</i> the closing month's overage on the same document. A retainer is invoiced in advance because that is what a retainer is; hours cannot be, because how many were used is only known once the month has ended. So every cycle settles one cycle late.                 |
| TOOLS             | <code>carePlanBilling</code> — scheduler, not an agent                                                                                                                                                                                                                                                                |
| GATE              | Three defences against billing twice: <b>(1)</b> the next billing date is advanced <i>before</i> any invoice is written; <b>(2)</b> the period is derived from the calendar, not from when the job happened to run; <b>(3)</b> a duplicate period is a database constraint violation rather than a duplicate invoice. |
| ENDS WHEN         | An invoice exists at <b>DRAFT</b> and the cycle is recorded as settled.                                                                                                                                                                                                                                               |
| STOPS AND ASKS IF | The plan is <b>PAUSED</b> or <b>CHURNED</b> — no invoice, and the history is kept. A restart after a long outage bills at most three missed months, never a year.                                                                                                                                                     |

### 9.2 Keep the plan honest

RECURRING REVENUE MANAGER

|                   |                                                                                                                                                                   |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | Monthly, after billing.                                                                                                                                           |
| DOES              | Reconciles hours used against hours included, flags overage before the client sees it on an invoice, and reports what the retainer actually delivered that month. |
| TOOLS             | <code>careplan.read</code> <code>time.read</code> <code>invoice.draft</code>                                                                                      |
| GATE              | Level 3 to draft. Actual charges stay policy-gated regardless of level.                                                                                           |
| ENDS WHEN         | The month is reconciled and the value report exists.                                                                                                              |
| STOPS AND ASKS IF | It would double-bill, or the usage figure cannot be traced to time entries. Never invent usage.                                                                   |

### 9.3 Book the review before it is late

CLIENT SUCCESS DIRECTOR

|                   |                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A review falls due — the <code>CARE_PLAN_REVIEW_DUE</code> trigger.                                                                                       |
| DOES              | Offers slots and books the periodic review, with the month's value report attached so the meeting starts from evidence rather than from "how's it going". |
| TOOLS             | <code>careplan.read</code> <code>calendar.read</code> <code>calendar.write</code> <code>email.draft</code>                                                |
| GATE              | Level 3 to book and to send.                                                                                                                              |
| ENDS WHEN         | The review is in the calendar.                                                                                                                            |
| STOPS AND ASKS IF | It would promise an outcome the project data does not support.                                                                                            |

## 9.4 Notice a client going quiet

CLIENT SUCCESS DIRECTOR

|                   |                                                                                                                                                                            |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | Weekly health review.                                                                                                                                                      |
| DOES              | Watches for the four things that precede churn: silence, dissatisfaction, scope creep and payment friction. Scores each client and names the ones at risk with the reason. |
| TOOLS             | <code>client.read</code> <code>careplan.read</code> <code>projects.read</code> <code>analytics.read</code>                                                                 |
| GATE              | Read-only.                                                                                                                                                                 |
| ENDS WHEN         | Each client has status, value delivered, current risk, next action and owner.                                                                                              |
| STOPS AND ASKS IF | Churn risk, a complaint, or a request that changes scope or price — all three escalate rather than being handled.                                                          |

## 9.5 Reactivate the ones that went cold

OUTBOUND COMMUNICATIONS

|                   |                                                                                                                                                 |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A lead that went LOST, or a client that churned, passes a set age.                                                                              |
| DOES              | Runs the reactivation series — which carries an unsubscribe link, because this is a cold approach to somebody who has stopped hearing from you. |
| TOOLS             | <code>sequence.enrol</code> <code>suppression.check</code>                                                                                      |
| GATE              | Level 3.                                                                                                                                        |
| ENDS WHEN         | They reply — which stops every sequence and returns them to Stage 4 — or the series ends.                                                       |
| STOPS AND ASKS IF | They left unhappily. That is on the record, and it is a conversation you have, not one a sequence has.                                          |

### RUNNING ALONGSIDE

## The support loop

This one has no start and no end. It runs continuously against every client on a plan, and it is the only workflow in the document with a clock running against it that a client can see.

### S.1 Triage

SUPPORT DESK

|                   |                                                                                                                                                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | A client makes contact — email, form or phone logged.                                                                                                                                                                                                                 |
| DOES              | Acknowledges, assesses severity against that client's care plan, and either fixes what is routine — email, access, DNS, hosting — or routes it with everything the next person needs.                                                                                 |
| TOOLS             | <code>client.read</code> <code>careplan.read</code> <code>projects.read</code> <code>tasks.write</code> <code>email.draft</code>                                                                                                                                      |
| GATE              | Drafting a reply is level 1; sending it is level 3.                                                                                                                                                                                                                   |
| ENDS WHEN         | Resolved, or assigned to a named specialist with a due time.                                                                                                                                                                                                          |
| STOPS AND ASKS IF | A security incident, a data question, or anything touching money. Those go up immediately rather than being answered — <b>the published commitment is a four-hour response on priority-one security incidents</b> , and it is a commitment because a person meets it. |

## S.2 Escalate

RISK & QA DIRECTOR

|                   |                                                                                                                                                         |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| STARTS WHEN       | Any agent, at any stage, hits a condition in Section 11.                                                                                                |
| DOES              | Reviews the proposed action against policy. If it exceeds policy, blocks it and explains why in one sentence, with the smallest compliant path forward. |
| TOOLS             | <code>company.audit</code> <code>security.scan</code> <code>integrations.read</code> <code>slack.send</code>                                            |
| GATE              | May block anything at any level. Never weakens a control to make a task succeed.                                                                        |
| ENDS WHEN         | Allowed with a reason, or blocked with a reason and an alternative.                                                                                     |
| STOPS AND ASKS IF | <b>It is unsure. Uncertainty touching money, client data, a public claim or production always resolves conservatively.</b>                              |

## SECTION 11

# What always stops and asks

These override every autonomy level, including 4. An agent at level 4 with dry run off still stops here — because these are policy, and policy is not a permission setting.

| CONDITION                                                  | GOES TO                         | WHY IT IS NOT DELEGABLE                                                      |
|------------------------------------------------------------|---------------------------------|------------------------------------------------------------------------------|
| <b>Any discount or pricing exception</b>                   | You, via the Sales Director     | A price is a commercial position, not a calculation.                         |
| <b>A refund, or a contested charge</b>                     | You, via the Finance Controller | Money leaving is the least reversible thing this system can do.              |
| <b>A claim that cannot be evidenced</b>                    | Growth & Content, then you      | One invented statistic destroys the credibility of every true one beside it. |
| <b>A new public claim, or a brand change</b>               | You                             | Published words are permanent in a way sent ones are not.                    |
| <b>Anything touching production or a client's DNS</b>      | Technical Director              | Downtime at a client costs them money by the hour.                           |
| <b>A security incident or a data question</b>              | Risk & QA, immediately          | Four-hour response is a published commitment.                                |
| <b>Credential rotation, or anything destructive</b>        | Technical Director              | Rotating the app secret makes every stored key unreadable.                   |
| <b>Hiring, retiring, or any permission change</b>          | You                             | No agent may widen its own reach, or another agent's.                        |
| <b>A date or outcome the project data does not support</b> | Client Success                  | A missed promise costs more than a slow answer.                              |
| <b>Low confidence, or contradictory evidence</b>           | The agent's own manager         | An agent that is unsure and acts anyway is worse than one that stops.        |

### The failure modes this document is designed around

**Billing twice** — three independent defences, Stage 9.1. **Sending to somebody who opted out** — suppression checked at the socket, not at compose, Stage 3.3. **An agent looking equipped and not being** — a grant naming a tool that does not exist is dropped on save and reported. **Silent failure** — every refusal is recorded with its reason, which is what makes “why did nothing happen last night” answerable at all.

## SECTION 12

# Commissioning it

Everything above is built and every agent is at level 1 with dry run on. That is the correct starting position, not a limitation — the sensible order is to lift the gate where the cost of being wrong is lowest, watch the audit trail, and only then move up.

| PHASE | RAISE                                                                               | TO                          | WATCH FOR A WEEK                                                                                                              |
|-------|-------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 1     | Business Intelligence, Finance Controller, Risk & QA, Board Chair, CEO              | Level 2, dry run on         | Nothing can go wrong: every tool they hold is read-only. This is where you find out whether the reports are worth reading.    |
| 2     | Lead Lifecycle Manager, SEO Specialist, QA Tester                                   | Level 2, dry run <b>off</b> | Lead statuses start moving on their own. Check a day of them against what you would have decided.                             |
| 3     | The studio — Graphic Designer, Video Editor, Ad Designer, Copywriter, Web Developer | Level 2, dry run off        | Briefs, plans and pages arriving. None of it reaches a client; all of it is judged on whether a person would use it as-is.    |
| 4     | Outbound Communications, Client Communications, Support Desk                        | Level 3                     | <b>Email starts leaving the building.</b> Start with one sequence, on a filter you would defend, to fewer than twenty people. |
| 5     | Delivery Director, Automation Engineer, Commercial Operations                       | Level 3                     | Tasks assigning themselves and proposals drafting themselves. Invoices still stop at DRAFT — that never changes.              |
| 6     | Lead Lifecycle Manager only                                                         | Level 4                     | <b>Money.</b> Capture runs start on their own schedule against the budget ceiling. Check the spend daily for the first week.  |

### The two numbers to keep on the Agents screen

**“Can act unattended”** counts the agents above level 2 or with dry run off. It should only ever go up because you decided it should. **Tool spend, last thirty days** is on the Tools screen: every call that cost money, with the agent that made it. If either surprises you, the audit trail has the answer, because every call is in it.

## STILL TO CONNECT BEFORE SOME OF THIS RUNS

|       |          |       |
|-------|----------|-------|
| NEEDS | UNBLOCKS | WHERE |
|-------|----------|-------|

|                                       |                                                                                                                                                                     |                         |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| Anthropic API key                     | Every drafter and writer:<br><code>email.draft</code> ,<br><code>proposal.draft</code> ,<br><code>content.draft</code> , and all four<br>studio specification tools | Settings → AI analyst   |
| Mailbox (Hostinger<br>token, or SMTP) | All of Stage 3, 5.3, 7.1, 8.2, 8.3                                                                                                                                  | Settings → Email        |
| Apify token                           | Stage 1 door A entirely                                                                                                                                             | Settings → Lead capture |
| Google account with<br>calendar scope | 4.1, 9.3 — booking anything                                                                                                                                         | Settings → Google       |
| Stripe secret key                     | Payment links on invoices,<br>and reconciling what has<br>actually been paid                                                                                        | Settings → Payments     |
| An MCP server that<br>draws           | <code>image.generate</code> for the<br>Graphic and Ad designers                                                                                                     | Tools → Connected tools |
| GitHub token                          | 6.1.a and 6.1.c raising issues<br>against real repositories                                                                                                         | Settings → Developer    |
| Slack webhook or bot<br>token         | Escalations interrupting you<br>rather than waiting in a<br>screen                                                                                                  | Settings → Alerts       |

# Every agent, and what it may reach

The seeded toolkit for each agent. This is the grant the invoker checks before every call — widen or narrow it on the agent’s own card, or from the tool’s side on the Tools screen. Both write the same field.

| AGENT                                                                         | MISSION                                                                               | SEEDED TOOLKIT |                   |                   |                |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------|-------------------|-------------------|----------------|
| BOARD                                                                         |                                                                                       |                |                   |                   |                |
| <b>Board Chair</b><br>board.chair<br>Executive                                | Own Dakyworld's long-term direction and protect it from reckless automation.          | analytics.read | finance.read      | crm.read          |                |
| EXECUTIVE                                                                     |                                                                                       |                |                   |                   |                |
| <b>Chief Executive</b><br>ceo<br>Executive · to Board Chair                   | Turn board strategy into weekly priorities and keep every department aligned.         | analytics.read | crm.read          | projects.read     | finance.read   |
| <b>Operations Director</b><br>coo<br>Delivery · to Chief Executive            | Keep the agency machine running: processes, handoffs, capacity and SLAs.              | projects.read  | tasks.write       | time.read         | calendar.read  |
| <b>Finance Controller</b><br>cfo<br>Finance · to Chief Executive              | Protect cash flow, margin, recurring revenue and collections.                         | finance.read   | invoice.draft     | careplan.read     | analytics.read |
| <b>Sales Director</b><br>cro<br>Revenue · to Chief Executive                  | Turn qualified opportunities into profitable clients, on evidence rather than volume. | crm.read       | lead.read         | proposal.draft    | calendar.read  |
| <b>Growth &amp; Content Director</b><br>cmo<br>Marketing · to Chief Executive | Create demand and strengthen Dakyworld's positioning with defensible claims.          | content.draft  | analytics.read    | client.read       |                |
| <b>Technical Director</b><br>cto<br>Technology · to Chief Executive           | Own architecture, reliability, security and the evolution of Dakyworld's own systems. | github.read    | integrations.read | security.scan     | analytics.read |
| <b>Client Success Director</b><br>cco<br>Client Success · to Chief Executive  | Keep clients informed, satisfied, retained and moving toward measurable outcomes.     | client.read    | careplan.read     | projects.read     | email.draft    |
| GOVERNANCE                                                                    |                                                                                       |                |                   |                   |                |
| <b>Risk &amp; QA Director</b><br>risk.qa<br>Risk & Quality · to Board Chair   | Stop bad automation becoming bad business.                                            | company.audit  | security.scan     | integrations.read |                |
| <b>AI People Operations</b><br>people.ops<br>Agent Ops · to Board Chair       | Manage the agents themselves: performance, permissions, training and retirement.      | agents.read    | analytics.read    |                   |                |
| OPERATIONAL                                                                   |                                                                                       |                |                   |                   |                |

|                                                                                                            |                                                                                                            |                |                   |                   |               |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------|-------------------|-------------------|---------------|
| <b>Lead Lifecycle Manager</b><br>Lead.orchestrator<br>Revenue · to Sales Director                          | Capture, enrich, score, qualify and route prospects until a clear sales next step exists.                  | lead.read      | lead.update       | company.audit     | capture.run   |
| <b>Commercial Operations Manager</b><br>commercial.ops<br>Revenue · to Sales Director                      | Turn qualified opportunities into accurate proposals, invoices and payment follow-up.                      | proposal.draft | invoice.draft     | document.render   |               |
| <b>Delivery Director</b><br>delivery.director<br>Delivery · to Operations Director                         | Convert accepted work into controlled delivery with milestones, assignments, QA and handover.              | projects.read  | tasks.write       | time.read         |               |
| <b>Recurring Revenue Manager</b><br>careplan.manager<br>Finance · to Finance Controller                    | Keep retainers healthy: billing, included hours, overage, renewal and value reporting.                     | careplan.read  | invoice.draft     | time.read         |               |
| <b>Outbound Communications Manager</b><br>email.sequencer<br>Revenue · to Sales Director                   | Run personalised outreach and follow-up without creating spam or reputational damage.                      | email.draft    | sequence.enrol    | suppression.check |               |
| <b>Client Communications Agent</b><br>client.notifier<br>Client Success · to Client Success Director       | Keep clients informed with status, invoice, report and milestone communications.                           | email.draft    | client.read       | document.render   |               |
| <b>Business Intelligence Agent</b><br>analytics.engine<br>Technology · to Technical Director               | Turn operating data into decisions: KPIs, churn detection, upsell discovery and forecasting.               | analytics.read | finance.read      | crm.read          |               |
| <b>Automation &amp; Integration Architect</b><br>integration.manager<br>Technology · to Technical Director | Connect Dakyworld's systems so information moves automatically and safely.                                 | webhooks.read  | integrations.read | webhook.dispatch  |               |
| SPECIALIST                                                                                                 |                                                                                                            |                |                   |                   |               |
| <b>Web Developer</b><br>dev.web<br>Technology · to Technical Director                                      | Build and fix the websites Dakyworld ships: pages, performance, accessibility, hosting and the handover.   | web.page       | github.read       | github.issue      | security.scan |
|                                                                                                            |                                                                                                            | company.audit  | projects.read     | tasks.write       |               |
| <b>Automation Engineer</b><br>dev.automation<br>Technology · to Technical Director                         | Remove manual admin: map a workflow, wire the systems together, and prove the result is fewer human steps. | webhooks.read  | webhook.dispatch  | integrations.read |               |
|                                                                                                            |                                                                                                            | github.read    | projects.read     | tasks.write       |               |
| <b>QA Tester</b><br>qa.testers<br>Technology · to Technical Director                                       | Find what is broken before a client does.                                                                  | company.audit  | security.scan     | github.issue      |               |
|                                                                                                            |                                                                                                            | projects.read  | tasks.write       |                   |               |
| <b>Graphic Designer</b><br>design.graphic<br>Marketing · to Growth & Content Director                      | Make everything look like one company: identity, layout, social templates and the artwork clients keep.    | design.brief   | image.generate    | document.render   |               |
|                                                                                                            |                                                                                                            | content.draft  | client.read       |                   |               |
| <b>Video Editor</b><br>video.editor<br>Marketing · to Growth & Content Director                            | Turn footage into something worth watching to the end, cut for the platform it will be watched on.         | video.plan     | content.draft     | client.read       |               |

|                                                                                     |                                                                                                                |                                                                                |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Ad Designer</b><br>ads.designer<br>Marketing · to Growth & Content Director      | Make paid social that earns its click, and test it honestly.                                                   | ad.concept<br>analytics.read<br>image.generate<br>content.draft                |
| <b>Copywriter</b><br>content.writer<br>Marketing · to Growth & Content Director     | Write the words: pages, case studies, email copy and the briefs that make search work.                         | content.draft<br>analytics.read<br>client.read<br>projects.read                |
| <b>SEO Specialist</b><br>seo.specialist<br>Marketing · to Growth & Content Director | Make the businesses Dakyworld builds for findable, starting with the technical faults that cost them rankings. | company.audit<br>analytics.read<br>security.scan<br>lead.read<br>content.draft |
| <b>Support Desk</b><br>support.desk<br>Delivery · to Operations Director            | Answer quickly, fix what is routine, and route the rest to the right person before an SLA is at risk.          | client.read<br>careplan.read<br>projects.read<br>tasks.write<br>email.draft    |

read\_only

 runs at any level

outward

 needs level 3

spends

 needs level 4

# Every tool, and what it costs to be wrong

The full catalogue. **Outward** means a call is visible to somebody outside the company and needs level 3. **Spends** means it charges money and needs level 4. Anything unmarked is read-only and runs at any level.

| KEY                  | WHAT IT DOES                                                                                                        | NEEDS                     | GATE           |
|----------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------|----------------|
| PIPELINE             |                                                                                                                     |                           |                |
| <b>lead.read</b>     | List or look up leads, with their score, status and contact details.                                                | None — the app's own data | read only      |
| <b>lead.update</b>   | Change a lead's status, score, notes or estimated value. Never deletes and never rewrites contact details.          | None — the app's own data | preview        |
| <b>capture.plan</b>  | Read an instruction like “dental clinics in Kumasi” and say what would be captured. Costs nothing and runs nothing. | Anthropic key             | spends         |
| <b>capture.cost</b>  | What a capture would cost at Apify's published rates, before anything runs.                                         | Apify token               | read only      |
| <b>capture.run</b>   | Start a configured lead source on Apify. Spends money on every call.                                                | Apify token               | spends preview |
| <b>capture.spend</b> | This month's Apify spend against the budget, so an agent can say no before the budget does.                         | Apify token               | read only      |
| CLIENTS              |                                                                                                                     |                           |                |
| <b>client.read</b>   | Clients, their contacts, and what is live for each of them.                                                         | None — the app's own data | read only      |
| <b>crm.read</b>      | Counts by stage across leads, proposals and projects — the shape of the pipeline in one call.                       | None — the app's own data | read only      |
| DELIVERY             |                                                                                                                     |                           |                |
| <b>projects.read</b> | Projects with their milestones, tasks and assignments.                                                              | None — the app's own data | read only      |
| <b>tasks.write</b>   | Add a task to a project, or move an existing one. Internal only — nobody outside sees it.                           | None — the app's own data | preview        |
| <b>time.read</b>     | Hours logged, by project or by person, for capacity and for retainer overage.                                       | None — the app's own data | read only      |
| MONEY                |                                                                                                                     |                           |                |

|                          |                                                                                                          |                           |                 |
|--------------------------|----------------------------------------------------------------------------------------------------------|---------------------------|-----------------|
| <b>finance.read</b>      | Invoices, what is overdue, and what has been paid.                                                       | None — the app's own data | read only       |
| <b>careplan.read</b>     | Retainers: tier, fee, included hours, next billing date and health.                                      | None — the app's own data | read only       |
| <b>analytics.read</b>    | Revenue, recurring revenue, pipeline value and what the agents have spent, computed from source records. | None — the app's own data | read only       |
| <b>COMMUNICATION</b>     |                                                                                                          |                           |                 |
| <b>email.draft</b>       | Write an email into the outbox as a draft. Nothing leaves until it is sent.                              | A mailbox                 | read only       |
| <b>email.send</b>        | Sends a drafted email. This one actually reaches a person.                                               | A mailbox                 | outward preview |
| <b>sequence.enrol</b>    | Puts a lead or client into an email sequence. The sequence sends on its own schedule afterwards.         | A mailbox                 | outward preview |
| <b>suppression.check</b> | Whether an address has unsubscribed, bounced or complained. Always call before writing to anyone.        | None — the app's own data | read only       |
| <b>sequence.stop</b>     | Stops every sequence running at a lead or client — what happens the moment they reply.                   | None — the app's own data | read only       |
| <b>slack.send</b>        | Internal alerting and escalation. Goes to the team, not to a client.                                     | Slack                     | preview         |
| <b>RESEARCH</b>          |                                                                                                          |                           |                 |
| <b>company.audit</b>     | Fetches a prospect's site and checks DNS, mail records and TLS. The evidence a proposal argues from.     | None — the app's own data | read only       |
| <b>github.read</b>       | Repositories, recent commits and open issues — deployment and delivery context.                          | GitHub token              | read only       |
| <b>github.issue</b>      | Raises an issue on a repository. The only thing an agent may write to GitHub.                            | GitHub token              | outward preview |
| <b>security.scan</b>     | The security half of a company audit: TLS, mail authentication, DNS and exposed platform details.        | None — the app's own data | read only       |
| <b>OPERATIONS</b>        |                                                                                                          |                           |                 |
| <b>calendar.read</b>     | What is booked, and which parts of a window are free.                                                    | Google + calendar scope   | read only       |
| <b>calendar.write</b>    | Creates a calendar event. Invitees are emailed by Google, so this reaches people.                        | Google + calendar scope   | outward preview |

|                          |                                                                                                                                                   |                           |                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|
| <b>webhooks.read</b>     | What other systems have sent us, and whether it was acted on.                                                                                     | None — the app's own data | read only       |
| <b>webhook.dispatch</b>  | Posts a signed event to another system. Leaves the building, so it is dry-run gated.                                                              | None — self-configuring   | outward preview |
| <b>agents.read</b>       | Which agents exist, what they may do, and what their calls have cost.                                                                             | None — the app's own data | read only       |
| <b>integrations.read</b> | Which integrations are connected and which are waiting on a key — what the agents can actually reach.                                             | None — the app's own data | read only       |
| <b>DOCUMENTS</b>         |                                                                                                                                                   |                           |                 |
| <b>proposal.draft</b>    | Writes a proposal from the audit and the record, into the pipeline as a draft. Nothing is sent.                                                   | Anthropic key             | spends          |
| <b>invoice.draft</b>     | Creates an invoice in DRAFT against a client. Never sends it and never charges anything.                                                          | None — the app's own data | preview         |
| <b>content.draft</b>     | Writes marketing or client-facing copy in Dakyworld's voice. A draft for a person to approve, never published.                                    | Anthropic key             | spends          |
| <b>document.render</b>   | Turns a proposal or an invoice into a branded PDF and returns its size and where it went.                                                         | None — the app's own data | read only       |
| <b>STUDIO</b>            |                                                                                                                                                   |                           |                 |
| <b>design.brief</b>      | Turns a request for artwork into a brief a designer can work from: purpose, audience, sizes, hierarchy, colour and the exact copy.                | Anthropic key             | read only       |
| <b>video.plan</b>        | Turns raw footage and an objective into an edit plan: structure, shot list, on-screen text, captions, music direction and the cut per platform.   | Anthropic key             | read only       |
| <b>ad.concept</b>        | Paid-social concepts: the hook, the visual, the primary text, the headline and the call to action, sized per platform.                            | Anthropic key             | read only       |
| <b>web.page</b>          | Produces a complete, self-contained HTML page on the brand design system — the thing a developer opens and edits rather than starts from nothing. | Anthropic key             | read only       |
| <b>image.generate</b>    | Makes a picture through whichever image service is connected. Which one is a connection under Settings, not a choice baked into an agent.         | A connected MCP server    | spends preview  |

39 tools in code. 5 reach outside the company; 5 spend money. Connected MCP servers add more, under the same gates.

### Adding a tool

Two ways, and they are deliberately different. **In code** — one entry in the catalogue, which inherits the permission model, the audit trail and both screens by existing. **By connection** — an MCP server, whose tools join the same catalogue as `mcp.<server>.<tool>` and pass every gate above on identical terms. What a tool *does* stays reviewable in a diff; which servers are trusted, and how far, is yours to set.