

The Agent Master Workflow

Every action the agent workforce takes, from the moment a business is found to the month a retainer renews — what starts it, who owns it, which tools it calls, what stops it, and where it ends.

BEFORE ANYTHING RUNS

- 00 · How to read this
- 01 · The rules that govern every step
- 02 · The clock
- 03 · Who reports to whom
- 04 · The whole thing, on one page
- 05 · How an agent actually runs

THE NINE STAGES

- 1 · Acquisition
- 2 · Qualification
- 3 · Outreach
- 4 · Consultation and proposal
- 5 · Onboarding
- 6 · Delivery
- 7 · Handover
- 8 · Invoicing and collection
- 9 · The retainer

STANDING RULES

- The support loop
- 11 · What always stops and asks
- 12 · Commissioning it
- A · Every agent, and what it may reach
- B · Every tool, and what it costs to be wrong

How to read this

Every step below answers the same six questions in the same order. If a step cannot answer all six it is not a step — it is a wish, and it does not belong in a workflow.

FIELD	WHAT IT MEANS, AND WHY IT IS THERE
Starts when	The exact trigger. A clock tick, a status change, an inbound event, or a person pressing something. A step with no trigger never runs; a step with two triggers runs twice.
Does	The work itself, in one or two sentences. Written so that somebody reading only this column can tell whether it happened.
Tools	The exact catalogue keys called. These are real: they match <code>server/src/services/tools/catalogue.ts</code> , and an agent that has not been granted one cannot run the step.
Gate	What has to be true for the step to take effect rather than merely be prepared. This is the autonomy level, the dry-run flag, and any spend ceiling.
Ends when	The state change that proves it finished. Almost always a status moving, a record being written, or a document existing.
Stops and asks if	The conditions under which the agent must not proceed. This column is the reason the rest of the document is safe.

THE THREE KINDS OF STEP

- Automatic** — the clock or an event fires it. Nobody asks.
- Agent** — an agent does the work, within its gate.
- Decision** — a person decides. The agent prepares and waits.

Nothing in this document is live until you raise it

Every agent ships at **autonomy 1 with dry run on**. At that setting each step below still runs, still reads the record, still produces its output — and stops before the output reaches a client, a card or a live system, showing you what it would have done instead. That is not a limitation to be worked around; it is how the workflow is meant to be commissioned. Section 12 sets out the order to lift it in.

The rules that govern every step

Five rules apply to all twenty-seven agents and all thirty-nine tools. They are enforced in one place — `services/tools/invoke.ts` — rather than repeated in each tool, which is what makes a new tool safe on the day it is added.

RULE 1 · THE AUTONOMY LADDER

0	Observe	Reads and reports. Takes no action of any kind.
1	Draft	Prepares work. Nothing leaves the building. Every agent seeds here.
2	Recommend	Chooses an action and explains why. A person decides.
3	Execute	Acts outside the company without asking — an email leaves, a meeting is booked, an issue is opened. The threshold for every outward-facing tool.
4	Autonomous	Spends money. Runs whole routine workflows; only escalations reach you. The threshold for every tool that charges.
5	Delegated	Material financial and legal authority. Not settable from the app at all — it needs a recorded owner decision first, and the API refuses it.

RULE 2 · THE FOUR GATES, IN ORDER

Every tool call passes through the same four checks before the handler runs. A call that fails any of them is refused *and recorded* — the refusals are what answer “why did nothing happen last night”.

#	GATE	REFUSES WHEN
1	Readiness	The integration behind the tool has no credential. The refusal names the exact settings tab to paste it into.
2	Grant	The agent’s toolkit does not include this key. An agent with an empty toolkit can call nothing at all.
3	Autonomy	The tool is outward-facing and the agent is below level 3, or it spends and the agent is below level 4. This does not error — it <i>downgrades the call to a preview</i> , because a prepared action a person can approve is the useful outcome.
4	Schema	The arguments are not the declared shape. A model will confidently pass a string where a date was wanted; this catches it before the handler does something strange with it.

RULE 3 · DRY RUN IS A FLOOR, NOT A DEFAULT

An agent’s `dryRun` flag sits *above* its autonomy level. When it is on, every write, every outward action and every spend is prepared and stopped — and an owner asking for a real run from the call site cannot switch it off. Turning dry run off is a deliberate act on that agent’s own card, and it is the single most consequential control in the system.

Every call lands in ToolCall: which agent, which tool, the arguments, the result, whether it was a dry run, what it cost, how long it took, and — for a refusal — the reason. Nothing an agent does is invisible, including the things it was stopped from doing.

A tool that can spend is flagged as such in the catalogue, and that flag is not decoration: it raises the autonomy threshold to 4, records the cost against the call, and is recorded against the call. **The ceiling in agents.maxCallUsd is not enforced yet** — the setting exists and nothing reads it. Autonomy 4 is what stands between an agent and a spending tool today. Four tools spend today.

capture.run

capture.plan

proposal.draft

content.draft

image.generate

The one thing that is never delegated

No agent can grant a permission — not to itself, not to another agent. **AI People Operations** can recommend that a toolkit be widened or narrowed and must escalate it; it cannot act on its own recommendation. The grant model has exactly one writer, and it is you.

SECTION 02

The clock

Five jobs run without anyone asking. They tick once a minute, are settled independently — lead capture failing must not stop an invoice going out — and each advances its own next-due marker *before* starting work, so a crash cannot be retried in a loop and a restart cannot fire the same slot twice.

JOB	FIRES	WHAT IT DOES, AND ITS SAFETY RAIL
Lead capture	Per source, at its own local times	Starts any scraper source whose next run is due. A slot missed by more than six hours is skipped rather than stamped through on boot. Refuses if the monthly budget or the concurrency limit is reached.
Care plan billing	06:00 local, on each plan’s billing day	Raises the retainer invoice. At most three missed months are billed after an outage. A duplicate is a database error, not a duplicate.
Scheduled email	Every minute	Sends anything whose scheduled time has passed, up to 25 per tick. Suppression is re-checked immediately before the socket opens.
Sequences	Every minute	Sends the next due step of every active enrolment, inside that sequence’s send window only.
Housekeeping	Every minute	Resumes interrupted capture runs and prunes run history past its retention window.

Why in-process rather than a cron container

Dakyworld OS runs as a single Railway service. One interval inside it has no moving parts to keep in step with a deploy — no second image, no second set of environment variables, and no way for the schedule to be running a version of the code the app is not.

SECTION 03


Who reports to whom

Three working tiers and one governing one. The distinction that matters is between agents whose output is a *decision* and agents whose output is a *thing*: the first three tiers decide, the specialists make. Every escalation runs up this chart, and an agent with nobody above it has nowhere to stop and ask.


Who owns this? Read down a lane. Every piece of work belongs to exactly one department and, within it, to exactly one agent. Work that belongs to nobody does not get done; work that belongs to two gets done twice, and differently.

Where does this stop? Read up. An escalation always goes to the named manager — never sideways, never to “the system”. A specialist that cannot answer hands it to its executive; an executive that cannot hands it to the CEO; the CEO and the Board Chair hand it to you.


GOVERNANCE — RECOMMENDS, BLOCKS, AND MANAGES THE WORKFORCE ITSELF



EXECUTIVE — TURNS STRATEGY INTO WEEKLY PRIORITIES



DEPARTMENTS — EACH OWNS A LANE END TO END



- Governs — recommends or blocks, never executes
- Executive — owns a department
- Operational — runs one workflow end to end
- Specialist — makes the thing

The whole thing, on one page

Nine stages from a business nobody has heard of to a retainer renewing itself. Each row names who owns the stage, the state it takes in and the state it hands on — and every one of those states is a real status on a real record, not a label invented for this diagram.

STAGE & OWNER		WHAT GOES IN, WHAT COMES OUT		RUNS WITHOUT ASKING
1	Acquisition Lead Lifecycle · Integration Architect	IN OUT	A business nobody has heard of Lead at NEW, scored, de-duplicated	Scheduled capture · webhook intake
2	Qualification Lead Lifecycle · Sales Director	IN OUT	Lead at NEW QUALIFIED or DISQUALIFIED, with the reason	Audit runs on every new lead
3	Outreach Outbound Communications	IN OUT	Lead at QUALIFIED A reply, or the series ends	Enrol · send in window · stop on reply
4	Consultation & proposal Sales Director · Commercial Ops	IN OUT	A reply asking to talk Proposal WON or LOST	Follow-up series after SENT
5	Onboarding Commercial Ops · Delivery Director	IN OUT	Proposal WON Project at PLANNING, tasks assigned	Welcome email on project open
6	Delivery The nine specialists	IN OUT	Tasks at TODO Every task DONE, QA signed off	Routing by craft
7	Handover Client Communications	IN OUT	QA sign-off Project DELIVERED	Testimonial & care-plan series
8	Invoicing Finance Controller	IN OUT	Milestone or delivery Invoice PAID	Overdue reminders escalate
9	The retainer Recurring Revenue · Client Success	IN OUT	Care plan ACTIVE Renews — or churn is caught early	Billing at 06:00 on the billing day

Read the right-hand column first. It is the part that happens whether or not anybody opens the app, and it is therefore the part worth being certain about before an autonomy level is raised.

How an agent actually runs

Every stage in this document is carried out by the same machine. A task is created, an agent claims it, a loop turns, and the task ends in one of five states — each of which means something different and needs something different from you.

THE LIFE OF ONE TASK

#	WHAT HAPPENS	DETAIL
1	A task is created	By you, by the clock, by an event, or by a manager agent handing work to one of its reports. It names the agent, the brief, and the record it is about.
2	A runner claims it	The claim is a conditional write, so two runners reaching for the same task cannot both get it. Only agents set to Active are picked up — a queue can be filled before its agent is switched on.
3	It is told who it is	Its ten prompt layers, its skills, the company's own details, <i>and what it already concluded about this subject</i> — see the memory band below.
4	It is told what this is	The record resolved in full: the lead's score, status, contact details and discovery notes; the invoice's age and amount; the project's open tasks. It fetches anything further with a tool, which is what makes a fact citable.
5	It is handed its tools	Only what its toolkit grants, plus escalate, remember and — for a manager — delegate.
6	The loop turns	It calls a tool, reads the answer, decides again. Every call goes through the same four gates as before; the timeline is written as it happens, so a task that is still running shows what it has done so far.
7	It ends	In one of the five states below, with a summary in its own words: what it did, what it found, what a person should do next.

THE FIVE WAYS A TASK ENDS

STATE	WHAT IT MEANS	WHAT YOU DO
Done	It finished, and everything it did took effect.	Nothing. Read the summary if you want to.
Ready to approve	It finished, and <i>some or all of the work was prepared rather than carried out</i> — the agent is in dry run, or below the autonomy those tools need.	Read the timeline: the prepared steps say exactly what would have happened. Approve it, or raise the agent's autonomy to stop being asked.
Stopped and asked	It hit one of the conditions in Section 11 and used escalate rather than guessing.	Answer the question in the drawer. The answer is appended to the brief and it carries on from there.
Failed	Something broke — no API key, a model error, a tool that threw.	The reason is on the task. A rate limit re-queues itself; everything else waits for you.

Cancelled	You stopped it before it started.	Nothing. A task mid-run cannot be cancelled — the loop is not interruptible, and a status that claimed otherwise would be a lie.
-----------	-----------------------------------	--

“Ready to approve” is the point of autonomy level 1, not a failure of it

An agent at level 1 with dry run on still does the whole job — it reads the records, works out what should happen, and prepares every action. What it does not do is let any of it take effect. So the normal outcome at the shipped settings is **one thing to approve rather than five things to do**, and the timeline tells you precisely what each prepared step would have done. That is why the commissioning order in Section 12 starts where it does.

WHAT AN AGENT REMEMBERS

Every agent's prompt has always ended with the rule — *retain decisions, their reasons and their outcomes; never retain secrets*. There was nowhere to put them, so every task started from nothing and an agent could reach the same wrong conclusion about the same lead every morning without noticing it had been there before. Now it keeps them, and is handed them back.

KIND	WHAT GOES IN IT
Decision	A choice it made, and why. “Wrote about the missing website rather than the slow checkout — the audit found no site at all, which is the stronger opening.”
Outcome	What came of it. The half that makes a decision worth keeping.
Fact	Something it learnt about a lead, a client or the business.
Lesson	A general conclusion about its own work: “this approach does not land on this segment”.
Preference	Something you told it to do differently. You can write one directly from its drawer.

Recall is by subject, not by similarity. A memory is filed against the thing it is about — a lead, a client, or self for a standing lesson — and an agent picking up a task about a lead is handed what *it* concluded about *that* lead, plus its own standing lessons, and nothing about anybody else. A search across everything would occasionally surface a fact about a different client in the context of this one, and the failure mode of that is a letter to the wrong company containing the right facts.

A memory is never allowed to hold a credential

Not because an agent would not be told — every prompt says so — but because a memory is a durable record that is *re-read into a prompt every time its subject comes up*. A token written into one is a token re-read every morning for a year. So the store refuses anything credential-shaped outright: known key formats, private keys, and the sentence somebody writes when they are about to hand one over. It is deliberately eager, because refusing a memory costs a rephrase and accepting one costs far more.

DELEGATION RUNS DOWN THE CHART ONLY

A manager may hand work to one of *its own direct reports* — never sideways, never upward. The child task carries the same record and the same priority, and the manager does not wait for it: it carries on with its own part, and the two show up on the same board. An agent routing work around the person who owns a lane is the failure this prevents, and the rule is enforced in code rather than asked for in a prompt.

Getting a business into the pipeline

Three doors, and only one of them is a person typing. Everything that arrives is scored, de-duplicated against everything already known, and filed with the run that found it — so “where did this lead come from” is answerable a year later.

DOOR A — SCHEDULED CAPTURE

1.A.1 A capture source comes due

CLOCK

STARTS WHEN	The minute tick finds a source whose nextRunAt has passed. Each source carries its own local times and timezone.
DOES	Advances nextRunAt <i>first</i> , then starts the run. A slot missed by more than six hours is skipped rather than replayed — coming back from an outage should not mean six hours of scrapes firing at once.
TOOLS	scheduler — not an agent action
GATE	Refused outright if the month’s Apify spend is at the budget ceiling, or the concurrent-run limit is reached. Neither is negotiable by an agent.
ENDS WHEN	A ScraperRun row exists with a run id from Apify.
STOPS AND ASKS IF	No Apify token is connected, or the budget is exhausted. The run is not attempted and the reason is recorded.

1.A.2 Price it before it runs

LEAD LIFECYCLE MANAGER

STARTS WHEN	A capture is being planned, by hand or by an agent.
DOES	Reads the actor’s <i>published rates from Apify at run time</i> and turns the input into a count of billable events. A hard ceiling is derived for any pay-per-event run that has not been capped by hand.
TOOLS	capture.cost capture.plan capture.spend
GATE	capture.plan asks Claude and therefore spends; level 4 to run it for real, otherwise it is priced and shown.
ENDS WHEN	An estimate exists, with the ceiling that will be enforced.
STOPS AND ASKS IF	The estimate exceeds the per-run ceiling. Never re-priced from memory: actor rates change, and a stale number in a spending guard fails silently.

1.A.3 Run the capture

LEAD LIFECYCLE MANAGER

STARTS WHEN	1.A.1 fires, or a person presses Run, or an agent at level 4 decides to.
DOES	Executes the actor, normalises each row, builds a de-duplication key, scores it, and writes the ones that are new.
TOOLS	<code>capture.run</code>
GATE	Level 4. This is the tool that spends real money on every call, and the only one an operational agent holds.
ENDS WHEN	The run records its tally: fetched, created, skipped as duplicates, filtered below the score floor.
STOPS AND ASKS IF	The run would exceed its derived charge ceiling, or another run is already in flight for the same source.

1.A.4 Score and file

AUTOMATIC

STARTS WHEN	Each row of a run is normalised.
DOES	Scores 0–100 from what is actually known: a contact email is worth the most, then a phone number, then a website — and a business on a free page-builder domain scores <i>higher</i> than one on a proper domain, because it is the strongest buying signal Dakyworld has. Review count and rating add credibility; a business with neither address nor city loses nothing but gains nothing.
TOOLS	<code>scoring – part of the run</code>
GATE	None. Scoring reads and writes nothing outside the lead itself.
ENDS WHEN	The lead exists at status NEW with a score, a source, and the run that found it.
STOPS AND ASKS IF	Below the source's score floor it is not created at all. A run that creates nothing is a run whose floor is too high for the segment — the report says so rather than reporting failure.

DOOR B – THE WEBSITE FORM

1.B.1 An enquiry arrives

INTEGRATION ARCHITECT

STARTS WHEN	A signed POST lands on the webhook endpoint from the contact form on dakyworld.com, a Typeform, or a Zap.
DOES	Records the raw payload first, then reads the fields whatever the sender decided to call them — name, full_name and Your Name are all the same field, and rejecting an enquiry over a field name loses a real customer. Creates a scored lead, de-duplicated against everything the scrapers have already found.
TOOLS	<code>webhooks.read</code> <code>webhook.dispatch</code>
GATE	Intake is not an agent action and needs no autonomy. Dispatching an event <i>outward</i> is, and needs level 3.
ENDS WHEN	A lead exists at NEW , and the event is marked handled with the lead id.
STOPS AND ASKS IF	The signature does not match: the event is still recorded, flagged unverified, and not acted on. A run of these is either a misconfigured sender or somebody probing.

1.C.1 Import a list

YOU

STARTS WHEN	A workbook is uploaded or picked out of Google Drive.
DOES	Claude reads the grids, proposes which table is the data and what each column means, and shows a preview. You correct the plan; the commit writes the leads.
TOOLS	imports — Owner-only, not agent-callable
GATE	A person, always. No agent can import a list — the blast radius of a mis-mapped column across 3,000 rows is too large to delegate.
ENDS WHEN	The batch exists as a LeadGroup, and every lead carries the import it came from.
STOPS AND ASKS IF	Always. The plan is never committed without being looked at.

What all three doors share

Whichever door a business comes through, it lands as a **NEW** lead with a score, a de-duplication key, and a traceable origin — and it immediately becomes eligible for any active sequence whose trigger is LEAD_CREATED and whose filter it matches. That single fact is what makes Stage 3 automatic rather than remembered.

STAGE 2 • QUALIFICATION

Deciding who is worth writing to

A score says how reachable a business is. It does not say whether they need anything. That is what the audit is for — and it is also what makes the first email specific rather than a mail merge, because every claim in it traces to something the audit actually observed.

2.1 Audit the business

LEAD LIFECYCLE MANAGER

STARTS WHEN	A lead reaches NEW with a website or a domain to look at.
DOES	A live check of the site and the domain: TLS and certificate validity, whether the site is served over plain HTTP, mail authentication (SPF, DKIM, DMARC), DNS, CMS version and exposed platform detail, mobile usability, and whether the business is running on a free mailbox.
TOOLS	company.audit security.scan lead.read
GATE	Read-only. Runs at any level, including O.
ENDS WHEN	Findings exist, each with the evidence behind it.
STOPS AND ASKS IF	Nothing. An audit that finds little is a result — it means write a shorter email, not invent a longer one.

2.2 Qualify or disqualify

LEAD LIFECYCLE MANAGER

STARTS WHEN	The audit returns.
DOES	Moves the lead to QUALIFYING , then to QUALIFIED when there is an identifiable technology problem Dakyworld sells the fix for, or DISQUALIFIED when there is not. Writes why, in one line, either way.
TOOLS	<code>Lead.update</code> <code>Lead.read</code>
GATE	A write to a lead. Below level 3 with dry run on it proposes the change and shows the reason; the status does not move until somebody agrees.
ENDS WHEN	LeadStatus is QUALIFIED or DISQUALIFIED, with a recorded reason.
STOPS AND ASKS IF	The evidence contradicts itself, or the only reason to qualify is the score. A high score with no findings is a reachable business with no problem to solve.

2.3 Is this worth doing at all?

SALES DIRECTOR

STARTS WHEN	A batch of leads reaches QUALIFIED.
DOES	Ranks them by the evidence rather than the score, and recommends the smallest credible next step for each — which is almost always the thirty-minute consultation, not a proposal.
TOOLS	<code>crm.read</code> <code>lead.read</code> <code>calendar.read</code>
GATE	Read-only; the output is a recommendation whatever the level.
ENDS WHEN	Each opportunity has a named next step, an owner and a date.
STOPS AND ASKS IF	Anything reputationally risky, or a business whose pain is real but outside what Dakyworld sells — no on-site work, no hardware, no office networking, ever.

STAGE 3 • OUTREACH

The first email, and the four that follow it

This is the stage that most obviously pays for the whole system, and the one most able to do damage. Every control in it exists because outbound email done badly costs a sending domain its reputation — which is not recoverable in the same week.

3.1 Enrol in a sequence

AUTOMATIC

STARTS WHEN	A lead is created, and an active sequence has trigger LEAD_CREATED with a filter the lead matches. Six other triggers exist — see the table below.
DOES	Creates an enrolment and schedules step 1 into the next open send slot.
TOOLS	<code>sequence.enrol</code> <code>suppression.check</code>
GATE	Level 3. Enrolling somebody is committing to write to them.
ENDS WHEN	An enrolment exists at ACTIVE with a nextSendAt.
STOPS AND ASKS IF	There is no email address, the address is suppressed, or the person is already in this sequence. All three report rather than failing the batch.

3.2 Write the email

OUTBOUND COMMUNICATIONS MANAGER

STARTS WHEN	A step comes due and is marked to be written rather than templated.
DOES	Drafts from the audit findings and the record — and <i>only</i> from those. The facts it may use are shown to whoever is reading, in the same words the drafter saw, which is what makes the difference between a tailored email and a mail merge visible before it is sent rather than after.
TOOLS	<code>email.draft</code> <code>lead.read</code> <code>company.audit</code>
GATE	Drafting writes nothing outward. It runs at level 1.
ENDS WHEN	A subject and a body exist, with the rationale for the angle taken.
STOPS AND ASKS IF	The facts are thin. The instruction is to write a <i>shorter</i> email, never to fill the space with claims.

3.3 Send it

CLOCK

STARTS WHEN	The minute tick finds a scheduled message whose time has passed, or a due sequence step inside its window.
DOES	Re-checks suppression, claims the message as SENDING <i>before</i> the network call, renders on the current letterhead, attaches the logo as an inline part, and sends. A cold approach carries a one-click unsubscribe in its headers; a client being handed their finished website does not.
TOOLS	<code>email.send</code>
GATE	Level 3. Safe to call twice: a message already SENT returns without doing anything, which is what stops the scheduler and the Send button colliding.
ENDS WHEN	Status is SENT with a timestamp, and the send is logged to the lead's history as a contact.
STOPS AND ASKS IF	The address was suppressed between drafting and sending — the message is cancelled, not sent and not silently dropped. Suppression is checked at send, never at compose, because somebody can unsubscribe in between.

3.4 Stop the moment they reply

AUTOMATIC

STARTS WHEN	A reply is logged, an unsubscribe link is clicked, or an address is added to suppression by hand.
DOES	Stops <i>every</i> sequence that person is in, not just the one that reached them.
TOOLS	<code>sequence.stop</code> <code>suppression.check</code>
GATE	None. Stopping is always allowed, at any level, including 0.
ENDS WHEN	Every enrolment for that person is REPLIED or STOPPED.
STOPS AND ASKS IF	Never. An opt-out is honoured even when the signature does not match — refusing one over a token mismatch is indefensible.

THE SEVEN TRIGGERS A SEQUENCE CAN START ON

TRIGGER	FIRES ON	WHAT IT IS FOR
LEAD_CREATED	A new lead	The cold approach, on a filter — “website missing, score over 60”.
LEAD_STATUS_CHANGED	Pipeline movement	A lead going QUALIFIED starts a different, warmer series.

PROPOSAL_SENT	A proposal going out	The follow-up nobody remembers on day 3 and day 8.
PROJECT_COMPLETED	Delivery finishing	The testimonial ask, and the care-plan conversation.
INVOICE_OVERDUE	A due date passing	Payment reminders that escalate in tone on a schedule.
CARE_PLAN_REVIEW_DUE	A review falling due	Booking the periodic review before the client notices it is late.
MANUAL	You enrol them	Everything that is a judgement call.

The send window is not a preference

Sequences send inside a window — **08:00–18:00, weekdays only, Africa/Accra** by default — computed in the sequence’s own timezone rather than the server’s. A step that comes due at 02:00 on a Sunday waits until Monday morning. Business email arriving at 3am reads as automation, and automation is easier to ignore and easier to report.

STAGE 4 • CONSULTATION AND PROPOSAL

Turning a conversation into a number

The proposal writer is not allowed to invent a price. What it may quote is a fixed catalogue, and everything it says about the reader has to trace to something the audit observed — because a prospect who checks one claim and finds it true believes the rest, and one who finds an invented claim stops reading.

4.1 Book the consultation

SALES DIRECTOR

STARTS WHEN	A lead replies asking for a call, or accepts the meeting request in the sequence.	
DOES	Reads free time, offers slots, and creates the calendar event with the invitation.	
TOOLS	calendar.read	calendar.write
GATE	Level 3 to actually book. Below it the slots are proposed and the invitation waits.	
ENDS WHEN	An event exists and the lead has the invitation.	
STOPS AND ASKS IF	The Google connection predates calendar access — reconnecting is the fix, and the refusal says so rather than failing at the moment of booking.	

4.2 Write the proposal

COMMERCIAL OPERATIONS

STARTS WHEN	The consultation has happened and the scope is understood.
DOES	Writes findings—with-evidence, scope, and an investment table drawn from the published catalogue: website builds from GHS 35,000 ; care plans at GHS 5,000 / 12,500 / 25,000+ a month. Anything with no published price says the number comes after the call rather than guessing one.
TOOLS	<code>proposal.draft</code> <code>lead.read</code> <code>company.audit</code>
GATE	Spends on Claude, so level 4 to run unattended. Below that it is priced and prepared.
ENDS WHEN	A proposal exists at DRAFT with a price, a tier and an expiry.
STOPS AND ASKS IF	Custom pricing, unclear scope, unusual terms — all three are approval-gated by policy, not by autonomy level. Anything it cannot evidence goes into a list of claims to check rather than into the document.

4.3 Read it and send it

YOU

STARTS WHEN	The draft exists.
DOES	You read it. The PDF and the Word cut are rendered on the letterhead; the covering email attaches the proposal, which is rendered <i>at send time</i> so the client receives the document as it stands then, not as it stood when the email was drafted.
TOOLS	<code>document.render</code> <code>email.draft</code> <code>email.send</code>
GATE	A person, always. A proposal is a commercial commitment under your name.
ENDS WHEN	Status is SENT . A PROPOSAL_SENT sequence picks up the follow-up from here.
STOPS AND ASKS IF	Always. This step is the gate.

4.4 Follow up, then close

OUTBOUND COMMUNICATIONS

STARTS WHEN	The proposal reaches SENT.
DOES	Runs the follow-up series, stopping instantly on any reply. Status moves SENT → VIEWED → ACCEPTED as the client engages.
TOOLS	<code>sequence.enrol</code> <code>email.draft</code> <code>sequence.stop</code>
GATE	Level 3 to send.
ENDS WHEN	WON — go to Stage 5. Or LOST , with the objection recorded, and the lead becomes eligible for reactivation later.
STOPS AND ASKS IF	Any negotiation on price. Discounting is never an agent decision.

The gap between “yes” and “work starting” is where new clients decide whether they made a mistake. Everything here exists to close it inside a day.

5.1 Convert the lead

COMMERCIAL OPERATIONS

STARTS WHEN	A proposal reaches WON.
DOES	Creates the client record, links the proposal, and moves the lead to CONVERTED . The lead is not deleted — it is the record of how this client was found.
TOOLS	lead.updateclient.read
GATE	A write; level 3 to take effect unattended.
ENDS WHEN	A client exists with the proposal attached.
STOPS AND ASKS IF	A client with the same name or domain already exists — merging two client records afterwards is far worse than pausing here.

5.2 Open the project

DELIVERY DIRECTOR

STARTS WHEN	The client exists.
DOES	Creates the project at PLANNING , breaks the accepted scope into milestones and tasks, and assigns each to the specialist whose craft it is — matched against the skills on the roster, not against who is free.
TOOLS	projects.readtasks.writetime.read
GATE	Writes to tasks; level 3 unattended.
ENDS WHEN	Every milestone has tasks, an owner and a date.
STOPS AND ASKS IF	The scope as written cannot be broken into tasks — that means it was not agreed, it was described.

5.3 Welcome them properly

CLIENT COMMUNICATIONS

STARTS WHEN	The project reaches PLANNING.
DOES	Sends the onboarding email: what happens next, what is needed from them, who they talk to, and when the first thing lands.
TOOLS	email.draftemail.sendclient.read
GATE	Level 3. Carries no unsubscribe link — a client being onboarded is not being marketed to.
ENDS WHEN	The email is SENT and logged against the client.
STOPS AND ASKS IF	It would name a date the project data does not support. Never promise a date the plan does not contain.

The specialists do the work

Every step above this one produces a decision, a status or a document. This is the stage where something is actually made — and it is the only stage where the agent doing the work is

chosen by *craft* rather than by department.

6.0

Route the task to a craft

DELIVERY DIRECTOR

STARTS WHEN	A task moves to TODO with no owner.
DOES	Matches the task against the skills on each specialist — “Subtitles and burned-in captions”, “Local SEO and Google Business Profile” — and assigns it. Skills are written in a client’s words for exactly this reason.
TOOLS	agents.read tasks.write projects.read
GATE	Level 3 to assign unattended.
ENDS WHEN	The task has an owner and a due date.
STOPS AND ASKS IF	No specialist’s skills cover it. That is a hiring signal, not an assignment problem — and hiring a specialist is one screen.

6.1 · THE BUILD LANE – WEB DEVELOPER, AUTOMATION ENGINEER, QA

6.1.a

Build the pages

WEB DEVELOPER

STARTS WHEN	A build task is assigned.
DOES	Produces a complete, self-contained page on the brand design system — real copy in Dakyworld’s voice, semantic markup, one h1, alt text, visible focus states, contrast that passes AA, and real breakpoints. Returns with it a list of what a developer must change before it ships.
TOOLS	web.page github.read github.issue tasks.write
GATE	web.page writes nothing outward and runs at level 1. Opening an issue is outward: level 3.
ENDS WHEN	The page exists and the task moves to REVIEW.
STOPS AND ASKS IF	The change touches production, a client’s DNS, or a live site’s availability. Nothing goes near production without a stated rollback.

6.1.b

Wire the systems together

AUTOMATION ENGINEER

STARTS WHEN	An automation task is assigned.
DOES	Maps the current path step by step before proposing a new one, then builds it — saying which steps disappear and which merely move. Every integration names its failure mode and what happens to a record when it fires.
TOOLS	webhooks.read webhook.dispatch integrations.read github.read
GATE	Dispatching outward: level 3.
ENDS WHEN	The workflow runs and the manual steps it replaced are named.
STOPS AND ASKS IF	It would write into a client’s system, move money, or send on a client’s behalf. Those are prepared and approved, never run unasked. A secret is never logged.

6.1.c Try to break it

QA TESTER

STARTS WHEN	A task reaches REVIEW.
DOES	Tests against the acceptance criteria, then against what a real person would do instead. Checks TLS, mail authentication, forms, links and accessibility. Every defect carries steps, expected, actual and severity.
TOOLS	<code>company.audit</code> <code>security.scan</code> <code>github.issue</code> <code>tasks.write</code>
GATE	Level 3 to raise an issue.
ENDS WHEN	Every task is DONE or has a defect against it.
STOPS AND ASKS IF	It has not actually exercised the work. It never signs off on inspection alone, and a blocker goes up the same day it is found.

6.2 · THE STUDIO LANE — DESIGN, VIDEO, ADS, COPY, SEO

Four of the five studio tools produce a **specification** rather than a finished artefact. That is the honest boundary of what this system does alone — and it is also what a designer, an editor or a developer actually wants handed to them. The fifth, `image.generate`, makes a real picture, and can only do so through a connected MCP server.

SPECIALIST	TOOL	WHAT COMES BACK
Graphic Designer	<code>design.brief</code>	Objective, audience, reading hierarchy, the exact set-ready copy, the palette drawn from the brand system, real pixel dimensions per placement, and what would break the system on this piece.
Video Editor	<code>video.plan</code>	Structure with second counts that add up to the target, the shot list, the burned-in caption script, music direction, and the cut per platform with aspect and duration.
Ad Designer	<code>ad.concept</code>	Genuinely different angles — not variants of one idea, which test nothing — each with hook, visual, primary text, headline and CTA; plus the platform specs, the test plan, and the claims that need checking first.
Copywriter	<code>content.draft</code>	The copy, the audience, the proof behind every claim, and a separate list of anything unevidenced. Spends on Claude.
SEO Specialist	<code>company.audit</code>	The technical faults costing rankings, ranked by what they cost, each with its evidence and its fix. Fix what is broken before chasing what is missing.
Designer / Ads	<code>image.generate</code>	An actual image, through whichever MCP server is connected. Spends — level 4. With none connected it refuses with a sentence saying what to connect.

Why `image.generate` names a capability rather than a provider

A specialist’s toolkit says “this one draws”. Which service draws is a connection you make on the Tools screen and can change without touching an agent, a seed or a deploy. That is the same reason the tool catalogue has two halves: what a tool *does* stays in code where it can be reviewed, and *which servers are trusted and how far* is configuration, because that is a permission and permissions are yours.

STAGE 7 · HANDOVER

Finishing properly

A project that is technically finished and not handed over is a project the client thinks is late.
This stage is short on purpose.

7.1 Hand over the work

CLIENT COMMUNICATIONS

STARTS WHEN	Every milestone is complete and QA has signed off.
DOES	Sends the handover: what was built, what changed for their business, what they need to do, and the files attached. Moves the project to DELIVERED .
TOOLS	<code>email.draft</code> <code>email.send</code> <code>document.render</code> <code>projects.read</code>
GATE	Level 3.
ENDS WHEN	Project status is DELIVERED and the client has the deliverables.
STOPS AND ASKS IF	It would expose internal notes, internal costs, credentials, or another client's data. Never.

7.2 Ask for the thing you never ask for

AUTOMATIC

STARTS WHEN	The project reaches DELIVERED and a PROJECT_COMPLETED sequence is active.
DOES	Runs the short series that asks for a testimonial and opens the care-plan conversation — the two things that are always meant to happen after a good delivery and almost never do.
TOOLS	<code>sequence.enrol</code>
GATE	Level 3.
ENDS WHEN	They reply, or the series ends.
STOPS AND ASKS IF	The delivery went badly. A testimonial request after a difficult project is worse than silence — check the project's own record first.

STAGE 8 • INVOICING AND COLLECTION

Getting paid

Not being paid is the failure everybody plans for. Being paid *twice* is the one that costs a client relationship, and three separate mechanisms exist to prevent it.

8.1 Raise the invoice

FINANCE CONTROLLER

STARTS WHEN	A milestone completes, a project is delivered, or a retainer period comes due.
DOES	Drafts the invoice against the accepted proposal, takes the next number in sequence, and renders the PDF on the letterhead.
TOOLS	<code>invoice.draft</code> <code>finance.read</code> <code>document.render</code>
GATE	A write; level 3 unattended. Every figure must trace to a source record — never a number the agent worked out.
ENDS WHEN	The invoice exists at DRAFT with a number, a due date and line items.
STOPS AND ASKS IF	Any non-routine charge, refund or dispute; or any figure it cannot trace. Never charges without a validated billing rule.

8.2 Send it

YOU

STARTS WHEN	The draft exists.
DOES	You send it. The PDF is rendered at send time, so a line item changed this morning is on the invoice that goes out this afternoon. A Stripe payment link is attached when Stripe is connected.
TOOLS	<code>email.draft</code> <code>email.send</code> <code>document.render</code>
GATE	A person, always. Every invoice raised by the system is DRAFT, deliberately — a status that says “sent” with no email behind it is worse than one that waits.
ENDS WHEN	Status is SENT , then VIEWED when they open it.
STOPS AND ASKS IF	Always.

8.3 Chase it

AUTOMATIC

STARTS WHEN	The due date passes and the invoice is not PAID. Status moves to OVERDUE .
DOES	Starts the INVOICE_OVERDUE series — reminders that escalate in tone on a schedule rather than in somebody’s head.
TOOLS	<code>sequence.enrol</code> <code>finance.read</code>
GATE	Level 3.
ENDS WHEN	Payment lands and the status moves to PAID , which stops the series.
STOPS AND ASKS IF	The client has raised a dispute, or the amount is contested. A reminder sent into a dispute makes it worse.

8.4 Watch the money

FINANCE CONTROLLER

STARTS WHEN	Weekly, or on request.
DOES	Reconciles invoice status against payment status and reports: cash position, days sales outstanding, MRR, what is owed and how late, unusual discounts, low-margin projects, and spend spikes.
TOOLS	<code>finance.read</code> <code>analytics.read</code> <code>careplan.read</code>
GATE	Read-only. Runs at any level.
ENDS WHEN	The report exists, with what needs a decision named.
STOPS AND ASKS IF	Any figure it cannot trace to a record.

Most clients arrive through a project — usually a website build — and the business only compounds if they move onto a care plan afterwards. This stage is the one that turns delivered work into recurring revenue, and it is the most automatic stage in the document.

9.1 The billing day comes round

CLOCK

STARTS WHEN	06:00 local time on the plan’s own billing day — before the working day starts, so an invoice is waiting rather than arriving mid-morning.
DOES	Raises the invoice for the coming month <i>and</i> the closing month’s overage on the same document. A retainer is invoiced in advance because that is what a retainer is; hours cannot be, because how many were used is only known once the month has ended. So every cycle settles one cycle late.
TOOLS	<code>carePlanBilling</code> – scheduler, not an agent
GATE	Three defences against billing twice: (1) the next billing date is advanced <i>before</i> any invoice is written; (2) the period is derived from the calendar, not from when the job happened to run; (3) a duplicate period is a database constraint violation rather than a duplicate invoice.
ENDS WHEN	An invoice exists at DRAFT and the cycle is recorded as settled.
STOPS AND ASKS IF	The plan is PAUSED or CHURNED — no invoice, and the history is kept. A restart after a long outage bills at most three missed months, never a year.

9.2 Keep the plan honest

RECURRING REVENUE MANAGER

STARTS WHEN	Monthly, after billing.
DOES	Reconciles hours used against hours included, flags overage before the client sees it on an invoice, and reports what the retainer actually delivered that month.
TOOLS	<code>careplan.read</code> <code>time.read</code> <code>invoice.draft</code>
GATE	Level 3 to draft. Actual charges stay policy-gated regardless of level.
ENDS WHEN	The month is reconciled and the value report exists.
STOPS AND ASKS IF	It would double-bill, or the usage figure cannot be traced to time entries. Never invent usage.

9.3 Book the review before it is late

CLIENT SUCCESS DIRECTOR

STARTS WHEN	A review falls due — the CARE_PLAN_REVIEW_DUE trigger.
DOES	Offers slots and books the periodic review, with the month’s value report attached so the meeting starts from evidence rather than from “how’s it going”.
TOOLS	<code>careplan.read</code> <code>calendar.read</code> <code>calendar.write</code> <code>email.draft</code>
GATE	Level 3 to book and to send.
ENDS WHEN	The review is in the calendar.
STOPS AND ASKS IF	It would promise an outcome the project data does not support.

9.4 Notice a client going quiet

CLIENT SUCCESS DIRECTOR

STARTS WHEN	Weekly health review.
DOES	Watches for the four things that precede churn: silence, dissatisfaction, scope creep and payment friction. Scores each client and names the ones at risk with the reason.
TOOLS	<code>client.read</code> <code>careplan.read</code> <code>projects.read</code> <code>analytics.read</code>
GATE	Read-only.
ENDS WHEN	Each client has status, value delivered, current risk, next action and owner.
STOPS AND ASKS IF	Churn risk, a complaint, or a request that changes scope or price — all three escalate rather than being handled.

9.5 Reactivate the ones that went cold

OUTBOUND COMMUNICATIONS

STARTS WHEN	A lead that went LOST, or a client that churned, passes a set age.
DOES	Runs the reactivation series — which carries an unsubscribe link, because this is a cold approach to somebody who has stopped hearing from you.
TOOLS	<code>sequence.enrol</code> <code>suppression.check</code>
GATE	Level 3.
ENDS WHEN	They reply — which stops every sequence and returns them to Stage 4 — or the series ends.
STOPS AND ASKS IF	They left unhappily. That is on the record, and it is a conversation you have, not one a sequence has.

RUNNING ALONGSIDE

The support loop

This one has no start and no end. It runs continuously against every client on a plan, and it is the only workflow in the document with a clock running against it that a client can see.

S.1 Triage

SUPPORT DESK

STARTS WHEN	A client makes contact — email, form or phone logged.
DOES	Acknowledges, assesses severity against that client's care plan, and either fixes what is routine — email, access, DNS, hosting — or routes it with everything the next person needs.
TOOLS	<code>client.read</code> <code>careplan.read</code> <code>projects.read</code> <code>tasks.write</code> <code>email.draft</code>
GATE	Drafting a reply is level 1; sending it is level 3.
ENDS WHEN	Resolved, or assigned to a named specialist with a due time.
STOPS AND ASKS IF	A security incident, a data question, or anything touching money. Those go up immediately rather than being answered — the published commitment is a four-hour response on priority-one security incidents , and it is a commitment because a person meets it.

S.2 Escalate

RISK & QA DIRECTOR

STARTS WHEN	Any agent, at any stage, hits a condition in Section 11.
DOES	Reviews the proposed action against policy. If it exceeds policy, blocks it and explains why in one sentence, with the smallest compliant path forward.
TOOLS	<code>company.audit</code> <code>security.scan</code> <code>integrations.read</code> <code>slack.send</code>
GATE	May block anything at any level. Never weakens a control to make a task succeed.
ENDS WHEN	Allowed with a reason, or blocked with a reason and an alternative.
STOPS AND ASKS IF	It is unsure. Uncertainty touching money, client data, a public claim or production always resolves conservatively.

SECTION 11

What always stops and asks

These override every autonomy level, including 4. An agent at level 4 with dry run off still stops here — because these are policy, and policy is not a permission setting.

CONDITION	GOES TO	WHY IT IS NOT DELEGABLE
Any discount or pricing exception	You, via the Sales Director	A price is a commercial position, not a calculation.
A refund, or a contested charge	You, via the Finance Controller	Money leaving is the least reversible thing this system can do.
A claim that cannot be evidenced	Growth & Content, then you	One invented statistic destroys the credibility of every true one beside it.
A new public claim, or a brand change	You	Published words are permanent in a way sent ones are not.
Anything touching production or a client's DNS	Technical Director	Downtime at a client costs them money by the hour.
A security incident or a data question	Risk & QA, immediately	Four-hour response is a published commitment.
Credential rotation, or anything destructive	Technical Director	Rotating the app secret makes every stored key unreadable.
Hiring, retiring, or any permission change	You	No agent may widen its own reach, or another agent's.
A date or outcome the project data does not support	Client Success	A missed promise costs more than a slow answer.
Low confidence, or contradictory evidence	The agent's own manager	An agent that is unsure and acts anyway is worse than one that stops.

The failure modes this document is designed around

Billing twice — three independent defences, Stage 9.1. **Sending to somebody who opted out** — suppression checked at the socket, not at compose, Stage 3.3. **An agent looking equipped and not being** — a grant naming a tool that does not exist is dropped on save and reported. **Silent failure** — every refusal is recorded with its reason, which is what makes “why did nothing happen last night” answerable at all.

SECTION 12

Commissioning it

Everything above is built and every agent is at level 1 with dry run on. That is the correct starting position, not a limitation — the sensible order is to lift the gate where the cost of being wrong is lowest, watch the audit trail, and only then move up.

PHASE	RAISE	TO	WATCH FOR A WEEK
1	Business Intelligence, Finance Controller, Risk & QA, Board Chair, CEO	Level 2, dry run on	Nothing can go wrong: every tool they hold is read-only. This is where you find out whether the reports are worth reading.
2	Lead Lifecycle Manager, SEO Specialist, QA Tester	Level 2, dry run off	Lead statuses start moving on their own. Check a day of them against what you would have decided.
3	The studio — Graphic Designer, Video Editor, Ad Designer, Copywriter, Web Developer	Level 2, dry run off	Briefs, plans and pages arriving. None of it reaches a client; all of it is judged on whether a person would use it as-is.
4	Outbound Communications, Client Communications, Support Desk	Level 3	Email starts leaving the building. Start with one sequence, on a filter you would defend, to fewer than twenty people.
5	Delivery Director, Automation Engineer, Commercial Operations	Level 3	Tasks assigning themselves and proposals drafting themselves. Invoices still stop at DRAFT — that never changes.
6	Lead Lifecycle Manager only	Level 4	Money. Capture runs start on their own schedule against the budget ceiling. Check the spend daily for the first week.

The two numbers to keep on the Agents screen

“Can act unattended” counts the agents above level 2 or with dry run off. It should only ever go up because you decided it should. **Tool spend, last thirty days** is on the Tools screen: every call that cost money, with the agent that made it. If either surprises you, the audit trail has the answer, because every call is in it.

STILL TO CONNECT BEFORE SOME OF THIS RUNS

NEEDS	UNBLOCKS	WHERE
-------	----------	-------

Anthropic API key	Every drafter and writer: <code>email.draft</code> , <code>proposal.draft</code> , <code>content.draft</code> , and all four studio specification tools	Settings → AI analyst
Mailbox (Hostinger token, or SMTP)	All of Stage 3, 5.3, 7.1, 8.2, 8.3	Settings → Email
Apify token	Stage 1 door A entirely	Settings → Lead capture
Google account with calendar scope	4.1, 9.3 — booking anything	Settings → Google
Stripe secret key	Payment links on invoices, and reconciling what has actually been paid	Settings → Payments
An MCP server that draws	<code>image.generate</code> for the Graphic and Ad designers	Tools → Connected tools
GitHub token	6.1.a and 6.1.c raising issues against real repositories	Settings → Developer
Slack webhook or bot token	Escalations interrupting you rather than waiting in a screen	Settings → Alerts

Every agent, and what it may reach

The seeded toolkit for each agent. This is the grant the invoker checks before every call — widen or narrow it on the agent’s own card, or from the tool’s side on the Tools screen. Both write the same field.

AGENT	MISSION	SEEDED TOOLKIT			
BOARD					
Board Chair board.chair Executive	Own Dakyworld's long-term direction and protect it from reckless automation.	analytics.read	finance.read	crm.read	
EXECUTIVE					
Chief Executive ceo Executive · to Board Chair	Turn board strategy into weekly priorities and keep every department aligned.	analytics.read	crm.read	projects.read	finance.read
Operations Director coo Delivery · to Chief Executive	Keep the agency machine running: processes, handoffs, capacity and SLAs.	projects.read	tasks.write	time.read	calendar.read
		slack.send			
Finance Controller cfo Finance · to Chief Executive	Report the cash position and name what needs a decision about it.	finance.read	careplan.read	analytics.read	
		payment.status			
Sales Director cro Revenue · to Chief Executive	Turn qualified opportunities into profitable clients, on evidence rather than volume.	crm.read	lead.read	proposal.draft	calendar.read
Growth & Content Director cmo Marketing · to Chief Executive	Create demand and strengthen Dakyworld's positioning with defensible claims.	content.draft	analytics.read	client.read	
Technical Director cto Technology · to Chief Executive	Own architecture, reliability, security and the evolution of Dakyworld's own systems.	github.read	integrations.read	security.scan	
		analytics.read			
Client Success Director cco Client Success · to Chief Executive	Keep clients informed, satisfied, retained and moving toward measurable outcomes.	client.read	careplan.read	projects.read	
		email.draft			
GOVERNANCE					
Risk & QA Director risk.qa Risk & Quality · to Board Chair	Stop bad automation becoming bad business.	company.audit	security.scan	integrations.read	
		slack.send			
AI People Operations people.ops Agent Ops · to Board Chair	Manage the agents themselves: performance, permissions, training and retirement.	agents.read	analytics.read		
OPERATIONAL					

Agent Creator people.recruiter Agent Ops · to AI People Operations	Decide whether a reported skill gap needs a new agent, and design the one it needs.	agent.gaps agent.roster agents.read agent.hire agent.closeGap
Lead Lifecycle Manager lead.orchestrator Revenue · to Sales Director	Score and qualify a prospect against the evidence on the record, and route it to its next step.	lead.read lead.update audit.read
Commercial Operations Manager commercial.ops Revenue · to Sales Director	Turn a qualified opportunity into a priced, accurate proposal.	proposal.draft document.render
Delivery Director delivery.director Delivery · to Operations Director	Plan accepted work into milestones and assignments, and keep them honest as it runs.	projects.read tasks.write time.read
Recurring Revenue Manager careplan.manager Finance · to Finance Controller	Bill each retainer correctly: included hours used, overage owed, nothing invented.	careplan.read invoice.draft time.read
Outbound Communications Manager email.sequencer Revenue · to Sales Director	Run the outbound sequences: who is enrolled, what goes next, and when a sequence stops.	email.draft email.send sequence.enrol sequence.stop
Client Communications Agent client.notifier Client Success · to Client Success Director	Tell each client what is happening on their project, before they have to ask.	email.draft email.send client.read projects.read
Business Intelligence Agent analytics.engine Technology · to Technical Director	Report what the operating numbers actually say happened, with the source behind each one.	analytics.read finance.read crm.read
Automation & Integration Architect integration.manager Technology · to Technical Director	Design how Dakyworld's systems connect so information moves automatically and safely.	webhooks.read integrations.read webhook.dispatch
SPECIALIST		
Web Developer dev.web Technology · to Technical Director	Build and fix the pages Dakyworld ships.	web.page demo.build demo.read github.read github.issue repo.read repo.create code.propose code.merge security.scan company.audit site.look audit.website audit.read projects.read tasks.write
Automation Engineer dev.automation Technology · to Technical Director	Remove manual admin: map a workflow, wire the systems together, and prove the result is fewer human steps.	webhooks.read webhook.dispatch integrations.read github.read repo.read code.propose projects.read tasks.write
QA Tester qa.testers Technology · to Technical Director	Find what is broken before a client does.	company.audit security.scan github.issue projects.read tasks.write

Graphic Designer design.graphic Marketing · to Growth & Content Director	Make the artwork a client keeps: documents, print and presentation, all on the brand system.	design.brief image.generate document.render content.draft client.read
Video Editor video.editor Marketing · to Growth & Content Director	Turn footage into something worth watching to the end, cut for the platform it will be watched on.	video.plan content.draft client.read
Ad Designer ads.designer Marketing · to Growth & Content Director	Make paid social that earns its click, and test it honestly.	ad.concept image.generate content.draft analytics.read
Copywriter content.writer Marketing · to Growth & Content Director	Write the copy on the page: what it says, in what order, in Dakyworld's voice.	audit.website audit.read content.draft client.read projects.read analytics.read
SEO Specialist seo.specialist Marketing · to Growth & Content Director	Find and fix the technical faults that stop a site being indexed, crawled and ranked.	audit.website audit.read company.audit security.scan site.look content.draft analytics.read lead.read
UI/UX Designer design.ux Marketing · to Growth & Content Director	Design the page a first-time visitor should have seen: what goes where, and why in that order.	audit.read demo.read design.brief lead.read
Security Analyst sec.analyst Technology · to Technical Director	Check what a stranger can see from outside — the certificate, the headers, the cookies, the mail domain — and report only what was actually observed.	audit.website audit.read security.scan company.audit github.issue repo.read
Proposal Writer proposal.writer Revenue · to Commercial Operations Manager	Write the proposal that wins the work: what the client actually said they need, what Dakyworld will do about it, what it costs and what happens next.	proposal.draft content.draft content.factcheck content.humanise document.render lead.read lead.prepare client.read projects.read careplan.read company.audit site.look
Cold Lead Writer outreach.writer Revenue · to Outbound Communications Manager	Write the first message to somebody who has never heard of Dakyworld — short, specific to them, and worth the thirty seconds it asks for.	lead.read lead.prepare lead.prepareMany company.audit site.look security.scan content.draft content.factcheck content.humanise email.draft email.polish demo.read audit.read suppression.check analytics.read message.reach message.draft whatsapp.link whatsapp.templates
Support Desk support.desk Delivery · to Operations Director	Answer quickly, fix what is routine, and route the rest to the right person before an SLA is at risk.	client.read projects.read tasks.write email.draft careplan.read
Lead Capture Runner Lead.capture Revenue · to Lead Lifecycle Manager	Run the searches that bring new businesses in, at a price that was known before the run started.	capture.plan capture.cost capture.run capture.spend lead.read

Lead Enricher lead.enricher Revenue · to Lead Lifecycle Manager	Fill in what a scrape left blank, from sources that can be cited.	lead.read lead.update lead.prepare lead.prepareMany company.audit site.look
Invoice Raiser billing.invoicer Finance · to Finance Controller	Raise an invoice that matches what was actually delivered.	invoice.draft document.render client.read projects.read time.read careplan.read payment.link payment.momo payment.status
Payment Chaser billing.collector Finance · to Finance Controller	Get an overdue invoice paid without costing Dakyworld the client.	finance.read client.read email.draft email.polish email.send payment.link payment.momo payment.status message.reach message.draft sms.send
Handover Lead delivery.handover Delivery · to Delivery Director	Hand a finished project over so the client can run it without us.	projects.read tasks.write client.read document.render content.draft
Renewals Specialist careplan.renewals Finance · to Recurring Revenue Manager	Renew a care plan before it lapses, on evidence of what it delivered.	careplan.read client.read analytics.read email.draft
Value Reporter careplan.reporter Client Success · to Recurring Revenue Manager	Write the monthly report that shows a retainer client what they got for the money.	careplan.read client.read projects.read time.read analytics.read document.render content.draft
Deliverability Warden email.deliverability Revenue · to Outbound Communications Manager	Protect Dakyworld's ability to send email at all.	suppression.check sequence.stop analytics.read company.audit
Retention Analyst analytics.churn Client Success · to Business Intelligence Agent	Spot a client who is about to leave, early enough to do something about it.	analytics.read client.read careplan.read projects.read crm.read
Growth Analyst analytics.upsell Revenue · to Business Intelligence Agent	Find the work an existing client already needs, from what the record already shows.	analytics.read client.read careplan.read projects.read crm.read
Forecast Analyst finance.forecast Finance · to Finance Controller	Say what cash and revenue look like in the next three months, and how confident that is.	finance.read careplan.read analytics.read crm.read payment.status
Hosting Engineer dev.hosting Technology · to Technical Director	Keep the sites Dakyworld runs online, reachable and recoverable.	company.audit security.scan github.read github.issue integrations.read projects.read tasks.write
Social Designer design.social Marketing · to Growth & Content Director	Make the templates a month of posts can be built from.	design.brief image.generate content.draft client.read
Case Study Writer content.casestudy Marketing · to Growth & Content Director	Turn a finished project into a case study every number of which is true.	projects.read client.read content.draft content.factcheck content.humanise document.render analytics.read

Local Search Specialist seo.local Marketing · to Growth & Content Director	Make a business findable by the people standing near it.	company.audit content.draft audit.read lead.read client.read
Search Intent Researcher seo.keywords Marketing · to Growth & Content Director	Work out what the customers of a business actually type, and brief a page against it.	audit.read content.draft analytics.read client.read
Page Reviewer review.look Marketing · to Growth & Content Director	Look at what a page actually looks like, and say what a first-time visitor takes from it.	site.look audit.read demo.read lead.read client.read
Follow-up Writer outreach.followup Revenue · to Outbound Communications Manager	Write the follow-ups to a message that got no reply, and know which ones not to send.	lead.read audit.read email.draft email.polish content.humanise suppression.check demo.read analytics.read message.reach message.draft whatsapp.link email.send
Mail Room mail.room Client Success · to Client Success Director	Make sure every message that arrives is in front of the person or agent who owns it, the same day it lands.	inbox.read inbox.route inbox.handled lead.read client.read email.draft

read only

 runs at any level

outward

 needs level 3

spends

 needs level 4

Every tool, and what it costs to be wrong

The full catalogue. **Outward** means a call is visible to somebody outside the company and needs level 3. **Spends** means it charges money and needs level 4. Anything unmarked is read-only and runs at any level.

KEY	WHAT IT DOES	NEEDS	GATE
PIPELINE			
Lead.read	List or look up leads, with their score, status and contact details.	None — the app's own data	read only
Lead.update	Change a lead's status, score, notes or estimated value. Never deletes and never rewrites contact details.	None — the app's own data	preview
Lead.prepare	Researches a lead from live sources, fills the blanks their scrape left, checks their site and mail domain, and photographs their homepage. What an email has to be written from.	models	spends preview
Lead.prepareMany	The same as looking at one business, for many at once — and the only efficient way to do it, because the screenshots go into as few Apify runs as possible.	models	spends preview
capture.plan	Read an instruction like “dental clinics in Kumasi” and say what would be captured. Costs nothing and runs nothing.	Anthropic key	spends
capture.cost	What a capture would cost at Apify's published rates, before anything runs.	Apify token	read only
capture.run	Start a configured lead source on Apify. Spends money on every call.	Apify token	spends preview
capture.spend	This month's Apify spend against the budget, so an agent can say no before the budget does.	Apify token	read only
CLIENTS			
client.read	Clients, their contacts, and what is live for each of them.	None — the app's own data	read only
crm.read	Counts by stage across leads, proposals and projects — the shape of the pipeline in one call.	None — the app's own data	read only
DELIVERY			

projects.read	Projects with their milestones, tasks and assignments.	None — the app's own data	read only
tasks.write	Add a task to a project, or move an existing one. Internal only — nobody outside sees it.	None — the app's own data	preview
time.read	Hours logged, by project or by person, for capacity and for retainer overage.	None — the app's own data	read only
MONEY			
finance.read	Invoices, what is overdue, and what has been paid.	None — the app's own data	read only
careplan.read	Retainers: tier, fee, included hours, next billing date and health.	None — the app's own data	read only
analytics.read	Revenue, recurring revenue, pipeline value and what the agents have spent, computed from source records.	None — the app's own data	read only
payment.Link	Opens a Paystack payment page for an invoice and puts the link on the record. The client can pay by card, mobile money or bank transfer. Use this when they are comfortable paying on the web, or when you are putting a link in an email.	paystack	outward preview
payment.momo	Opens a Hubtel checkout for an invoice, so the client can pay from the phone they already have open. Use this where a hosted web page is the wrong ask — which for a great many small businesses here it is.	hubtel	outward preview
payment.status	Asks the provider directly whether an invoice has been paid, and marks it paid if it has. Reading only — it never asks anybody for money.	None — the app's own data	read only
COMMUNICATION			
email.draft	Write an email into the outbox as a draft. Nothing leaves until it is sent.	A mailbox	read only
email.send	Sends a drafted email. This one actually reaches a person.	A mailbox	outward preview
sequence.enrol	Puts a lead or client into an email sequence. The sequence sends on its own schedule afterwards.	A mailbox	outward preview
suppression.check	Whether an address has unsubscribed, bounced or complained. Always call before writing to anyone.	None — the app's own data	read only
sequence.stop	Stops every sequence running at a lead or client — what happens the moment they reply.	None — the app's own data	read only

inbox.read	What has arrived: one message in full, a whole conversation, or everything nobody has dealt with yet. Read this before answering anybody — it is the only place a reply they sent actually is.	None — the app's own data	read only
inbox.route	Give one message to the agent whose job it is, with a sentence saying why. Search the roster with findAgent first — handing work to the wrong colleague is worse than leaving it for a person.	None — the app's own data	read only
inbox.handled	Say a message has been dealt with, and how. A message nobody closes stays on the Inbox screen for ever, which is deliberate — that screen is the list of what is still owed a reply.	None — the app's own data	read only
slack.send	Internal alerting and escalation. Goes to the team, not to a client.	Slack	preview
message.reach	Says which channel a lead can actually be reached on — email, WhatsApp, a text — and why. Reading only. Ask this before writing anything, because it is the difference between an email nobody can receive and a message that lands.	None — the app's own data	read only
message.draft	Writes a short message for a phone, from what is on the record. Returns the words and never sends them. Forty words on WhatsApp, fewer by text — a message on somebody's phone is not a shorter email.	models	spends
whatsapp.send	Sends one WhatsApp message. Inside 24 hours of their last reply it carries what you wrote; outside it, only a template Meta approved in advance — name one, or use whatsapp.link instead and let a person send it.	whatsapp	outward spends preview
whatsapp.link	Writes the message and returns a wa.me link a person opens and sends from their own WhatsApp. No template approval, no fee, and it arrives from a human being rather than a brand — which is what a small business here actually replies to. Nothing is sent by this tool.	None — the app's own data	read only
whatsapp.templates	The templates Meta has approved, with how many variables each takes. Outside the 24-hour window these are the only things that can be sent, so read this before writing a first WhatsApp to anybody.	whatsapp	read only

sms.send	Sends one SMS. For a payment reminder or an appointment confirmation — the things that get read. Costs money per 160 characters and cannot be recalled, so it is the last resort, not the first: check message.reach before reaching for it.	hubtelSms	outward	spends	preview
-----------------	--	-----------	---------	--------	---------

RESEARCH

company.audit	Fetches a prospect's site and checks DNS, mail records and TLS. The evidence a proposal argues from.	None — the app's own data	read only		
site.look	Photographs a homepage and says what a first-time visitor actually sees — the half of a site review that reading the markup cannot answer.	Apify token	spends	preview	
audit.website	Four reviewers over one site — UI/UX, speed and findability, content, security — compiled into one report, with the findings drawn onto a screenshot of the homepage. Produces a branded PDF and a Markdown copy.	Apify token	spends	preview	
audit.read	What the audit team found on a site, as the Markdown report — the evidence an email or a proposal argues from.	None — the app's own data	read only		
github.read	Repositories, recent commits and open issues — deployment and delivery context.	GitHub token	read only		
github.issue	Raises an issue on a repository. The only thing an agent may write to GitHub.	GitHub token	outward	preview	
security.scan	The security half of a company audit: TLS, mail authentication, DNS and exposed platform details.	None — the app's own data	read only		

OPERATIONS

calendar.read	What is booked, and which parts of a window are free.	Google + calendar scope	read only		
calendar.write	Creates a calendar event. Invitees are emailed by Google, so this reaches people.	Google + calendar scope	outward	preview	
webhooks.read	What other systems have sent us, and whether it was acted on.	None — the app's own data	read only		
repo.read	Lists a folder in a repository, or reads one file. For understanding a codebase before proposing a change to it.	GitHub token	read only		
repo.create	Opens a new private repository, for a client project that is starting.	GitHub token	outward	preview	

code.propose	Opens a branch, commits a set of files to it, and raises a pull request explaining the change. Changes nothing that is live — merging is a separate decision a person makes.	GitHub token	preview
code.merge	Merges a pull request. On this repository that deploys to production, so it always needs a person to approve it.	GitHub token	outward preview
webhook.dispatch	Posts a signed event to another system. Leaves the building, so it is dry-run gated.	None — self-configuring	outward preview
agents.read	Which agents exist, what they may do, and what their calls have cost.	None — the app's own data	read only
integrations.read	Which integrations are connected and which are waiting on a key — what the agents can actually reach.	None — the app's own data	read only
agent.gaps	Every craft an agent has said Dakyworld does not have, and how many separate agents have asked for it.	None — the app's own data	read only
agent.roster	Who already does a kind of work, matched on what they are good at rather than on a tool key. The check before proposing a hire.	None — the app's own data	read only
agent.hire	Files a complete design for a new agent. It does NOT create one — the Owner approves it in Slack, or the standing hiring policy does. Nothing exists until then.	None — the app's own data	preview
agent.closeGap	Records that a reported gap is not a new agent — the work belongs to somebody who already exists, or Dakyworld does not do it.	None — the app's own data	preview
DOCUMENTS			
proposal.draft	Writes a proposal from the audit and the record, into the pipeline as a draft. Nothing is sent.	Anthropic key	spends
invoice.draft	Creates an invoice in DRAFT against a client. Never sends it and never charges anything.	None — the app's own data	preview
content.draft	Writes marketing or client-facing copy in Dakyworld's voice. A draft for a person to approve, never published.	models	spends
content.factcheck	Reads a draft against live sources and says which claims still hold, which have gone stale, and which cannot be evidenced at all.	models	spends

<code>content.humanise</code>	Rewrites a draft so it reads like a person wrote it and lands on one reading. Keeps every fact; changes only how it is said.	models	spends	
<code>document.render</code>	Turns a proposal or an invoice into a branded PDF and returns its size and where it went.	None — the app's own data	read only	
<code>email.polish</code>	The last read before a person sees a draft: makes it sound like somebody wrote it, keeps every fact exactly as it was, and says whether the email actually does its job.	models	spends	
STUDIO				
<code>design.brief</code>	Turns a request for artwork into a brief a designer can work from: purpose, audience, sizes, hierarchy, colour and the exact copy.	Anthropic key	read only	
<code>video.plan</code>	Turns raw footage and an objective into an edit plan: structure, shot list, on-screen text, captions, music direction and the cut per platform.	Anthropic key	read only	
<code>ad.concept</code>	Paid-social concepts: the hook, the visual, the primary text, the headline and the call to action, sized per platform.	Anthropic key	read only	
<code>web.page</code>	Produces a complete, self-contained HTML page on the brand design system — the thing a developer opens and edits rather than starts from nothing.	models	read only	
<code>image.generate</code>	Makes a picture. Goes to ChatGPT when a key is set, and to a connected MCP image server otherwise.	models	spends	preview
<code>demo.build</code>	Builds a landing page for one prospect — their name, trade and services — from what the scan found, against design references from real published work. Hosted at /demos/<slug>.	models	outward	spends preview
<code>demo.read</code>	What has been built for whom, whether the link has gone out, and whether they opened it.	None — the app's own data	read only	

69 tools in code. 12 reach outside the company; 16 spend money. Connected MCP servers add more, under the same gates.

Adding a tool

Two ways, and they are deliberately different. **In code** — one entry in the catalogue, which inherits the permission model, the audit trail and both screens by existing. **By connection** — an MCP server, whose tools join the same catalogue as `mcp.<server>.<tool>` and pass every gate above on identical terms. What a tool *does* stays reviewable in a diff; which servers are trusted, and how far, is yours to set.