







Title			REFERENCE.SchDoc	
Size	Number	Revision		
Tabloid		3.0		
Date:	1-22-2026	Sheet1 of 9		
File:	C:\Users\...\REFERENCE.SchDoc	Drawn By:	ADUDLEY	




Title		
GLV_POWER.SchDoc		
Size	Number	Revision
Letter		2.1
Date:	1-22-2026	Sheet 3 of 9
File:	C:\Users\...\GLV_POWER.SchDoc	Drawn By: ADUDLEY




Title		
CANBUS.SchDoc		
Size	Number	Revision
Letter		*
Date:	1-22-2026	Sheet5 of 9
File:	C:\Users\...\CANBUS.SchDoc	Drawn By: *



Title CONN.SchDoc		
Size Letter	Number	Revision *
Date: 1-22-2026		Sheet 6 of 9
File: C:\Users\...\CONN.SchDoc		Drawn By: *






R _{SET} [kΩ]	Variable Over Current Limit (I _{LIMSET}) [A]		
	Min	Typ	Max
7.5	7.78	11.39	15.00
10	6.95	10.17	13.39
20	4.82	7.06	9.30
33	3.50	5.13	6.76
47	2.80	4.10	5.40
75	1.98	2.90	3.81
100	1.61	2.36	3.10
150	1.19	1.74	2.29
220	0.78	1.30	1.82
330	0.51	1.01	1.52

Title		
BV2HD045EFU-C.SchDoc		
Size	Number	Revision
Letter		*
Date:	1-22-2026	Sheet8 of 9
File:	C:\Users\...\BV2HD045EFU-C.SchDoc	Drawn By: *

△ BMS WDT - MUST PULSE ONCE EVERY 100 ms
IF A PULSE IS OUTSIDE WINDOW. WDPO IS
PULLED LOW FOR 1 ms



Title WDT.SchDoc		
Size Letter	Number	Revision *
Date:	1-22-2026	Sheet 9 of 9
File:	C:\Users\...\WDT.SchDoc	Drawn By: *