## Project 5: Payroll (Part 1)

CS 1410

## Background

In this project you will implement a simple payroll system. For the first part of the assignment, you will submit a UML class diagram.

The hypothetical company we are considering has 3 classifications of employees:

- 1. Hourly
- 2. Salaried
- Commissioned

There are 24 pay periods per year;  $1/24^{th}$  of a salary is paid each pay period to employees who receive a salary. We won't worry about taxes and other deductions for this assignment.

Hourly employees are simply paid their hourly rate times their hours worked for that pay period. We won't worry about overtime.

Salaried employees are simply paid 1/24<sup>th</sup> of their salary.

Commissioned employees are Salaried employees, but also receive an additional payment of their total sales times their commission rate.

Employees can have their classifications **changed** during their employment.

Payment is distributed in two ways:

- 1. Direct transfer to a bank account
- 2. Receiving a check by mail

Employees can change their desired payment method at any time.

We will simulate issuing payment by just writing text to a file. The important part of this project is the object-oriented **design**. You will do this assignment in two parts:

- 1. Submit a UML class design document for your classes.
- 2. For Part 2, submit a source file, *payroll.py*, with your implementation.

## Requirements (Part 1)

Employee objects have the following required attributes:

emp\_id: stringname: stringaddress: string

city: stringstate: stringzipcode: string

classification: a concrete instance of either Hourly, Salaried, or Commissioned

• paymethod: a concrete instance of either DirectMethod or MailMethod

The CRC cards in the file CRCPayroll.pdf provide information to help design your solution.

The following data files are provided:

- employees.csv
- timecards.txt
- receipts.txt

The **csv** file is a text file containing employee attributes, separated by commas. Here are the first few lines:

```
ID, Name, Address, City, State, Zip, Classification, PayMethod, Salary, Hourly, Commission, Route, Account 688997, Karina Gay, 998 Vitae St., Atlanta, GA, 45169, 1, 1, 45884.99, 46.92, 34, 30417353-K, 465794-3611 522759, Tashya D. Snow, 2624 Hendrerit St., College, AK, 99789, 2, 2, 50005.50, 68.13, 25, 36644938-8, 244269-0000 983010, Jolene Burgess, P.O. Box 873, South Burlington, VT, 32036, 2, 2, 20042.77, 40.17, 23, 15300058-1, 828625-2906 939825, Yoko M. Pitts, 4825 Nec Ave, Meridian, ID, 45614, 1, 1, 35251.89, 46.64, 13, 44553589-3, 785957-2104 379767, Jin W. Morrison, 8628 Id St., Milwaukee, WI, 80356, 3, 1, 64467.10, 82.98, 33, 21038669-6, 654904-8491 ...
```

This file must be read carefully. The first employee, Karina Gay with ID '688997', is an hourly employee (classification = 1) and receives her pay by direct deposit (paymethod = 1). TaSha D. Snow is salaried (classification = 2) and has her check mailed to her address (paymethod = 2). Jin Morrison is commissioned (classification = 3) and on direct deposit.

Not all of the last 5 attributes are used for each employee. For example, for Karina, only the hourly rate, route (bank routing number) and account attributes are used; the hourly rate is stored in her Hourly classification attribute and the bank routing and account numbers are stored in her DirectMethod paymethod attibute. For TaSha, only the Salary field is stored in her Salaried classification object. All classification and paymethod objects contain a reference to the Employee object so the employee's information is available when payroll is run. Do not use a CSV module to process this file; just use split.

Here is the main program you should use (also appears in the file p5.py in Canvas; use it as-is):

```
from payroll import *
import shutil

def main():
    load_employees()
    process_timecards()
    process_receipts()
    run_payroll()

# Save copy of payroll file; delete old file
    shutil.copyfile(PAY_LOGFILE, 'paylog_old.txt')
    if os.path.exists(PAY_LOGFILE):
        os.remove(PAY_LOGFILE)
```

```
# Change Karina Gay to Salaried and MailMethod by changing her Employee object:
    emp = find_employee_by_id('688997')
    emp.make_salaried(4\overline{5}88\overline{4}.99)
    emp.mail method()
    emp.issue payment()
    # Change TaShya Snow to Commissioned and DirectMethod; add some receipts
    emp = find_employee_by_id('522759')
    emp.make_commissioned(50005.50, 25)
    emp.direct_method('30417353-K', '465794-3611')
    clas = emp.classification
    clas.add_receipt(1109.73)
    clas.add receipt (746.10)
    emp.issue_payment()
    # Change Rooney Alvarado to Hourly; add some hour entries
    emp = find_employee_by_id('165966')
    emp.make_hourly(21.53)
    clas = emp.classification
    clas.add_timecard(8.0)
    clas.add_timecard(8.0)
    clas.add_timecard(8.0)
    clas.add_timecard(8.0)
clas.add_timecard(8.0)
    emp.issue_payment()
if __name__ == '__main___':
    main()
```

The functions called from main are defined outside of any class at the module level.

The **load\_employees** function reads the contents of *employees.csv* and creates a list of employees at the module level, populating each Employee instance with the correct type of Classification and PayMethod. The list of employees needs to be available in multiple functions, hence it must be at the module level.

The **process\_timecards** function reads *timecards.txt* and adds each hourly record to a list of floats representing the hours worked in the Hourly employee's Hourly classification object. The timecards.txt file contains the IDs of hourly employees and their timecard entries:

```
\begin{array}{c} 688997, 5.0, 6.8, 8.0, 7.7, 6.6, 5.2, 7.1, 4.0, 7.5, 7.6 \\ 939825, 7.9, 6.6, 6.8, 7.4, 6.4, 5.1, 6.7, 7.3, 6.8, 4.1 \\ 900100, 5.1, 6.8, 5.0, 6.6, 7.7, 5.1, 7.5 \\ 969829, 6.4, 6.6, 4.4, 5.0, 7.1, 7.1, 4.1, 6.5 \\ 283809, 7.2, 5.8, 7.6, 5.3, 6.4, 4.6, 6.4, 5.0, 7.5 \\ 224568, 5.2, 6.9, 4.2, 6.4, 5.3, 6.8, 4.4 \\ 163695, 4.8, 7.2, 7.2, 4.7, 5.1, 7.3, 7.5, 4.5, 4.6, 7.0 \\ 454912, 5.5, 5.3, 4.5, 4.3, 5.5 \\ 285767, 7.5, 6.5, 6.3, 4.7, 6.8, 7.1, 6.6, 6.6 \\ 674261, 7.2, 6.2, 4.9, 6.5, 7.2, 7.5, 5.0, 7.9 \\ 426824, 7.4, 6.5, 5.7, 8.0, 6.9, 7.5, 6.5, 7.5 \\ 934003, 5.8, 7.5, 5.8, 4.8, 5.9, 4.8, 4.0, 6.6, 5.5, 7.2 \\ \dots \end{array}
```

The **process\_receipts** function behaves analogously for Commissioned employees using the file *receipts.txt*:

```
165966,241.34,146.55,237.48,96.37
379767,128.80,121.98,66.99,168.72
265154,240.20,83.69,52.31,77.29,142.12
160769,63.02,163.42,140.06,84.15
```

## Implementation Notes

This is the most complex and most important project of the semester. Plan your time wisely. You will spend most of your in the implementation, so finish your UML class diagram early. The CRC cards above will help you, as will the functions and methods illustrated in **main** above.