RPI Computer Science (2) > Submitty > Database Systems (2) > Lecture 3 Exercise























New submission for: Lecture 3 Exercise
Due: 09/10/2021 @ 04:45 AM CST (Local Time)

09/09/2021 @ 04:45 PM EDT (Server Time)

Gradeable Time Remaining: 01 days 21 hours

You are given the following datamodel to be used in all the following questions.

Books may have no authors, single or multiple authors. Not all books are edited but edited books may have single or multiple editors.

Person relation includes all authors and editors, no one else.:

Person(personid, name, dateofbirth) (key: id)

Books(bookisbn, title, publisher, year) (key: bookisbn)

BookAuthors(personid, bookisbn) (key: personid, bookisbn)

BookEditors(personid, bookisbn) (key: personid, bookisbn)

Which relational algebra expressions find name of people who have authored a book in year 2021?
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. project_{name} (Person join_{personid=personid} T1 join_{bookisbn=bookisbn} (select_{year=2021} (Books))) T1(personid1, bookisbn1) = BookAuthors,
project_{name} (Person intersect T1 intersect (select_{year=2021} (Books)) T1(personid1, bookisbn1) = BookAuthors, project_{name} (select_{personid=personid1} and bookisbn=bookisbn1 and year=2021} (Person x T1 x Books))
project_{name} (Person * BookAuthors * (select_{year=2021} (Books)))
<pre>project_{name} (select_{year=2021} (Person * BookAuthors * Books))</pre>
(project_{name} (Person)) * BookAuthors * (select_{year=2021} (Books))
<pre>project_{name} (Person x select_{year=2021}(BookAuthors * Books) T1(personid1, bookisbn1) = BookAuthors, project_{name} (Person join_{personid=personid1} T1 join_{bookisbn1=bookisbn} (select_{year=2021} (Books)))</pre>
project_{name} (select_{year=2021} (Person) * BookAuthors * Books))
None of the other choices
Clear Use Most Recent Submission

第2页 共6页 2021/9/7 19:42

Which relational algebra expressions find title of books with an author and an editor (not necessarily the same person)?
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it.
For full credit, you need to select all correct options.
T1 = project_{bookisbn} (BookAuthors intersect BookEditors), project_{title} (Books * T1)
T1(bookisbn1) = project_{bookisbn} (BookAuthors union BookEditors),
project_{title} (select_{bookisbn1=bookisbn) (Books x T1))
None of the other choices
<pre>project_{bookisbn}(Books) intersect (project_{bookisbn}(BookAuthors) intersect project_{bookisbn}(BookEditors)), project_{title} (Books * T1)</pre>
T1(personid1,bookisbn1) = BookAuthors intersect BookEditors, project_{title} (select_{bookisbn1=bookisbn} (T1 x Books))
<pre>project_{title} (Books * BookAuthors * BookEditors)</pre>
T1(bookisbn1) = project_{bookisbn} (BookAuthors) intersect
✓ project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn1=bookisbn} T1)
T1 = project_{bookisbn}(Books) - (project_{bookisbn}(BookAuthors) intersect
project_{bookisbn}(BookEditors)), project_{title} (Books * T1)
Clear Use Most Recent Submission
OSC FIOSC RECEIPE SUBTRISSION
Which relational algebra expressions find title of books that have no editors?
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it.
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options.
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it.
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor),
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors),
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn}) T1)
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn<>>bookisbn1} T1) None of the other choices
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn} T1) None of the other choices project_{title} (Books - BookEditors)
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn}, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn}, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn}) T1) None of the other choices project_{title} (Books - BookEditors) project_{title} (Books join_{bookisbn}) BookEditors)
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn} > bookisbn1) T1) None of the other choices project_{title} (Books - BookEditors) project_{title} (Books join_{bookisbn} > bookisbn) BookEditors) project_{title} (Books intersect BookEditors)
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn}, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn}, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn}) T1) None of the other choices project_{title} (Books - BookEditors) project_{title} (Books join_{bookisbn}) BookEditors)
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn<>bookisbn1} T1) None of the other choices project_{title} (Books - BookEditors) project_{title} (Books join_{bookisbn}>bookisbn} BookEditors) T1 = (project_{bookisbn} (Books)) - (project_{bookisbn}) (BookEditors)), project_{title} (Books * T1) T1(personid,bookisbn1) = BookEditors,
Be careful, some answers may contain wrong SQL syntax or logic below. Don't fall for it. For full credit, you need to select all correct options. T1 = project_{bookisbn, title, publisher, year} (Books * BookAuthor), Books - T1 T1 = project_{bookisbn, title, publisher, year} (Books * BookEditor), Books - T1 T1(bookisbn1) = project_{bookisbn} (BookEditors), project_{title} (Books join_{bookisbn<>bookisbn1} T1) None of the other choices project_{title} (Books - BookEditors) project_{title} (Books join_{bookisbn} BookEditors) project_{title} (Books intersect BookEditors) T1 = (project_{bookisbn} (Books)) - (project_{bookisbn} (BookEditors)), project_{title} (Books * T1)

第3页 共6页 2021/9/7 19:42

Policy | Email Admin

Ву click "Sub you are confi that you have read $und\epsilon$ and agre to follo the Acaa Integ Polic

Sel€ Sub Vers ۷ŧ Do Note This vers of your assig will be graa by the instr and

> the score

第4页 共6页 2021/9/7 19:42

reco in the graa Subi Files l 3 e x _ 1. t (0. 0 1 k b) l 3 e x -2. t (0. 0 0 k b) l 3 e x -3. t (0. 0 0 k b)

 D o W n l o a l l f i l e s: Firs tim Sub tim Day late Gra tim Qu€ wai tim Gra acci dur

> No Autc for this Grac