

PioDeploy Developer Knowledge Base

developerkbr — every page, what we added, and why. Companion to the User Guide (which explains *how to use*; this explains *what exists and the reasoning behind it*).

Generated 2026-07-20 · covers the platform through commit 64ac326

Contents

- | | |
|------------------------------|-------------------------------|
| 1. Marketing site | 10. Deployments & Bulk deploy |
| 2. Authentication & security | 11. Software Policies |
| 3. Dashboard | 12. Browser Policies |
| 4. Clients | 13. Reports |
| 5. Projects & enrolment | 14. Billing (customer side) |
| 6. Computers — list | 15. Billing (admin side) |
| 7. Computer — detail page | 16. Administration |
| 8. Device Groups | 17. The agent |
| 9. Packages | 18. Under the hood |

1. Marketing site (public)

WHAT	WHY WE ADDED IT
Home page	Animated hero, live-feel dashboard mock, testimonials, comparison table, FAQ with internal/outbound links. The conversion funnel starts here; every section pushes toward Pricing → Request access.
/features page	Was only a home-page anchor; a dedicated page is SEO-indexable, gives every capability its own copy, and ends in the same CTA. Six capability areas + the full 28-item grid.
/pricing	Four headline plan cards (20/50/100/250) instead of seven — one clean row; larger fleets use the calculator + Enterprise quote form so nothing is lost. "Payments secured by Stripe" line answers the card-safety objection at the decision point.
/about	The origin story builds trust; a fragile animated grid was replaced by a plain three-number stat strip after it rendered broken.
/get-started	Accounts are provisioned by staff (no self-service signup) so tenants start correctly; the "What happens next" 3-step section sets expectations after submitting.
SEO layer	sitemap.xml + robots.txt (served by routes so URLs follow APP_URL), canonical/Open Graph/Twitter tags, JSON-LD (Organization, SoftwareApplication, FAQPage), branded 1200×630 og-image. Without these, shared links were bare URLs and Google indexed the app pages.
Logo lockups	Wordmark reads PioDeploy (capitalised in the SVGs), sized 50px header / 44px footer; image URLs carry <code>?v=</code> because browsers cache SVGs by exact URL.

2. Authentication & security

WHAT	WHY WE ADDED IT
Jetstream login + profile	Standard hardened auth; public registration is intentionally disabled — staff create accounts, so tenancy is always set up correctly.
Two-factor (profile)	Authenticator-app 2FA with recovery codes shipped with Jetstream; we surfaced it because nobody found it.
Require-2FA setting	Settings → Security: off / staff / everyone. Middleware routes unenrolled users to their profile with a banner; profile + 2FA + logout routes stay reachable so enrolment can never dead-lock. Default off so deploying changes nothing.
2FA column on Users	An admin needs fleet-wide visibility of who is enrolled before flipping enforcement on.

3. Dashboard

WHAT	WHY WE ADDED IT
Online / offline tiles	Heartbeat-derived (threshold configurable in Settings). The first thing an MSP checks.
Agents outdated card	Old agents caused real failures (broken winget scan → install loops). Counts machines behind <code>CURRENT_AGENT_VERSION</code> , deep-links to the filtered Computers list. Replaced a hardcoded version check that had silently gone stale.
Updates waiting (by package)	One update across sixty machines is one decision, not sixty rows — folded per package.
Browser-policy widget, fleet-by-client, deployments chart	Compliance posture and job health at a glance; each links into its detail page.
Unpaid-subscription banner	Site-wide amber (past due) or red (suspended) bar for staff until the card is fixed — part of the dunning loop. Client-portal users never see it.

4. Clients

WHAT	WHY WE ADDED IT
Client list + CRUD, CSV import/export	The MSP's customer registry; every project, machine and policy hangs off a client.
PDF link (per row)	Downloads a branded compliance report for that client — fleet overview, software/browser policy compliance, 30-day deployment activity, machine list. Built for attaching to the monthly invoice; rendered with dompdf; every query is scoped through the client's projects so cross-tenant leakage is structurally impossible.
Monthly checkbox (per row)	Opt-in per client: when ticked, <code>reports:client-compliance</code> emails that client's portal users the PDF on the 1st of each month at 07:00. Default off for every client so enabling the feature changes nothing until you choose. This is the row highlighted in your screenshot.
Client-portal scoping	Client-role users see only their own projects/machines, read-only, with their own dashboard and a self-service compliance-PDF button.

5. Projects & enrolment

WHAT	WHY WE ADDED IT
Projects	The unit of targeting: policies, browser policies and bulk deploys aim at a project; computers belong to one.
Enrolment page (per project)	One PowerShell script per project (GPO / Intune / RMM / manual tabs) with the API key baked in; the script self-heals prerequisites (execution policy, VC++ runtime, winget-as-SYSTEM) because real fleets are messy.

6. Computers — list

WHAT	WHY WE ADDED IT
Search + client/project/connectivity filters	Finding one machine in a fleet fast (hostname, serial, IP, MAC).
Agent column + "Update available" badge	Stale agents were invisible before; the badge explains itself (self-update on next check-in).
Agent-version filter (outdated / up to date)	URL-bound (<code>?agentStatus=outdated</code>) so the dashboard card deep-links straight to the machines that need attention.
Soft-delete + restore	A deleted machine that reports again is revived automatically — agents outlive portal bookkeeping.

7. Computer — detail page

WHAT	WHY WE ADDED IT
Health checks	Derived warnings (never reported, offline > a day, low disk, secure boot off) — MSP triage without digging.
Assignment panel	Shows agent version as "1.0.20 — update available (latest 1.4.0)" against the real latest, not a hardcoded number.
Quick deploy panel	One-off jobs without a policy. The action list adapts to the package type (no Rollback on MSI, no Remove on portable), the button states the outcome before the click ("Upgrade 138 → 141", "Up to date"), and Force is the explicit escape hatch.
One-click "Roll back to X"	Every job snapshots <code>installed_version_before</code> ; when history knows the last good version, rolling back is one click instead of a version hunt. winget/Chocolatey only — binary installers can't fetch old versions, and we refuse to pretend otherwise.
Installed software (patch table)	Application / Installed / Latest / Update required (Yes-No badge) / Status — the patch-management layout operators know. Opens on Deployed by PioDeploy because the first question is "what did WE put here?". Update now → on outdated catalogue apps queues the update through the guarded path.
Software status (per policy, in words)	Answers "so why isn't it installed?" when there is no job to point at ("waiting for maintenance window", "ring eligible in 2 hours" ...).
Deployment log — collapsed	Every attempt with the agent's own output; collapsed by default with an attempt count because it grows long and is a drill-down, not a summary.

8. Device Groups

WHAT	WHY WE ADDED IT
Groups (Fleet → Device Groups)	A hand-picked set of machines that cuts across clients and projects (finance machines, kiosks, pilot rings). A "device tag" is simply membership of a group. Staff-only — grouping is cross-tenant by nature.
Why not Sites/Departments?	They don't exist anywhere in the platform's data model; inventing them only for policies would create orphan concepts. Groups deliver the same targeting power without a platform-wide re-model.

9. Packages

WHAT	WHY WE ADDED IT
Catalogue (~120 seeded + custom)	The approved-software list: winget/Chocolatey ids resolve from their repos; MSI/EXE/MSIX/ZIP carry an installer URL + SHA-256 the agent verifies before executing anything.
Capability matrix	<code>InstallerType::supports(action)</code> is the single source of truth for what each type can do (rollback: winget/choco only; uninstall: +MSI). The UI, the queue guard and the policy engine all consult it, so a doomed job can't be created from any door.

10. Deployments & Bulk deploy

WHAT	WHY WE ADDED IT
Deployments list	Live queue + history; repeats of the same task fold into one row with a ×N badge; failed jobs carry a translated failure hint (exit-code → plain English).
Bulk deploy	One package across a whole project (optional ring filter for staged rollouts) with a live target count. Fans out over the same guarded queue, so satisfied machines are skipped and in-flight duplicates collapse — a summary line, not a pile of noise. Rollback is excluded because each machine's previous version differs.

11. Software Policies

WHAT	WHY WE ADDED IT
Desired state (Install / Auto update / Force update / Remove / Block)	Say what the fleet should look like; the agent makes it so and keeps it that way. Modes: Enforce or Audit (report only).
Version modes (Latest / Exact / Minimum / Freeze)	Exact/Freeze can mean a downgrade — the agent runs it as a version-pinned reinstall on package managers; on binary types the policy engine honestly reinstalls current instead of queueing an impossible rollback.
Windows, frequency, rings	Maintenance windows and Pilot→Test→Production rings, because 2 a.m. Saturday and staged rollouts are how real fleets change.
Install-loop guards	Field bug: blind-scan agents (can't run winget as SYSTEM) reported no inventory, so policies reinstalled forever ("Install ×17"). Two fixes: a machine reporting <i>nothing</i> from a manager counts a succeeded PioDeploy install as present; and installs are paced to one successful attempt per frequency window regardless.
Batch enforcement	The 5-minute pass asked the DB 15–20 questions per machine per policy (21,305 queries / 10.5 s at 1,000 devices). PolicyBatchContext answers them from three set-based queries per policy → 603 queries / 1.7 s. Same tests cover both paths so they can't drift.

12. Browser Policies

WHAT	WHY WE ADDED IT
Catalogue (36 policies, 19 categories)	GPO-grade browser lockdown without a domain: passwords, private browsing, autofill, sync, downloads, cookies, permissions, printing, lockdown, AI assistants (Gemini/Copilot/Leo), Edge extras, WebUSB/BT/Serial. Each policy is one enum case with a per-browser registry/policies.json map — adding one is a single case, nothing else changes. Items the platform can't honestly enforce (kiosk mode, right-click, per-user HKCU) were rejected rather than faked.
Value-typed policies	Forced homepage / new-tab URL, block-all-extensions, force-install extensions by ID (strictly validated 32-char Web Store ids). Needed agent 1.4.0's <code>registry_sz</code> / <code>registry_list</code> operation kinds; list entries are tracked individually so a shrinking list rolls back exactly the stale numbers.
Assignment scopes + inheritance	All machines / Client / Project / Device group / Single computer. Same-type overlaps resolve by specificity — Computer > Group > Project > Client > All — so "block incognito company-wide, allow for the Developers group" just works. Exclusions still override everything. Existing project policies migrated byte-for-byte.
Templates (7 built-in + custom)	High Security, Standard Office, Developer, Kiosk, Finance, Healthcare, Education — code-defined so they need no seeding and can only reference real catalogue types. Apply skips types the target already has; capture any project as a custom template.
Compliance dashboard	"Are we protected, and where not?" — fleet %, per-policy bars, an only-problems filter, and a failing-machines list carrying the agent's own error detail. Tenant-lensed: shared policies count a client's own machines only.
Import / export	Versioned JSON that round-trips values and browser scopes; import becomes a custom template, unknown types are skipped and counted, never silently lost.

13. Reports

WHAT	WHY WE ADDED IT
Compliance / Deployments / Computers (CSV)	The exportable views for evidence and spreadsheets.
Client compliance PDF	See Clients (\$4) — the on-demand and monthly branded report.

14. Billing — customer side

WHAT	WHY WE ADDED IT
Plans + calculator + enterprise quotes	Per-endpoint pricing; <code>PricingService</code> is the single authoritative engine (the JS calculator only mirrors it).
Trial with card verification	14 days via Stripe <code>SetupIntent</code> — the card never touches our server; prepaid cards are rejected to keep trial abuse down.
Subscription page	Swap/cancel/resume/pause; status is always <i>derived</i> from Stripe's local mirror, never guessed.
Invoices	Downloads redirect to Stripe's hosted PDF — no <code>dompdf</code> here, Stripe's document is the authoritative one.
Dunning	Stripe retries fire a failure email each attempt; after Stripe gives up, <code>billing:dunning-reminders</code> nudges every 3 days; the site-wide banner keeps it visible; a successful payment resets everything.

15. Billing — admin side

WHAT	WHY WE ADDED IT
Billing overview	MRR/ARR/churn/LTV + payment log + CSV export.
Webhooks monitor	Every Stripe event with verify/idempotency status and a Retry button — webhook debugging without SSH.
Coupons + Affiliates	Growth levers: Stripe-backed coupons with local validation; referral links, commission accrual on paid invoices, payout requests (race-safe via row locks).
Billing settings	Stripe keys entered in the portal (encrypted, write-only fields), webhook secret, tax toggle — no <code>.env</code> editing over SSH.

16. Administration

WHAT	WHY WE ADDED IT
Users / Roles matrix	Spatie permissions behind a tick-box matrix; Client-role accounts are hard-bound to a client.
Settings	Operational knobs (heartbeat threshold, retries, backoff, retention, 2FA requirement) — editable live, no redeploy.
Email (SMTP)	Provider presets + "Send test email", because saving proves nothing and sending does.
Content editor	Marketing copy (hero, CTA, taglines) editable in-portal with reset-to-default.
Activity log	Spatie activity log across sensitive actions; retention pruned nightly.
Impersonation	Support tool with a loud banner and a one-click leave.

17. The agent (.NET 8, v1.4.0)

WHAT	WHY WE ADDED IT
Silent SYSTEM service	Registers, heartbeats, reports inventory, claims jobs, applies browser policies — no user ever sees a window.
Checksum gate	A downloaded binary that doesn't match its catalogue SHA-256 is never executed.
Browser-policy manifest	Everything the agent wrote is recorded locally; anything the server no longer wants is rolled back on the next run — deleting a policy undoes it automatically.
Self-update	The heartbeat advertises the latest version; agents upgrade themselves. The server must have the new bundle <i>published</i> or the fleet stays put — the dashboard card shows the spread.

18. Under the hood

WHAT	WHY WE ADDED IT
Guarded job queue	<code>queueIfNeeded</code> refuses unsupported action/type combos, collapses in-flight duplicates, and skips satisfied machines — every door (quick deploy, bulk, policies, API) goes through it.
Scheduler	<code>policies:enforce</code> 5-min, offline check 15-min, drift digest + log prune nightly, trial reminders 09:00, dunning 09:30, client reports monthly. One crontab line runs it all.
perf:bench	Seeds a synthetic fleet (bench-named DB only) and times the hot paths with query counts — so performance claims are measured, not guessed. See docs/PERFORMANCE.md.
Test discipline	~720 PHP + 73 agent tests; every feature phase shipped with tests and the guide/PDF updated in the same commit.

Reading this next to the code: most rows map 1-to-1 to a service class (`app/Services`), a Livewire component (`app/Livewire`) and a feature test (`tests/Feature`) named after the same concept. The commit history tells the same story in order — `git log --oneline` .