

LOADINGS & DESIGN INFORMATION:

ROOF COVER:
TOP CHORD LL: SANS 10160 (0.30 - 0.50)
TOP CHORD DL: ROOF COVER (0.490 kN/m²)
BOTTOM CHORD LL: (N/A)
BOTTOM CHORD DL: CEILING (0.140 kN/m²)
WIND CATEGORY:
WIND SPEED: 36 m/s
WIND LOAD: 0.453 kN/m²
ALTITUDE: 1500 m
WALLPLATE: 38 x 76 S5
TRUSS SPACING MAX.: 760 mm
BATTEN/PURLIN SPACING: 319.999992847443 mm
Name Quantity
WireNail 3.2 x 75 80

CLIENT: CUSTOMER

DETAILS:

6 no. T3 @ 671 mm 5 no. T3 @ 591 mm

PROJECT DETAILS:				
DRAWING TITLE:				
ROOF LAYOUT AND E	RECTION DETA	ILS		
		DATE:	DATE:	
DESIGNED BY:		17/04	17/04/2025	
Daley Tiley				
DRAWN BY:		DATE:		
DRAFTSMAN		//		
SCALE (mm):	CHECKED BY:		DATE:	
N. T. S.	SUPERVISOR	}	//	
DRAWING NUMBER:	SHEET:		REVISION:	
S04001-5	1 OF 1		1	
N		MILLENNIU	M ROOFING (PTY) LTD.	
			R: 2021/146018/07	
	VAT NR: 4020224160			
MILLENI	NIII INA 90	904 HAARLEM STREET, ROSEVILLE PARK ROSEVILLE, PRETORIA, 0084		
MILLENNIUM 904		TEL NR: 012 377 3553		
ROOFING		EMAIL: info@mroofing.co.za		
			WWW.MROOFING.CO.ZA	



I.T.C. REGISTRATION NO: COC_480_MIT I.T.C. CATECORY: A FABRICATOR









