ANDREW ENGLAND

CURRICULUM VITAE

Personal Details:

Date of birth:	11th July 1978	
Nationality:	British	
Work address:	Brookfield Health Sciences Complex	
	University College Cork	
	College Road	
	Cork, Ireland	
	T12 AK54	
	Mob. +44 774 3318459	
	email: a.england@ucc.ie	
Home address:	5 Chapel Lane, Warrington, WA4 4RZ	
General Education:	Woolston High School,	1989 – 1996
Professional Education:	University of Liverpool	1996 – 1999
	University of Cumbria	2001 – 2004
	University of Salford	2006
	University of Liverpool	2008 – 2014
Qualifications:	BSc (Hons) Diagnostic Radiography	1999
	MSc Medical Diagnostic Imaging	2004
	PgCert Higher Education Practice & Research	2006

PhD

Present appointment:	Senior Lecturer in Medical Imaging / Radiation Therapy University College Cork, Ireland.	2021-

Previous radiographic appointments:

06/99 – 07/99	Bank Radiographer,
08/99 – 08/01	Basic Grade Radiographer,
08/01 – 08/03	Senior II CT Radiographer,
08/03 – 05/06	Senior I (Medtronic) Research Radiographer,
01/04 – 05/06	Honorary Lecturer in Radiography,
05/06 – 07/13	Lecturer in Medical Imaging, University of Liverpool
01/11 – 07/13	NIHR Doctoral Research Fellow, National Institute for Health Research (NIHR)
08/13 - 05/20	Senior Lecturer, University of Salford
06/20 – 10/21	Senior Lecturer, Keele University

<u>Other Professional Positions</u>

President, EFRS	2022-present
Executive Board Member, EFRS	2022-present
Early Resolution Officer, SAHP, Keele Uni.	2020-2021
Health & Conduct Committee Chair, SAHP, Keele Uni.	2020-2021
SAHP Keele University – Research Committee Member	2020-present
Gulu (Uganda) Radiology Advisory Board	2020-present

England A

CoR AI and Emerging Technologies Working Group	2020-present
Uni. of Salford Health Sciences Research Ethics Panel	2018-2020
European Federation of Radiographers' Societies Educational Wing Management Team - Chair	2015-2022
Woolston Community Primary School: School Governor (Co-opted)	2013-present
School of Health & Society, University of Salford Chair ROME Committee	2019-2020
School of Health & Society, University of Salford University Research Enterprise Committee - Member	2019-2020
European Congress of Radiology Radiographers' Sub-committee Chair	2018-2019
European Congress of Radiology Radiographers' Sub-committee Member	2017-2018
Society & College of Radiographers' CoRIPS Grant Funding Panelist/Chair	2014-2019
National Institute for Health and Care Excellence: Member of Technology Committee A	2012 – 2017
Society & College of Radiographers: Member of the Research Committee	2007-2016

PUBLICATIONS

Peer reviewed articles

---

1. **England A**, Butterfield JS, Jones N, McCollum CN, Nasim A, Welch M, Ashleigh RJ. Device migration after endovascular abdominal aortic aneurysm repair: experience with a Talent stent-graft. J Vasc Interv Radiol 2004; 15:1399-1405.

2. **England A**, Buttefield JS, Ashleigh RJ. Ilio-enteric fistula treated by covered stent-graft. Eur J Vasc Endovasc Surg 2005; 29:557.

3. **England A**, Tam CL, Thacker DE, et al. Patterns, incidence and predictive factors for pain following interventional radiology. Clinical Radiology 2005; 60:1188-1194.

4. **England A**, Butterfield JS, Ashleigh RJ. Incidence and effect of bare suprarenal stent struts crossing renal ostia following EVAR. Eur J Vas Endovasc Surg 2006; 32(5):523-8.

5. **England A**, Butterfield JS, Nasim A, Welch M, McCollum CN, Ashleigh RJ. Emergency endovascular treatment of emergent or ruptured aortic aneurysms: A single centre experience. Radiography 2007; 13(2):103108.

6. **England A**, Butterfield JS, Roulson JA, Pritchard S, Sukumar S, Ashleigh RJ. Intestinal Infarction A Rare Complication of Endovasular Therapy.
   Radiography 2007; 13(3):248-250.

7. **Sereki D**, England A, Butterfield JS, Nasim A, Welch M, McCollum CN,
   Ashleigh RJ. (2006). Medium Term Follow Up of a Single Centre Experience of Endovascular Repair of Abdominal Aortic Aneurysms Using the Talent Stent. JVIR 2006; 17(6):973-7.

8. **Martin DF**, Laasch HU., Kelly AM, Hammonds R, Wilbraham L, Sastry S, England A. (2006). Troponin T after endoscopic retrograde cholangiopancreatography: no evidence of harm.
   Endoscopy 2006; 38(8):793-6.

9. **England A**, Butterfield JS, Ashleigh RJ. Observer variation in vascular CT measurements of the abdominal aorta. Radiography 2008; 14(4):282287.

10. **Wyss TR**, Dick F, England, A, Brown LC, Rodway A, Greenhalgh RM.
Three-Dimensional Imaging Core Laboratory of the Endovascular Aneurysm Repair Trials: Validation of Methodology. Eur J Vas Endovasc Surg 2009; 38(6):724-731.

11. **Copsey SA**, England A, Coals J, Stowbridge H, Landes C. Methods of interpreting paediatric dual energy X-ray absorptiometry (DXA). Eur J Radiog 2009; 1(3):85-89.

12. **England A**, Best A, Friend C. A comparison of radiographers and radiologists in CT based measurements of abdominal aortic aneurysms.
Radiography 2010; 16(4):321-326.

13. **England A**, Niker A, Redmond C. Variability of vascular CT measurement techniques used in the assessment of abdominal aortic aneurysms.
Radiography 2010; 16(3):173-181.

14. Oshin OA, **England A**, McWilliams RG, Brennan JA, Fisher RK, Vallabhaneni SR. Intra- and interobserver variability of target vessel measurements for fenestrated endovascular aneurysm repair. J Endovasc Ther 2010; 17(3):402-407.

15. Johnson SJ, Hunt CM, Woolnough HM, Crawshaw M, Kilkenny C, Gould DA, **England A**, Sinha A, Villard PF. Virtual reality, Ultrasound-guided liver biopsy simulator: development and performance discrimination. Br J Radiol 2011; doi:10.1259/bjr47436030.

16. Heath R, **England A**, Ward AJ, Charnock P, Ward M, Evans P, Harding L. Digital Pelvic Radiography: Increasing Distance to Reduce Dose. Radiol Tech 2011;83(1):20-28.

17. **England A**, Garcia-Finana MF, How TV, Vallabhaneni SR, McWilliams RG. The accuracy of computed tomography central luminal line measurements in quantifying stent graft migration. J Vasc Surg 2012:55(4):895-905.

18. Manning-Stanley AS, Ward AJ, **England A**. Options for radiation dose optimisation in pelvic digital radiography: A phantom study.
Radiography 2012;18(4):256-262.

19. **England A**, Mellor FE. Incidental findings detected during imaging for research purposes.
Radiography 2012;18(3):150-152.

20. **England A**, McWilliams RG. Endovascular aortic aneurysm repair (EVAR). Ulster Med J 2013;82(1):3-10.

21. **England A**, García-Fiñana M, Fisher RK, Naik JB, Vallabhaneni SR, Brennan JA, McWilliams RG. Migration of fenestrated aortic stentgrafts. J Vasc Surg 2013;57(6):1543-52.

22. **England A**, Hannah J, McWilliams RG. Artifactual aortic coarctation: a processing error in aortic magnetic resonance angiography. Radiol Technol 2013;84(3)224-7.

23. Harding L, Manning-Stanley AS, Evans P, Taylor M, Charnock P, **England A**. Optimum patient orientation for pelvic and hip radiography: A randomised trial. Radiography 2014;20(1):22-32.

24. Mraity H, **England A**, Akhtar I, Aslam A, De Lange R, Momoniat H, Nicoulaz S, Ribeiro A, Mazhir S, Hogg P. Development and validation of a psychometric scale for assessing PA chest image quality: A pilot study. Radiography 2014;20(4):312-317.

25. Mraity H, **England A**, Hogg P. Developing and validating a psychometric scale for image quality assessment. Radiography 2014;20(4):306-311.

26. Davey E, **England A**. AP versus PA positioning in lumbar spine computed radiography: Image quality and individual organ doses. Radiography 2015;21(2):188-196.

27. **England A**, Evans P, Harding L, Taylor EM, Charnock P, Williams G. Increasing source-to-image distance to reduce radiation dose from digital pelvic examinations. Radiol Technol 2015;86(3):246-56.

28. Brookfield H, Manning-Stanley A, **England A**. Light beam diaphragm collimation errors and their effects on radiation dose for pelvic radiography. Radiol Technol 2015;86(4):379-91.

29. McWilliams RG, Fisher RK, **England A**, Torella F. Observations on surveillance imaging after endovascular sealing of abdominal aortic aneurysms with the nellix system. J Endovasc Ther 2015;22(3):303-6.

30. M. Ali R, England A, McEntee MF, Hogg P. A method for calculating effective lifetime risk of radiation-induced cancer from screening mammography. Radiography 2015;21(4):298-303.

31. **England A**, Gracia-Finana M, McWilliams. Multicenter retrospective investigation into migration of fenestrated aortic stent grafts. J Vasc Surg 2015;62(4):884-892.

32. Torella F, Chan TY, Shaikh U, **England A**, Fisher RK, McWilliams RG. ChEVAS: Combining Suprarenal EVAS with Chimney Technique. CVIR 2015;38(5):1294-1298.

33. Shaikh U, Chan TY, Oshin O, McWilliams RG, Fisher RK, **England A**, Torella F. Changes in Aortic Volumes Following Endovascular Sealing of Abdominal Aortic Aneurysms With the Nellix Endoprosthesis. J Endovasc Ther 2015;22(6):881-885.

34. Mraity HAAB, **England A**, Cassidy S, Eachus P, Dominguez A, Hogg P. Development and validation of a visual grading scale for assessing image quality of AP pelvis radiographic images. Br J Radiol 2016;89:20150430.

35. Kulshrestha RK, Vinjamuri S, **England A**, Nightingale JM, Hogg P. The Role of 18F-Sodium Fluoride PET/CT Bone Scans in the Diagnosis of Metastatic Bone Disease from Breast and Prostate Cancer. J Nucl Med Technol 2016;44(4):217-222.

36. Chan TY, **England A**, Meredith SM, McWilliams RG. Radiologist variability in assessing the position of the cavoatrial junction on chest radiographs. Br J Radiol 2016;89:20150965.

37. Antoniou GA, Senior Y, Lazzolino L, **England A**, McWilliams RG, Fisher RK, Torella F. Endovascular Aneurysm Sealing Is Associated With Reduced Radiation Exposure and Procedure Time Compared With Standard Endovascular Aneurysm Repair. J Endovasc Ther 2016;23(2):285-289.

38. Swaelens C, Poole RJ, **England A**, McWilliams RG, Torella F. Type IIIb endoleak and relining: A mathematical model of distraction forces. J Endovasc Ther 2016;23(2):297-301.

39. Sanderud A, **England A**, Hogg P, Fossa K, Svensson SF, Johansen S. Radiation dose differences between thoracic radiotherapy planning CT and thoracic diagnostic CT scans. Radiography 2016;22(2):107-111.

40. Charnley C, **England A**, Martin A, Taylor S, Benson N, Jones L. An option for optimising the radiographic technique for horizontal beam lateral (HBL) hip radiography when using digital X-ray equipment. Radiography 2016;22(2):e137-e142.

41. **England A**, Torella F, Fisher RK, McWilliams RG. Migration of the Nellix endoprosthesis. J Vasc Surg 2016;64(2):306-312.

42. Fisker RK, Torella F, **England A**, McWilliams RG. Patient selection for endovascular sac sealing of abdominal aortic aneurysm. Sem Vasc Surg 2016;29(3):93-101.

43. **England A**, Azevedo KB, Bezzina, Henner A, McNulty JP. Patient safety in undergraduate radiography curricula: A European perspective. Radiography 2016;22(1):S12-S19.

44. Mraity HAAB, **England A**, Hogg P. Letter to the Editor RE: Gonad dose in AP pelvis radiography: Impact of anode heel orientation. Radiography 2017;23(1):80-81.

45. Mraity HAAB, **England A**, Hogg P. Gonad dose in AP pelvis radiography: Impact of anode heel orientation. Radiography 2017;23(1):14-18.

46. Momoniat HT, **England A**. An investigation into the accuracy of orbital X-rays, when using CR, in detecting ferromagnetic intraocular foreign bodies. Radiography 2017;23(1):55-59.

47. **England A**. Response to letter: 'Re: Gonad dose in AP pelvis radiography: Impact of anode heel orientation'. Radiography 2017;23(1):81.

48. Karouki M, Swaelens C, Lazzolino L, McWilliams RG, Fisher RK, **England A**, Torella F. Clinical Outcome after Endovascular Sealing of Abdominal Aortic Aneurysms: A Retrospective Cohort Study. Ann Vasc Surg 2017;40:128-135.

49. Tugwell JR, **England A**, Hogg P. Antero-posterior (AP) pelvis x-ray imaging on a trolley: Impact of trolley design, mattress design and radiographer practice on image quality and radiation dose. Radiography 2017;23(3):242-248.

50. **England A**, Geers-van Gemeren S, Henner A, Kukkes T, Pronk-Larive D, Rainford L, McNulty JP. Clinical radiography education across Europe. Radiography 2017;23(1):S7-S15.

51. M.Ali RMK, **England A**, Mercer CE, Tootell AK, Walton L, Schaake W, Hogg P. Mathematical modelling of radiation-induced cancer risk from breast screening by mammography. Eur J Radiol 2017;96:98-103.

52. **England A**, Fisher RK, McWilliams RG, Torella F. Estimating the error of CT-based measurements of aortic lumen used in endovascular planning. Radiography 2017;23(4):287291.

53. Tugwell-Allsup J, **England A**, Hogg P, Legg JS. Challenges associated with X-ray imaging of stretcher-bound patients. Radiol Tech 2017;89(2):159-172.

54. Al-Murshedi S, Hogg P, **England A**. An investigation into the validity of utilising the CDRAD 2.0 phantom for optimisation studies in digital radiography. Br J Radiol 2018;91(1089):20180317.

55. Paraskevas KI, Torella F, Swaelens C, **England A**, Chan TY, Shaikh U, McWilliams RG, Fisher RK. Temporal Changes in Intraluminal Thrombus Volume Within Abdominal Aortic Aneurysms: Implications for Planning Endovascular Aneurysm Sealing. J Endovasc Ther 2018;25(1):47-51.

56. Johansen S, Hauge IHR, Hogg P, **England A**, Lanca L, Gunn C, Sanderud A. Are AntimonyBismuth Aprons as Efficient as Lead Rubber Aprons in Providing Shielding against Scattered Radiation? JMIRS 2018;49(2):201-206.

57. Paraskevas KI, Karouki M, Rehman A, Torella F, McWilliams RG, **England A**, Risher RK. Endovascular Aneurysm Sealing (EVAS) Alone or in Combination with Chimney Grafts (chEVAS) for Treating Complications of Previous Endovascular Aneurysm Repair (EVAR) Procedures. CVIR 2018;41(7):1015-1020.

58. M. Ali RMK, **England A**, McEntee MF, Mercer CE, Tootell AK, Hogg P. Effective lifetime radiation risk for a number of national mammography screening programmes. Radiography 2018;24(3):240-246.

59. M. Ali RMK, **England A**, McEntee MF, Mercer CE, Tootell AK, Hogg P. RE: Effective lifetime radiation risk for a number of national mammography screening programmes. Radiography 2018;24(3):273.

60. Alzyoud K, Hogg P, Snaith B, Flintham K, **England A**. Optimum Positioning for Anteroposterior Pelvis Radiography: A Literature Review. JMIRS 2018;49(3):316-324.

61. Ali Mohammed A, Hogg P, Johansen S, **England A**. Construction and validation of a low-cost paediatric pelvis phantom. Eur J Radiol 2018;108:84-91.

62. M. Ali R, **England A**, Mercer CE, Tootell AK, Hogg P. Calculating individual lifetime effective risk from initial mean glandular dose arising from the first screening mammogram. JMIRS 2018;49(4):406-413)

63. Al-Murshedi S, Hogg P, Lanca L, **England A**. A novel method for comparing radiation dose and image quality, between and within different x-ray units in a series of hospital. J Rad Protect 2018;38(4):1344-1358.

64. M.Ali RMK, **England A**, Mercer CE, Tootell AK, Hogg P. Impact of Contralateral Breast Shielding on the Risk of Developing Radiation-induced Cancer from Full-field Digital Mammography Screening. JMIRS 2019 https://doi.org/10.1016/j.jmir.2019.02.005

65. Al-Murshedi S, Hogg P, **England A**. Relationship between body habitus and image quality and radiation dose in chest X-ray examinatons: A phantom study. Physica Medica 2019;57:65-71)

66. Deane L, Robinson L, **England A**. An investigation into the perceived value of the College of Radiographers voluntary accreditation scheme for advanced and consultant practitioners in breast imaging. Radiography 2019; https://doi.org/10.1016/j.radi.2019.01.004

67. Yafawi A, McWilliams RG, Fisher RK, **England A**, Karouki M, Torella F. Stent frame movement following endovascular aneurysm sealing in the abdominal aorta. J Endovasc Ther 2019;26(1):54-61.

68. Alzyoud K, Hogg P, Snaith B, Flintham K, **England A**. Impact of body part thickness on AP pelvis radiographic image quality and effective dose. Radiography 2019;25(1):e11-e17.

69. Angmorterh SK, **England A**, Webb J, Szczepura K, Stephens M, Anaman-Torgbor J, Ofori EK, Hogg P. An investigation of pressure ulcer risk, comfort, and pain in medical imaging. JMIRS 2019;50(1):43-52.

70. Al-Murshedi S, Hogg P, Meijer A, Erenstein H, **England A**. Comparative analysis of radiation dose and low contrast detail detectability using routine paediatric chest protocols. Eur J Radiol 2019;113:198-203.

71. **England A**, Thompson JD. Evolving the Landscape of Research. Radiography 2019;25(S1):S1-S3.

72. **England A**, Hallinan B, Lawler LP, Lucatelli P, Migliorini M, Ameli-Renani S. CIRSE-EFRS position statement. Radiography 2020;26(1):1-2.

73. Nelson D, **England A**, Cheptoo M, Mercer CE. A comparative study of pain experienced during successive mammography examinations in patients with a family history of breast cancer and those who have had breast surgery. Radiography 2020;26(1):76-81.

74. Tugwell-Allsup J, **England A**. A systematic review of incubator-based neonatal radiography – what does the evidence say? Radiography 2020;26(2):167-173.

75. Tugwell-Allsup J, **England A**. A survey to determine existing working practice. Radiography 2020;26(1):e18-e23.

76. Hoddes R, Hattab A, **England A**. Initial single centre experiences of a radiographer advanced practitioner led nephrostomy exchange programme. Radiography 2020;26(2):163-166.

77. Abrantes AFCL, Ribeiro LPV, da Silva C, **England A**, Azevedo KB, Almeida RPP, Canha Reis MV. Evidence-based radiography: A new methodology or the systematisation of an old practice? Radiography 2020;26(2):127-132.

78. Mraity HAAB, Walton L, **England A**, Thompson J, Lanca L, Hogg P. Can the anode heel effect be used to optimise radiation dose and image quality for AP pelvis radiography? Radiography 2020;26(2):e103-e108.

79. **England A**, Littler E, Romani S, Cosson P. Modifications to mobile chest radiography technique during the COVID-19 pandemic – implications for X-raying through side room windows. Radiography 2020 doi.org/10.1016/j.radi.2020.07.015

80. Dastan K, Henning MK, **England A**, Aalokken TM, Johansen S. An investigation into the variability of radiographers assessing body composition prior to CT contrast media administration. Radiography 2020 doi.org/10.1016/j.radi.2020.07.012

81. Tugwell-Allsup J, Owen BW, **England A**. Low-dose chest CT and the impact on nodule visibility. Radiography 2020 doi.org/10.1016/j.radi.2020.05.004

82. Hoddes R, **England A**. A technique for determining pump injector settings for an on-table CT or 3D DSA in interventional radiology. Radiography 2020 doi.org/10.1016/j.radi.2020.03.009

83. Erenstein HG, Browne D, Curtin S, Dwyer RS, **England A**. The validity and reliability of the exposure index as a metric for estimating the radiation dose to the patient. Radiography 2020 doi.org/10.1016/j.radi.2020.03.012

84. Tugwell-Allsup J, Morris RW, Hibbs R, **England A**. Optimising image quality and radiation dose for neonatal incubator imaging. Radiography 2020 doi.org/10.1016/j.radi.2020.03.011

85. Al-Murshedi S, Hogg P, **England A**. Neonatal chest radiography: Influence of standard clinical protocols and radiographic equipment on pathology visibility and radiation dose using a neonatal chest phantom. Radiography 2020 doi.org/10.1016/j.radi.2020.02.005

86. Alzyoud K, Hogg P, Snaith B, Preece S, **England A**. Video rasterstereography of the spine and pelvis in eight erect positions: A reliability study. Radiography 2020 doi.org/10.1016/j.radi.2019.06.002

87. Angmorterh S, **England A**, Aboagye S, Ofori EK, Hogg P. An Experimental Intervention Study Assessing the Impact of a Thin Silicone Gel Surface Overlay on Interface Pressure. Radiol Res Prac 2020;24:2020:3246531

88. **England A**, Littler E, Romani S, Cosson P. Modifications to mobile chest radiography technique during the COVID-19 pandemic – implications of X-raying through side room windows. Radiography 2021;27(1):193-199.

89. Robertson S, **England A**, Khodabakshi D. Compassion fatigue and the effectiveness of support structures for diagnostic radiographers in oncology. J Med Imaging Radiat Sc 2020;S1939-8654(20)30343-X.

90. Tugwell-Allsup J, Kenworthy D, **England A**. Mobile chest imaging of neonates in incubators: Optimising DR and CR acquisitions. Radiography 2021;27(1):75-80

91. M Ali RMK, **England A**, Tootell AK, Hogg P. Radiation dose from digital breast tomosynthesis screening – A comparison with full field digital mammography. J Med Imaging Radiat Sci 2020;51(4):599-603

92. Solbak MS, Henning MK, **England A**, Martinsen AC, Aalokken TM, Johansen S. Impact of iodine concentration and scan parameters on image quality, contrast enhancement and radiation dose in thoracic CT. Eur Radiol Exp 2020;11;4(1):57.

93. Alzyoud K, Snaith B, Hogg P, **England A**. The complete evaluation of tube potential on clinical image quality when using direct digital detectors for pelvis and lumbar spine radiography: Re: 'An evaluation of the effect of tube potential on clinical image quality using digital detectors for pelvis and lumbar spine radiographs' by Peacock, Stewart and Riley. J Med Radiat Sc 2020;67(4):360-1.

94. Ali M, **England A**, Tootell AK, Hogg P. Radiation dose from digital breast tomosynthesis screening – A comparison with full field digital mammography. J Med Imag Rad Sci 2020 51(4):599-603.

95. Sidi M, Ugwu AC, **England A**, Manafa PO, Dambatta AH, Zira JD, Saleh A, Ya'u A, Mansur U. Renal doppler indices and their correlation with laboratory indices of human immunodeficiency virus sero-positive adult individuals. Radiography 2021 https://doi.org/10.1016/j.radi.2021.03.007

96. McNulty, J.P., England, A., Shanahan, M.C. International perspectives of onradiography practice education. Radiography 2021;27(4):1044-1051.

97. Malamateniou, C., McFadden, S., McQuinlan, Y., England, A., et al. Artificial Intelligence: Guidance for clinical imaging and therapeutic radiography professionals, a summary by the Society of Radiographers AI working group. Radiography 2021;27(4):1192-1202.

98. Van Schoonhovem, M.T., Hayre, C.M., England, A. Exploring the reliability of the exposure infex with a range of kV and mAs values: An experimental study. J Med Imaging Rad Sci 2022;52(4):559-566.

99. Tugwell-Allsup, J.R., Morris, R.W., Thomas, K., Hibbs, R., England, A. Neonatal digital chest radiography – should we be using additional copper filtration? Br J Radiol 2022;95(1130).
20211026.

100. Robertson, S., Olanloye, E.E., Hon, Y., England, A., McNair, H., Cruickshank, S. Are radiographers suffering from symptoms of compassion fatigue due to occupational stress a systematic review. Radiography 2022;…

101. Saint, J., England, A., Ali, AM., Bonnett, L. The effect of different statistical approaches on image quality data obtained from radiological examinations. Radiography 2022;28(2):518-523.

102. Singh, T., Muscroft, N., Collier, N., England, A. A comparison of effective dose and risk for different collimation options used in AP shoulder radiography. Radiography 2022;28(2):394-399.

103. England, A., Thompson, J.D., Littler, E., Tugwell-Allsup, J., Edwards, E. Predicting the role of touchless technologies within diagnostic radiography: Results of a international survey. Radiography 2022;28(2):524-530.

104. Mizzi, D., Allely, C., Zarb, F., Kelly, J., Hogg, P., McEntee, M., England, A et al. Examining the effectiveness of supplementary imaging modalities for breast cancer screening in women with dense breasts: A systematic review and meta-analysis. Eur J Radiol 2022;110416.

105. Murphy, M., Moore, N., Leamy, B., England, A., O'Connor, O.J., McEnteee, M.F. An evaluation of the impact of the Coronavirus (COVID-19) pandemic on interventional radiographers' wellbeing. J Med Imag Rad Sci 2022;53(3):384-395.

106. O'Donoghue, K., Malamateniou, C., Walton, L., England, A., Moore, N., et al. Thye gendered impact of the COVID-19 pandemic on academics working medical iaging and radiation therapy. Radiography 2022;28:S41-S49.

107. England, A., McConnell, J. COVID-19 pandemic: A process of Recovery and Renewal. Radiography 2022;28:S1-S2.

108. Bergin, N., Moore, N., Doyle, S., England, A., McEntee, MF. Radiographic features of COVID-19 in children – a systematic review. Children 2022;9(11):1620.

109. Doyle, S.C., Bergin, N.M., Young, R., England, A., McEntee, M.F. Diagnostic accuracy of ultrasound for localising peripherally inserted central catheter tips in infants in the neonatal intensive care unit: a systematic review and meta-analysis. Pediatric Radiology 52(12):2421-2430.

110. Ogenyi, P., Chiegwu, H.U., England, A., Akanegbu, U.E., et al. Appraisal of trimesterspecific fetal heart rate and its role in gestational age prediction. Radiography 2022;28(4):926-932.

111. Coakley, S.C., Young, R., Moore, N., England, A., O'Mahony, A., O'Connor, O.J. et al. Radiographers' knowledge, attitudes and expectations of artificial intelligence in medical imaging. Radiography 2022;28(4):943-948.

112. Bockhold, S., McNulty, J., Abdurakman, E., Bezzina, P., Drey, N., England, A., et al. Research ethics training, challenges, and suggested improvements across Europe: Radiography research ethics standards for Europe (RRESFE). Radiography 2022;28(4):1016-1024.

113. Bockhold, S., McNulty, J., Abdurakman, E., Bezzina, P., Drey, N., England, A., et al. Research ethics systems, processes, and awareness across Europe: radiography research ethics standards for Europe (RRESFE). Radiography 2022;28(4):1032-1041.

England A

114. Al-Murshedi, S., Benhalim, M., Alzyoud, K., Papathanasiou, S., England, A. Relationship between the visual evaluation of pathology visibility and the physical measure of low contrast detail detectability in neonatal chest radiography. Radiography 2022;28(4):1116-1121.

115. Alyzoud, K., Al-Murshedi, S., Abualkhael, K., Alqawasmeh, F., England, A. Supine and erect abdominal radiography: a comparison of radiation dose and image quality. App Radiat Isotop 2022;190:110477.

116. Alzyoud, K., Al-Murshedi, S., Yaghi, S., England, A. The effect of erect abdomen radiography on absorbed doses to internal organs and tissues: A clinical study. J Med Radiat Sci 2023;54(1):83-87.

117. Shelly, E., Waldron, MG., Field, E., Moore, N., Young, R., Scally, A., England, A., Maher, M., McEntee, MF. Cumulative radiation dose from medical imaging in children with congenital heart disease: A systematic review. Children 2023;10(4):645.

118. England, A., Beardmore, C., Cunha, A. The EFRS patient centred care awards: Supporting the identification, promotion and propagation of high-quality care across Europe. Radiography 2023;29:S3-S4.

119. Trozic, S., England, A., Mekis, N. Erect pelvic radiography with fat tissue displacement: Impact on radiation dose and image quality. Radiography 2023;29(3):546-551.

120. England, A., Thompson, J., Dorey, S., Al-Islam, S., Long, M., Maiorino, C., McEntee, MF. A comparison of perceived image quality between computed display monitors and augmented reality smart glasses. Radiography 2023;29(3):641-646.

121. Hurley, L., Alashban, Y., Albeshan, S., England, A., McEntee, MF. The effect of breast shielding outside the field of view on breast entrance surface dose in axial X-ray examinations: a phantom study. Diagn Intervent Radiol 2023;29(3):555.

122. Fallon, B., England, A., Young, R., Moore, N., McEntee, MF. Prevalence of low back pain among Irish radiographers. J Med Rad Sci 2023;54(2):273-280.

123. Partner, A., England, A., Young, R., Shiner, N., Bridge, P. Post COVID-19 trends in simulation use with diagnostic radiography and radiation therapy education. Radiography 2023;29(4):684-689.

124. Midthun, P., Kirkus, E., Osteras, BH., Hoiness, PR, England, A., Johansen, S. Metal artifact reduction on musculoskeletal CT: a phantom and clinical study. Eur Radiol Exp 2023;29(5):941-949.

125. Mellor, FE., Smith, L., England, A., Snaith, B., Cosson, P. A retrospective evaluation of supine pelvic radiography image quality using centring points and anatomical axial rotation, including reliabil8ty of measurements (ARLEX-P Study). Radiography 2023;29(5):941-949.

126. Alzyoud, K., Al-Murshedi, S., England, A. Effective dose and image quality for different patient sizes during AP upper abdominal radiography: A phantom study. App Radiat Isotop 2023;202:111060.

127. Walsh, C., England, A., Young, R., Moore, N., Hutch, A., Dennan, S., Rainford, L., McEntee, MF. The prevalence of harassment in diagnostic radiography and radiation therapy student whilst on clinical placement in the Republic of Ireland. Med Teach 2023;1-7.

128.

England A

129. Alzyoud, K., Al-Murshedi, S., England, A. Diagnostic reference levels of spinal CT: Jordanian assessments and global benchmarks. J X-ray Sci Technol 2024;1-10.

130. England, A., European Federation of Radiographer Societies (EFRS). Rise in Chronic Diseases: Will Radiology Survive? EMJ 2024;5(1):52-55.

131. Rawashdeh, M., Bani Yaseen, AB., McEntee, MF., England, A., Kumar, P., Saade, C. Diagnostic reference levels in spinal CT: Jordanian assessments and global benchmarks. J X-ray Sci Technol 2024:1-10.

132. Al-Murshedi, S., Alzyoud, K., Banhalim, M., Alresheedi, N., Papathanasiou, S., England, A. Effects of body part thickness on low-contrast detail detection and radiation dose during adult chest radiography. J Med Rad Sci 2024;71(1):85-90.

133. O'Riordan, J., England, A., Young, R., Albeshan, S., Alashban, Y., England, MF. The experiences and opinion of deaf service users accessing radiology. J Med Rad Res Appl Sci 2024;17(1):100786.

134. O'Leary, MB., England, A., Curran, G., Flynn, K., Ryan, M., Thompson, J., Aleshan, S., Alashban, Y., McEntee, MF. Diagnostic accuracy and radiographers' red dot usage in the emergency department. J Rad Res Appl Sci 2024;17(1):100795.

135. Alzyoud, K., Al-Murshedi, S., England, A. Diagnostic reference levels of radiographic and CT examinations in Jordan: A systematic review. Health Phys 2024;126(3):156-162.

136. Sarchosoglou, A., Couto, JG., Khine, R., O'Donovan, T., Pisoni, V., Bajinskis, A., England, A. A European Federation of Radiographer Societies (EFRS) position statement on sustainability for the radiography profession. Radiography 2024;30:19-22.

137. Browne, K., England, A., Young, R., Moore, N., Kjelle, E., Owen, A., McEntee, MF. Radiographers' perceptions of the experiences of patients with dementia attending the radiology department. J Med Rad Sci 2024;55(2):189-196.

138. Fitzgerald, KT., Lyons, C., England, A., McEntee, MF., Devine, AM., O'Donovan, T., O'Sullivan, E. Risk factors associated with the development of osteoradionecrosis (ORN) in head and neck cancer patients in Ireland: A 10-year retrospective review. Rad Oncol 2024;196:110286.

139. David, LR., Elshami, W., Lawal, O., Panakkal, N., Visakh, T., Abuzaid, M., England, A., McEntee, MF. Evolving radiographic practice: Identifying possible skills requirements for future radiographers practicing in the United Arab Emirates (UAE). J Med Rad Sci 2024;55(30:101393

140. Lyons, A., Ali, AM., England, A., Moore, N., Young, R., Leamy, B., Tam., W., McEntee, MF. Expansion of Typical Values for Paediatric Patients in Ireland a Comparison with Published DRLs – Experiences of a single institution. J Med Rad Sci 2024;55(3):101393.

141. O'Rouke, M., Moore, N., Young, R., Sveltic, S., Bucknall, H., McEntee, MF. An investigation into the knowledge, attitudes, and practice of radiation protection in interventional radiology and cardiac catheterisation-laboratories. J Med Rad Sci 2024l55(3).

142. Quirke, S., dos Reis, CS., McEntee, MF., Moore, N., England, A. An investigation into the current perceptions of Irish radiographers regarding patient-practitioner communication. J Med Rad Sci 2024;55(4):101442.

Non-peer reviewed articles:

1. **England A**, Bradley AJ, Tuck JS, Polyzois K, Downey P, Rao PN. CT virtual ureteroscopy. Radmagazine 2005; 31(362):34.
2. Littlewood R, **England A**, Vinjamuri S. PET-CT in the diagnosis and management of lung cancer. Synergy Magazine 2008; August, pp24pp28.
3. Glaysher E, **England A**, Young P, Torres K. Post-treatment dysphagia in oropharyngeal cancer. Synergy Magazine 2009; Dec, 6-9.
4. **England A**. Lessons from both sides of the pond. Synergy Magazine 2010: Jan, 4-6.
5. **England A**, Scutt ND, Mellor F. Opening up avenues for research. Synergy Magazine 2010; Oct, 18-20.
6. Brookfield H, Manning-Stanley AS, Mackay S, **England A**. What is the point of centring. Imaging & Therapy Practice 2013; March, 12-16.
7. Hargreaves L, **England A**. The evolving landscape of breast imaging. Imaging & Therapy Practice 2017; Dec:20-23.

Book Chapters

1. Migration and dislocation of aortic devices during follow-up. England A and McWilliams RG In: Branchereau A and Jacobs M eds. Endovascular Aortic Repair: The State of the Art. Turin, Edizioni Minerva Medica.
2. Interventional radiology. England A In: Vosper M and Ramlaul A eds. Patient Centered Care in Medical Imaging. London, Elsevier.
3. Drugs and contrast agents. England A In: Vosper M and Ramlaul A eds. Patient Centered Care in Medical Imaging. London, Elsevier.
4. Endovascular abdominal aortic aneurysm repair. England A and McWilliams RG In Cowling M ed. 2nd edition. Vascular and Interventional Radiology. London, SpringerVerlag.

5. Managing Common Interventional Radiology Complications - A Case Based Approach. England A In: Ratnam L, Patel U, Belli AM. London, Springer.

6. Fabric degeneration and type IIIb endoleaks remain a problem. England A and McWilliams RG In Greenhalgh RM Charing Cross 2017 – vascular and Endovascular Consensus Update. 2017, London, BIBA Medical.

Papers Presented at National and International Meetings

---

1. **England A**, Butterfield JS, Ashleigh RJ. Device migration after endovascular aortic aneurysm repair: Analysis of 30 cases within a minimum follow-up period of 2 years. British Society for Interventional Radiology Annual Meeting. Bournemouth 2003.

2. **England A**, Butterfield JS, Ashleigh RJ. Endovascular aortic aneurysm repair – Can a radiographer perform follow-up CT measurements? UK Radiological Congress. Manchester 2004.

3. Tam CL (presenting author), **England A**, Lassch HU, England RE, Martin DF. Patterns and incidence of pain following interventional radiological procedures. UK Radiological Congress. Manchester 2004.

   Butterfield JS, Ashleigh RJ. 16-slice CT angiography of peripheral vascular disease. UK Radiological Congress. Manchester 2004. (Poster presentation).

4. **England A**, Butterfield JS, Ashleigh RJ. Device migration after endovascular aortic aneurysm repair: Experience using a Talent stent graft. Cardiovascular and Interventional Radiology Society of Europe Annual Meeting. Barcelona 2004.

5. **England A**, Tam CL, Thacker D, Walker AL, Parkinson AS, Bradley AJ, Tuck JS, Laasch HU, Butterfield JS, Ashleigh RJ, England RE, Martin DF. Patterns, incidence and predictive factors for pain following interventional radiology.

   South Manchester University Hospitals Research & Development Conference. Manchester 2004. (Poster Presentation).

6. **England A**, Seriki D, Butterfield JS, Nasim A, Welch M, McCollum CN, Ashleigh RJ. Medium Term Follow Up of a Single Centre Experience of

   Endovascular Repair of Abdominal Aortic Aneurysms Using the Talent Stent. South Manchester University Hospitals Research & Development Conference. Manchester 2004.

England A
(Poster Presentation).

7. Ashleigh RJ, **England A**, Thompson D, Butterfield JS, Cullen MA. An initial single centre experience of carotid artery stenting. South Manchester University Hospitals Research & Development Conference. Manchester 2004. (Poster Presentation).

8. **England A**, Butterfield JS, Nasim A, Welch M, McCollum CN, Ashleigh RJ. Emergency endovascular treatment of acute symptomatic or ruptured aortic aneurysms: A single centre experience. British Society for Interventional Radiology Annual Meeting, Harrogate 2004.

9. **England A**, Tam CL, Thacker D, Walker AL, Parkinson AS, Bradley AJ, Tuck JS, Laasch HU, Butterfield JS, Ashleigh RJ, England RE, Martin DF. Patterns, incidence and predictive factors of pain following interventional radiological procedures. British Society for Interventional Radiology Annual Meeting, Harrogate 2004.

10. Polyzois K (Presenting Author), **England A**, Rao PN, Downey P, Bradley AJ, Tuck JS. The role of CTVirtual Ureteropyeloscopy in the diagnosis of upper urinary tract TCC. British Association of Urological Surgeons. Glasgow 2005.

11. O'Connor J, Dodds N, **England A**, Lanka B, Sukumar S. Bowel wall fat halo sign: its significance and pathological associations. European Society for Gastro and Abdominal Radiology Annual Meeting. Florence 2005. (Poster presentation).

12. O'Connor J (Presenting Author), Dodds N, **England A**, Lanka B, Sukumar S. Bowel wall fat halo sign: its significance and pathological associations. UK Radiological Congress. Manchester 2005.

13. **England A**, Bradley AJ, Polyzois K, Tuck JS, Rindani R, Downey P, Rao N. The role of CT virtual ureteroscopy in the diagnosis of upper urinary tract TCC. UK Radiological Congress. Manchester 2005.

14. **England A**, Bhatti WA, Allen D, Phillips N, Holt EM. CT virtual arthroscopy: a comparative study with conventional arthroscopy. UK Radiological Congress. Manchester 2005.

15. Polyzois K, Rindani R, **England A**, Bradley AJ, Tuck JS, Rao PN, Downey P. Non-invasive ureteropyeloscopy – A reliable option in the 21st century. World Congress on Endourology Annual Meeting. The Netherlands 2005.

16. **England A**, Butterfield JS, Ashleigh RJ. Incidence and effect of bare suprarenal stent coverage of renal ostia following EVAR: Evaluation by CT intravascular endoscopy. Cardiovascular and Interventional Radiology Society of Europe Annual Meeting. Nice 2005.

17. **England A**, Butterfield JS, Nasim A, Welch M, McCollum CN, Ashleigh RJ. Emergency endovascular treatment of acutely symptomatic and ruptured aortic aneurysms: A single centre experience. Cardiovascular and Interventional Radiology Society of Europe Annual Meeting. Nice 2005.

18. **England A**, Butterfield JS, Ashleigh RJ. Can pre-EVAR CT measurements of the aorta be performed by a radiographer? British Society for Interventional Radiology Annual Meeting. Brighton 2005.

19. **England A**, Butterfield JS, Ashleigh RJ. Endovascular aortic aneurysm repair with the Talent stentgraft – Outcomes in patients with large iliac arteries. British Society for Interventional Radiology Annual Meeting. Brighton 2005.

20. Ashleigh RJ (Presenting Author), Butterfield JS, **England A**, Cullen MA, McCollum CN. Carotid stenoses treated with the Precise stent: early follow up results. British Society for Interventional Radiology Annual Meeting. Brighton 2005.

21. Johnson L, **England A**. Hickman Line Service Implementation and Improvement. Royal College of Nurses Annual Meeting, Brighton 2005.

22. Johnson JG, **England A**, Melling A, Tuck JS. Ultrasound assessment of uterine fibroids before and after radiological embolisation. British Medical Ultrasound Society Annual Meeting. Manchester 2005.

23. Mandaba C (Presenting Author), **England A**, Hogg P, Barr L, Zeiton A, Brown I. Improvement of the imaging protocol for sentinel node localisation in breast cancer through treatment work with the surgical department. University of Salford Post-graduate Mini-conference. Manchester 2005.

24. , Sukumar S, Butterfield JS, Ashleigh RJ. A pictorial review of complications of abdominal aortic surgery. UK Radiological Congress. Birmingham 2006. (Poster Presentation). HIGHLY COMMENDED AWARD

25. **England A**, Butterfield JS, Welch M, McCollum CN, Ashleigh RJ. 4-year outcomes following endovascular aortic aneurysm repair with the Talent stent-graft. UK Radiological Congress. Birmingham 2006. (Poster Presentation).

26. **England A**, McPherson S, Butterfield JS, Ashleigh RJ. Endovascular repair following traumatic aortic transection – a multicentre experience. UK Radiological Congress. Birmingham 2006. (Poster Presentation).

England A

27. **England A**, McPherson S, Butterfield JS, Ashleigh RJ. Endovascular repair following traumatic aortic transaction – experiences of two UK centres. British Society for Interventional Radiology Annual Meeting. Glasgow 2006. (Poster Presentation).

28. **England A**, Butterfield JS, Ashleigh RJ. Complications following endovascular aortic aneurysm repair. British Society for Interventional Radiology Annual Meeting. Glasgow 2006. (Poster Presentation).

29. Johnson JG, **England A**, Hurley E, Tuffin JR. Early experience of Ultrasoundguided Botulium ToxinA injection for the treatment of Sialorrhoea. British Medical Ultrasound Society Meeting. Manchester 2006. (Poster Presentation).

30. Johnson JG, **England A**, Sukumar S, Martin DF. Is common bile duct diameter (CBD) affected by respiratory phase? British Medical Ultrasound Society Meeting. Manchester 2006. (Poster Presentation).

31. **England A**, McWilliams R, Hodgson R. Assessment of aortic stent-graft migration using multi-slice computed tomography (CT). Translating Research into Clinical Reality Conference, University of Liverpool. Liverpool 2007. (Poster presentation).

32. **England A**, Gould DA, Johnson S, Healey A. Virtual simulation in Interventional Radiology – A Valid Tool?). Translating Research into Clinical Reality Conference, University of Liverpool. Liverpool 2007. (Poster presentation).

33. **England A**, Johnson S , Hunt C, Woolnough H, Healey AE, Lewandoski WE, Gould DA. Performing Cognitive Task Analysis of Interventional Procedures: the thin end of the wedge? British Society for Interventional Radiology Annual Meeting. Bournemouth 2007.

34. **England A**, McWilliams RG, Vallabhaneni SR. Optimum methods for reporting observer variation in interventional radiology (IR). British Society for Interventional Radiology Annual Meeting. Bournemouth 2007. (Poster presentation).

35. Johnson JG (Presenting Author), Orth R, **England A**, Walton J. The Value of Preceptorship for Newly Qualified Sonographers. British Medical Ultrasound Society Annual Meeting. Manchester 2007.

36. **England A**, Johnson SJ, Hunt CM, Woolnough HM, Crawshaw M, Lewandoski WE, Bello F, Gould DA. Development of a Carotid Stent Task Analysis: The Challenge of Metrics. Cardiovascular &

Interventional Radiology Society of Europe Annual Meeting. Copenhagen 2008. (Poster presentation).

37. **England A**, Johnson SJ, Hunt CM, Woolnough HM, Crawshaw M, Lewandoski WE, Bello F, Gould DA. Performing cognitive task analysis of interventional procedures: the thin end of the wedge. British Society for Interventional Radiology Annual Meeting. Manchester 2008.

38. **England A**, Ward AJ, Burgess K. Developing a New Radiography Clinical Skills Facility. Higher Education Academy Festival of Learning. Walsall 2009. (Poster presentation).

39. **England A**, Ward AJ, Burgess K. Developing a New Radiography Clinical Skills Facility. UK Radiological Congress, Manchester 2009.

40. **England A**, Ward AJ, Ball B, Burgess K. Developing a New Radiography Clinical Skills Facility. Association of Medical Educators Annual Meeting. Malaga 2009.

41. **England A**, McWilliams RG, Scutt ND, Garcia-Finana MF. Optimum factors for the CT diagnosis of stent-graft migration. Cardiovascular and Interventional Radiological Society of Europe Annual Meeting. Lisbon 2009.

42. **England A**, Niker C, Redmond C. An investigation into the variability of different CT measurement techniques for AAAs. European Society of Radiology Congress. Vienna 2010.

43. Ball B, **England A**. Service User Participation in Medical Imaging & Radiotherapy Programmes. Higher Education Academy Festival of Learning. Edinburgh, 2010. (Poster presentation).

44. Heath R (Presenting Author), **England A**, Ward A, Ward M, Charnock P, Harding L, Evans P. Investigation into the effect of SID on image quality and radiation dose for DR radiography of the pelvis. UK Radiological Congress. Birmingham, 2010.

45. Ball B (Presenting Author), **England A**. Service user participation in medical imaging and radiotherapy programmes. 6th Annual National Conference of Greek Radiographers, Thessalonki, 2010.

46. , Scutt ND, McWilliams RG, Garcia-Finana, M. Averting a Time Bomb – Detecting Early Implant Failure. PGR Poster Competition, University of Liverpool. Liverpool, 2010. (Poster Presentation).

47. Manning-Stanley AS (Presenting Author), Ward AJ, **England A**. Radiation dose optimisation in Pelvic radiography using DR: a phantom study. UK Radiological Congress. Manchester, 2011.

England A
Winner Beth Forder Memorial Prize.

48. Rankin J, Mehta J, **England A**. An Investigation into the Effect of Visual Contrast Sensitivity on Measurement Performance on Aortic CT Scans. UK Radiological Congress, Manchester, 2011.

49. Caddick L, **England A**, Vinjamuri S. The role of PET-CT in chronic infection. UK Radiological Congress. Manchester, 2011. (Poster presentation).

50. **England A**, Garcia-Finana M, How TV, Vallabhaneni SR, Fisher RK, Naik J, Brennan JA, McWilliams RG. Migration of fenestrated aortic stent-grafts. British Society for Endovascular Therapy Annual Meeting. Warwick, 2011.

51. **England A**, Garcia-Finana M, Scutt ND, Vallabhaneni SR, McWilliams RG. The accuracy of CT central luminal line (CLL) measurements in quantifying stent-graft migration. Cardiovascular & Interventional Radiology Society of Europe Annual Meeting. Munich 2011. (Poster presentation).

52. **England A**, Garcia-Finana M, Scutt ND, Vallabhaneni SR, McWilliams RG. Pictorial Review of Complications following Fenestrated Endovascular Aortic Aneurysm Repair (FEVAR). Cardiovascular & Interventional Radiology Society of Europe Annual Meeting. Munich 2011. (Poster presentation).

53. **England A**, Garcia-Finana M, How TV, Vallabhaneni SR, Fisher RK, Naik J, Brennan JA, McWilliams RG. Migration of fenestrated aortic stent-grafts. British Society for Interventional Radiology Annual Meeting Glasgow, 2011. Best overall presentation prize.

54. **England A**, Garcia-Finana M, Vallabhaneni SR, Fisher RK, McWilliams RG. CT acquisition parameters and their effects on the quantification of stent graft migration. British Society for Endovascular Therapy Annual Meeting. Warwick, 2012.

55. **England A**, Garcia-Finana M, Fisher RK, Naik JB, Vallabhaneni SR, Brennan JA, McWilliams RG. An investigation into fenestrated stent-graft migration. International Society for Endovascular Therapy Annual Meeting. Miami, FL, 2013.

56. **England A**, Garcia-Finana M, McWilliams RG. Migration of fenestrated aortic stent-grafts. MEET Congress, Rome, Italy, 2013.

57. **England A**, Garcia-Finana M, McWilliams RG, BSET & GLOBALSTAR Collaborators. A multicentre investigation into the migration of fenestrated aortic stent-grafts. British Society for Endovascular Therapy (BSET) Annual Meeting. Warwick, UK, 2013. Best overall conference presentation.

58. Milne H, **England A**. Does using a lower kVp offer a greater potential for fracture detection in hip radiography? European Radiology Congress (ECR).

Vienna, Austria, 2015.

59. Davey E, **England A**. AP vs PA positioning in lumbar spine radiography: image quality and organ dose. European Radiology Congress (ECR). Vienna, Austria, 2015.

60. Momoniat H, **England A**. An investigation into the accuracy of orbital Xrays, when using CR, in detecting ferromagnetic intraocular foreign bodies. European Radiology Congress (ECR). Vienna, Austria, 2015.

61. **England A**. Optimisation of clinical radiographic examinations in a digital era. Society for Radiological Protection Annual Scientific Meeting. Eastbourne, UK, 2015.

62. Benhalim MR, **England A**. Impact of acquisition protocol variations on effective dose for CT head examinations. European Radiology Congress (ECR). Vienna, Austria, 2017.

63. Alrowily M, **England A**, Hogg P. Effective dose comparison between fixed tube current FTC and automatic tube current ATC methods for abdominal CT examinations. European Radiology Congress (ECR). Vienna, Austria, 2017.

64. **England A**, Harding L, Penney R, Wilde R, Dunn F, Manning-Stanley AS, Evans P. Evidence of dose optimisation within a single UK radiology department. European Radiology Congress (ECR). Vienna, Austria, 2017.

65. **England A**, Harding L, Taylor EM, Dunn F, Manning-Stanley AS, Evans Radiation dose from pelvic radiography: a comparison of three digital radiography (DR) systems. European Radiology Congress (ECR). Vienna, Austria, 2017.

66. M. Ali RMK, **England A**, Tootell AK, Mercer CE, Hogg P. The effect of mean glandular dose variations on effective risk from full-field digital mammography in screening. Vienna, Austria, 2017.

67. M. Ali RMK, **England A**, Tootell AK, Mercer CE, Hogg P. Mathematical modelling of radiationinduced cancer from screening mammography. Vienna, Austria, 2017.

68. Reis CS, Harsaker V, Bregman A, Chene R, Cordeiro B, Daniels T, Johannessen M, Vestli S, Widmer M, **England A**, Hogg P. Optimisation of full-spine curvature radiography in paediatrics – impact of acquisition parameters. Vienna, Austria, 2017.

69. Angmorterh S, **England A**, Webb JA, Szczepura K, Stephens M, Hogg P. An investigation into interface pressure (IP) and pressure ulcer risk of healthy volunteers whilst lying on medical imaging and radiotherapy tables. Vienna, Austria, 2017.

70. M. Ali RMK, **England A**, Mercer CE, Tootell AK, Hogg P. Impact of contralateral breast shielding on the risk of developing radiation-induced cancer from full-field digital mammography (FFDM) screening. Vienna, Austria, 2018.

71. Mohammed Ali AH, Hogg P, **England A**. Relationships between image quality and radiation dose during paediatric pelvic radiography. Vienna, Austria, 2018.

72. Mohammed Ali AH, Hogg P, **England A**. Development and validation of a low-cost paediatric pelvis phantom for digital radiography dose optimisation. Vienna, Austria, 2018.

73. Benhalim MR, Hogg P, **England A**, Walton LA, Szczepura K. Paediatric lifetime cancer risk for head CT protocols of a 1-year-old child. Vienna, Austria, 2018.

74. Browne D, Szczepura K, **England A**. Practitioner variability in collimation and centring for AP shoulder projections. Vienna, Austria, 2018.

75. M.Ali RMK, **England A**, Tootell A, Hogg P. Radiation risks from screening mammography. Vienna, Austria, 2018.

76. Mraity HAAB, **England A**, Hogg P. An investigation into the impact of the 'anode heel effect' on patient gonadal dose in AP pelvis radiographic examination. Vienna, Austria, 2018.

77. Li J, Szczepura K, Tootell A, **England A**. Positioning for a conventional skyline patella projection: evaluation of torso positioning and its relationship with eye lens and thyroid dose. Vienna, Austria, 2018.

78. Bloomfield C, **England A**. The use of secondary lead rubber protection in paediatric extremity radiographic examinations. Vienna, Austria, 2018.

79. Mann MJ, Szczepura K, **England A**. An investigation into the effectiveness of common cleaning wipes in removing infection control risks from radiographic cassettes. Vienna, Austria, 2018.

80. Al-Murshedi SH, Hogg P, Benhalim MR, Alrowily M, **England A**. An investigation of the impact of image viewing parameter settings on the performance of 2.4 MP colour monitor in visualising low contrast detail using the CDRAD phantom. Vienna, Austria, 2018.

81. Benhalim MR, Hogg P, Walton LA, Szczepura K, **England A**. Impact of changing CT angulation on eye dose during paediatric head examinations. Vienna, Austria, 2018

82. M.Ali R, **England A**, Mercer CE, Tootell AK, Hogg P. Radiation risk from digital breast tomosynthesis screening – a comparison with full field digital mammography. European Congress of Radiology, Austria, 2019.

83. Alrowily MJ, **England A**, Hogg P. A comparison of Fixed Tube Current (FTC) and Automatic Tube Current Modulation (ATCM on abdominal organ dose for abdominal CT scans. European Congress of Radiology, Austria, 2019.

84. M.Ali R, **England A**, Mercer CE, Tootell AK, Hogg P. Radiation risk from digital breast tomosynthesis screening – a comparison with full field digital mammography. European Congress of Radiology, Austria, 2019.

85. Al-Murshedi S, Hogg P, **England A**. The impact of being overweight on image quality when undertaking adult chest X-ray examinations using routine protocols. European Congress of Radiology, Austria, 2019.

86. Al-Murshedi S, Hogg P, **England A**. Evaluation of conspicuity index in digital radiography. European Congress of Radiology, Austria, 2019.

87. Alzyoud K, Hogg P, Snaith B, Flintham K, **England A**. Impact on radiation dose and image quality - supine versus erect positioning in pelvic radiography. European Congress of Radiology, Austria, 2019.

88. Alzyoud K, Hogg P, Snaith B, **England A**. An evaluation of eight different standing positions for undertaking erect pelvis radiography using videorastereography. European Congress of Radiology, Austria, 2019.

89. Ali Mohamed A, Hogg P, **England A**. Determining acquisition parameters based on predetermined image quality levels for paediatric pelvis radiography using manual exposure. European Congress of Radiology, Austria, 2019.

90. Ali Mohamed A, Hogg P, **England A**. Determining acquisition parameters based on predetermined image quality levels in paediatric pelvis radiography using automatic exposure control (AEC). European Congress of Radiology, Austria, 2019.

91. Yafawi A, McWilliams RG, Fisher RK, **England A**, Karouki M, Torella F. Aneurysm growth following endovascular aneurysm sealing of abdominal aortic aneurysms and its associations with stent movement. The Vascular Societies' Annual Scientific Meeting, Scotland, 2018.

Invited Presentations

1. **England A**. CT measurement of the aorta – an extended role for the radiographer? UK Radiological Congress, 2004, Manchester.
2. **England A**. Device migration after endovascular aortic aneurysm repair: Experience using a Talent stent-graft. Manchester Vascular Surgical Society, 2004. Manchester.
3. **England A**. Positional changes of stent-grafts within the abdominal aorta – optimising detection by CT. Translating Research into Clinical Reality Conference, University of Liverpool, 2007.
4. **England A**. Radiography education a UK perspective. Virginia Commonwealth University Medical Center, Richmond, VA, 2009.
5. **England A**. CT assessment of migration after EVAR is more difficult that people think. 34th International Charing Cross Symposium, Imperial College, London, April 2012.
6. **England A**. Observer Variation of Abdominal Aortic Aneurysm Measurements on CT datasets. UKRC, Manchester, 2012.
7. **England A**. The importance of evidence-based practice for the future of advanced practice in radiography. European Congress of Radiology (ECR), Vienna, Austria, 2013.
8. **England A**. Medium and long-term outcomes after fenestrated EVAR – do devices migrate? Cardiovascular and Interventional Radiology Society of Europe Annual Meeting, Barcelona, Spain, 2013.
9. **England A**. Skills and competencies in care and compassion. European Congress of Radiology (ECR), Vienna, Austria, 2017.
10. **England A**. Things to consider: the reviewer's perspective. European Congress of Radiology (ECR), Vienna, Austria, 2017.
11. **England A**. Tomorrow's Radiographer – Roles & Responsibilities. European Congress of Radiology (ECR), Vienna, Austria, 2017.
12. **England A**. Educational Issues in Radiography – Keynote. European Congress of Radiology (ECR), Vienna, Austria, 2019.

Faculty Memberships

1. 2008 Endovascular Planning Workshop, Royal College of Surgeons, London. January 2008.
2. 30th International Charing Cross Symposium, Imperial College, London.

   March 2008. 3D Imaging Workshop.

3. 2009 Endovascular Planning Workshop, Royal College of Surgeons, London. January 2009.
4. 31st International Charing Cross Symposium, Imperial College, London.

   April 2009. 3D Imaging Workshop.

5. 32nd International Charing Cross Symposium, Imperial College, London.

   April 2010. GLOBALSTAR Workshop.

6. 2010 Endovascular Planning Workshop, Royal College of Surgeons, London. January 2010.
7. 2011 Endovascular Planning Workshop, Royal College of Surgeons, London, March 2011.
8. 34th International Charing Cross Symposium, Imperial College, London. April 2010. Imaging Symposium.

Journal Reviewer/Editor Positions

1. Radiography – 2006 to present.
2. European Journal of Radiography – 2009 to present.
3. Journal of Endovascular Therapy – 2011 to present
4. British Journal of Radiology – 2016 to present
5. Associate Editor (International) Radiography – 2016 to present

Previous External Examiner Positions

1. University of Teesside, BSc(Hons) Radiography Programme (2008-2012)
2. University of Hertfordshire, BSc(Hons) Radiography Programme (2012-2017)
3. University of Malta, BSc(Hons) Radiography Programme (2017-2019)
4. University of Ghana, BSc(Hons) Radiography Programme (2016-2019).

---

5. Keele University, BSc(Hons) Radiography Programme (2019-2020).

Grant Income

Previous Employment

- ITRIMS Project at the University of Liverpool. **20,000 Euros** from Cordis Europe and the Cardiovascular and Interventional Radiological Society of Europe (CIRSE) for an international task analysis for radiological interventional metrics in simulation project.
- An investigation into the migration of fenestrated aortic stent-grafts. **£303,000** from the NIHR for a Doctoral Research Fellowship.
- Variability of vascular CT measurement techniques used in the assessment abdominal aortic aneurysms project. **£2,400** from the College of Radiographer's Industrial Partnerships (CoRIPs) scheme.
- Innovation Award of **£10,000** to develop computer software to simulate the reduction of radiation dose on CT images. This was a partnership project with UoS Computer Science and Oslo Metropolitan University, Norway.
- UoS HEIF Award of **£94,000** to 'Identify principles, processes and practices that facilitate co-production/ co-creation across ICZs; identify new cross-school research/ teaching opportunities with a focus on medical imaging/ biomechanics /physics/ engineering/ computer science'.
- UoS Impact Fund award of **£2,000** to develop an Impact website on our portfolio of breast cancer imaging research.

Current Employment

- Health Education England**, £10,000** to support a workforce development project.
- Health Education England, **£62,000** to support expansion of radiography training places.
- Organon Pharma Ltd, **£52,000** to support the development of MRI protocols to support the identification of migration subdermal contraceptive implants.
- GE Healthcare Ltd, **~75,000** euros to support the evaluation of dualenergy CT scanning.

Unsuccessful funding bids

- Two NIHR Research for Patient Benefit bids in excess of £400,000.
- Two Breast Cancer Now bids in excess of £300,000.
- An ERASMUS+ grant for >150,000 euros.

Doctoral (PhD) Supervisions

- Nine completed
- Two on-going

Doctoral (PhD) Examinations

- 2 internal
- 3 external

Referees

1. Emeritus Professor Peter Hogg
   University of Salford
   Room L608
   Allerton Building
   Frederick Road Campus
   Salford
   M5 4WT
   0161 295 2492
   p.hogg@salford.ac.uk

2. Professor Richard McWilliams Consultant Radiologist
   Department of Radiology
   Royal Liverpool University Hospitals
   Prescott Street Liverpool
   0151 706 4903
   Richard.mcwilliams@liverpoolft.ac.uk

3. Mrs Charlotte Beardmore
   President EFRS
   Society & College of Radiographers
   207 Providence Square
   Mill Street
   London, SE1 2EW
   02077407200
   charlotteB@sor.org