# Python 5: Exceptions & Automation Testing

**IN608: Intermediate Application Development Concepts** 

### **Last Session's Content**

#### In-Built Functions

- Enumerate
- Reversed
- Slice
- Sorted
- o Zip

#### SOLID

- Single-responsibility principle
- Open-closed principle
- o Liskov substitution principle
- Interface segregation principle
- Dependency inversion principle

# **Today's Content**

- Exceptions
  - Try
  - Catch
  - Finally
- Automation testing
  - Unit testing
  - Integration testing
  - Selenium Python

# Exceptions

## **Try**

- Specifies exception handlers & cleanup code for a group of statements
- Resources:
  - <a href="https://docs.python.org/3/reference/compound\_stmts.html#the-try-statement">https://docs.python.org/3/reference/compound\_stmts.html#the-try-statement</a>
  - https://docs.python.org/3/library/exceptions.html#concrete-exceptions

```
try:
    with open('foo.txt') as f:
        data = f.read()
        print(data)
except:
    Pass
# Hello World!
```

# Except

- Specifies one or more exception handlers
- Resource: <a href="https://docs.python.org/3/reference/compound\_stmts.html#except">https://docs.python.org/3/reference/compound\_stmts.html#except</a>

```
try:
    with open('bar.txt') as f:
        data = f.read()
        print(data)
except FileNotFoundError as e:
    print(e)
# [Errno 2] No such file or directory: 'bar.txt'
```

# **Finally**

- Specifies a 'cleanup' handler
- Resource: <a href="https://docs.python.org/3/reference/compound\_stmts.html#finally">https://docs.python.org/3/reference/compound\_stmts.html#finally</a>

```
try:
    with open('foo.txt') as f:
        data = f.read()
        print(data)
except FileNotFoundError as e:
    print(e)
finally:
    print('Cleanup')
# Hello World!
# Cleanup
```

# **Automation Testing**

### **Unittest**

- Unit testing framework
- Inspired by JUnit (Java)
- Support for test fixtures, cases, suites & runners
- Resource: <a href="https://docs.python.org/3/library/unittest.html">https://docs.python.org/3/library/unittest.html</a>
- Alternative Pytest
  - o Resource: <a href="https://docs.pytest.org/en/stable/">https://docs.pytest.org/en/stable/</a>

## **Unit Testing**

- Individual units of software are tested
- Validate that each unit of software performs as designed

```
from unittest import TestCase, main
class Person:
   def __init__(self, first_name, last_name, age):
        self.first_name = first_name
        self.last_name = last_name
        self.age = age
   def is_legal(self):
        return True if self.age >= 18 else False
class TestPerson(TestCase):
    def setUp(self):
        self.person_one = Person('John', 'Doe', 25)
        self.person_two = Person('Jane', 'Doe', 5)
   def test_first_name(self):
        self.assertEqual('John', self.person_one.first_name)
   def test_is_legal(self):
        self.assertTrue(self.person_one.is_legal())
   def test_is_not_legal(self):
        self.assertFalse(self.person_two.is_legal())
    def tearDown(self):
       self.person_one = None
        self.person_two = None
if __name__ == '__main__':
     main(argv=[''], verbosity=2, exit=False)
```

# Programming Activity (30 Minutes)

# **Programming Activity**

- Checkout to master git checkout master
- Create a new branch called 05-practical git checkout -b 05-practical
- Copy 05-practical.ipynb from the course materials repository into your practicals repository
- Open up the Anaconda Prompt (it should be install on all lab computers) & cd to your practicals repository
- Run the following command: jupyter notebook

# **Programming Activity**

- Please open 05-practical.ipynb
- Please ONLY answer questions 1-4
- We will go through the solutions after 30 minutes

# Solutions

# **Integration Testing**

- Individual units of software are tested as a group
- Expose bugs in the interaction between integrated units

# **Selenium Python**

- An API for writing functional/acceptance tests using Selenium WebDriver
- Resources:
  - o <a href="https://selenium-python.readthedocs.io">https://selenium-python.readthedocs.io</a>
  - https://pypi.org/project/selenium
  - https://selenium-python.readthedocs.io/installation.html#drivers
  - <a href="https://docs.python.org/3/installing/index.html#installing-python-modules">https://docs.python.org/3/installing/index.html#installing-python-modules</a>
- Alternative Robot Framework
  - Resource: <a href="https://robotframework.org">https://robotframework.org</a>

# **Selenium Python**

```
from selenium import webdriver
from selenium.webdriver.common.keys import Keys
from unittest import TestCase, main
class TestPythonOrgSearch(TestCase):
    def setUp(self):
        self.driver = webdriver.Chrome('chromedriver')
        self.driver.get('https://www.python.org')
    def test_python_org_search(self):
        self.assertTrue('Python' in self.driver.title)
        elem = self.driver.find_element_by_name('q')
       elem.clear()
       elem.send_keys('pycon')
        elem.send_keys(Keys.RETURN)
        self.assertTrue('No results found.' not in self.driver.page_source)
    def tearDown(self):
        self.driver.close()
if name == ' main ':
   main(argv=[''], verbosity=2, exit=False)
```