


Back Door Frame 1

Back Door Frame 2

Notes
1) Concrete foundation blocks are not part of the 940 Tender
2) Perforins to be pre-fixed with 2 X Nails 3,5" and then with strongtie type H2.5
3) CS16 Hurricane Straps 1000mm length.
4) CS16 Hurricane Straps 1300mm length.

Opdrachtgever	Cordaid Haiti		
Project	940 Tender		
Onderwerp	ASSEMBLY; Back Door Frames		
 Haiti, W.I. Pétion-Ville, Vioy Mitchell 13, Impasse Théodore, Route de Frères E-mail: ju.nelson@cordaid.nl Website: www.cordaid.nl	Wijzigingen	Schaal	1:20
		Getekend	Fr. J. Nelissen
		Datum	27.11.10
		Formaat	A3
		Projectnummer	COHA102705-940
		Bladnummer	5


▼ 3.91 + P

▼ 2.44 + P

▼ 0.2 + P

▼ P = 0

▼ -0.6 + P



Front Door Frame 1

Front Door Frame 2

- Notes**
- 1) Concrete foundation blocks are not part of the 940 Tender
 - 2) Purlins to be pre-fixed with 2 X Nails 3,5" and then with strongtie type H2.5
 - 3) CS16 Hurricane Straps 1000mm length.
 - 4) CS16 Hurricane Straps 1300mm length.

Opdrachtgever	Cordaid Haiti
Project	940 Tender
Onderwerp	ASSEMBLY: Front Door Frames
Wijzigingen	Schaal : 1:20
	Getekend : B. J. Netissen
	Datum : 27.11.10
	Formaat : A3
	Projectnummer : COHA102705-940
	Bladnummer : 4



Haiti, W.I. Petion-Ville, Viny Michel
13, Impasse Théocratine, Route de Frères
E-mail: jp.netissen@cordaid.net
website: www.cordaid.nl


▼ 3.91 + P

▼ 2.44 + P

▼ 0.2 + P

▼ P = 0

▼ -0.6 + P



Porch Frame 1.2

Side Frame 1.2

Side Frame 2.2

Notes

- 1) Concrete foundation blocks are not part of the 940 Tender
- 2) Purlins to be pre-fixed with 2 X Nails 3.5" and end then with strongtie type H2.5
- 3) 1"x4" attached to truss for cross bracing.
- 4) Truss 1 is connected with porch frame with two times strongtie type H2.5
- 5) 2"x2" attached to truss against up/lift ceiling.

Opdrachtgever	Cordaid Haiti
Project	940 Tender
Onderwerp	ASSEMBLY: Side Frames .2
Wijzigingen	
Schaal	1:20
Getekend	Ir. J. Melissen
Datum	27.11.10
Formaat	A3
Projectnummer:	
COHA102705-940	
Bladnummer:	
3	

Haiti, W.I. Petion-Ville, Vivier Mitchell
13, Impasse Théodore, Route de Frères
E-mail: j.p.melissen@cordaid.net
Website: www.cordaid.nl


▼ 3.91 + P

▼ 2.44 + P

▼ 0.2 + P

▼ P = 0

▼ -0.6 + P



Porch Frame 1.1

Side Frame 1.1

Side Frame 2.1

Notes

- 1) Concrete foundation blocks are not part of the 940 Tender
- 2) Purlins to be pre-ribs with 2 X Nails 3.5" and end then with strongtie type H2.5
- 3) 1"x4" attached to truss for cross bracing.
- 4) Truss 1 is connected with porch frame with two times strongtie type H2.5
- 5) 2"x2" attached to truss against uplift ceiling.

Opdrachtgever	Cordaid Haiti
Project	940 Tender
Onderwerp	ASSEMBLY: Side Frames .1
Wijzigingen	
Schaal	1:20
Getekend	Ir. J. Nelissen
Datum	27.11.10
Formaat	A1
Projectnummer	
COHA102705-940	
Bladnummer	
2	

