

American International University- Bangladesh

CSC 3215: Web Technologies

CO2 and CO4 Evaluation Finished Project Report Spring 2021-22

Project Title: Online Bus Sharing System (OBS)

Section: E

Student Name	Student Id
DALIM KUMAR ROY	18-37175-1
ARIFUL ISLAM	18-37218-1
MD FAHIM ALMAS	18-37602-1


Project Description:

This project provides ides about a new innovative idea. Passengers can easily access all type of information services by booking tickets online through software-based digital management. This will make it easier for passengers to reach the destination at the right time. It seems to be an attractive and innovative communication method for new passengers. This kind of innovative project can be profitable in a very short time. Most of the people in Dhaka use public bus as transport. Generally, buses are waiting for passenger in the bus stop and some time the gathering of buses create traffic jam. Again, passenger need to wait for bus in the bus stop and sometime people need to spend a lot of time for waiting of buses. In the other word where buses are available but passenger are not again passenger are available but buses are not. For this reason, people suffer from uncertainty and it also increase their strange. Again, there are many people don't know which bus need to select to go to their desire location. This one is also a big problem. We want to bring bus passenger, bus, route to same platform through a system. Where passengers can get enough information about the route of the bus and they will know which bus goes to a destination. And they can book bus seats from anywhere at any time. We can reduce people's suffering from transportation at a lower cost. Where to do otherwise is very expensive . Peoples, easily can used our system because internet access is now readily available from everywhere by using smartphone.

Project Folder Structure:

Folder location: C:\xampp\htdocs\OBS

Now in OBS folder:



Core Modules of the Project:

C_index.php

```
<?php
  if (session status()>=0){
    session start();
    if(isset($_SESSION["uname"])){
      header("refresh: 1; url = C_private.php");
      echo $SESSION["uname"];
    }
  }
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
  <title>OBS</title>
  <link rel="stylesheet" href="C_style.css">
</head>
<body>
  <h3 style="color:Blue">To Log In Fill Up Username and
Password , Then Click Submit </h3>
  <div>
  <form action="C_loginprocess.php" method="post">
    Username : <input type="text" name ="uname"</pre>
placeholder="Enter username as Email">
    Password : <input type="password" name = "pass"</pre>
placeholder="Enter Your Password">
```

```
<input type="submit" name ="submit">

</form>
  </div>
  <br>
  <h2 style="color:Blue">If not Registered please Sign Up
first</h2>

  <a id="id" href="C_signup.php">Sign Up</a>
  <br>
  <h2 style="color:red">Below, Only For BUS Registered and BUS
Log In</h2>

  <a id="id" href="BUS.php">BUS_Reg</a>
  <br>
  <a id="id" href="BUS_Log_In.php">BUS_LOG_IN</a>
</body>
</html>
```

<u>C_check_username.php</u>

```
<?php
if(session_status()>=0){
   session_start();
   if(isset($_SESSION["uname"])){
     header("refresh: 1; url = C_private.php");
     //echo $SESSION["uname"];
   }
}
```

```
if(isset($_POST["submit"])){
  $uname = $ POST["uname"];
  $conn = mysqli_connect('localhost', 'root', '', 'obss');
  $sql = "SELECT *FROM passenger info WHERE username =
 $uname'";
  $result = mysqli query($conn, $sql);
  $row = mysqli fetch array($result, MYSQLI ASSOC);
  $count = mysqli num rows($result);
  if($count == 1){
    //session start();
    echo "This Mail already Registered";
    header("refresh: 4; url = C index.php");
    exit();
  }
  else{
    if(($ POST["pass"] ==
$_POST["cpass"])and($_POST["pass"]!=null)){
      $uname =
filter_var($_POST["uname"],FILTER_SANITIZE_EMAIL);
      if(filter var($uname, FILTER SANITIZE EMAIL)){
        $pass = $ POST["pass"];
        $phone = $ POST["phone"];
        $pass = md5($pass);//Encript Password
        $conn = mysqli_connect('localhost', 'root', '',
'obss');//connection string
        $sql = "INSERT INTO
passenger info(username, Phone Number, password, dt) VALUES('$uname
', '$phone', '$pass', current timestamp())";
        if (mysqli query($conn, $sql))
```

```
session_start();
         $_SESSION["uname"] = $_POST["uname"];//may be here
can solved change user name
         echo "Registration Accepeted <br>";
         header("refresh: 4; url = C_private.php");
       }
       else{
         echo "Email Format is not Correct.";
         header("refresh: 4; url = C index.php");
     else{
       echo "Password Error, ";
       header("refresh: 4; url = C_index.php");
   }
```

Projapati_01_Seat.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
  <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/boots
trap.min.css" integrity="sha384-
BVYiiSIFeK1dGmJRAkycuHAHRg320mUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4
u" crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/boots
trap.bundle.min.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1
p" crossorigin="anonymous"></script>
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/boo
tstrap.min.css" rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW
3" crossorigin="anonymous">
<!-- Op TH-->
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/boots
trap-theme.min.css" integrity="sha384-
rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/S
p" crossorigin="anonymous">
<!-- JS -->
```

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstr
ap.min.js" integrity="sha384-
Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA712mCWNIpG9mGCD8wGNIcPD7Tx
a" crossorigin="anonymous"></script>
  <title>OBS</title>
  <link rel="stylesheet" href="Projapati_01_Seat.css">
</head>
<body>
  <br>
  <br>
<!-- <h3 style="background: rgb(200, 139, 208);
color:blue;padding:10px;font-size:20px;margin-left:
250px;margin-right: 250px; border: 1px solid blue">Available
Seat Color</h3>
<h3 style="background-
color:salmon;color:white;padding:10px;font-size:20px;margin-
left: 250px;margin-right: 250px;">Select Seat Color </h3> -->
<div class="container">
<div class="row">
<div class="col-12 col-sm-12 col-lg-12 col-md-12">
<h1>Here Seat List </h1>
</div>
</div>
<div class="row">
<div class="col-12 col-sm-12 col-lg-12 col-md-12">
</div>
</div>
```

```
<!--<form action="Bus info.php" method="post">-->
<div class="row">
<div class="col-12 col-sm-12 col-lg-8 col-md-12">
      <form>
      <!-- <b>Seat 01</b> -->
      <div class="row">
<div class="col-12 col-sm-12 col-lg-12 col-md-12">
      <button id="btn1" type="button" class="btn btn-outline-</pre>
primary">Seat 01</button>
      <button id="btn2" type="button" class="btn btn-outline-</pre>
primary">Seat 02</button>
      <button type="button" class="space"> space </button>
      <button id="btn3" type="button" class="btn btn-outline-</pre>
primary">Seat 03</button>
      <button id="btn4" type="button" class="btn btn-outline-</pre>
primary">Seat 04</button>
      <br>
</div>
</div>
      <button id="btn5" type="button" class="btn btn-outline-</pre>
primary">Seat 05</button>
      <button id="btn6" type="button" class="btn btn-outline-</pre>
primary">Seat 06</button>
      <button type="button" class="space"> space </button>
      <button id="btn7" type="button" class="btn btn-outline-</pre>
primary">Seat 07</button>
      <button id="btn8" type="button" class="btn btn-outline-</pre>
primary">Seat 08</button>
      <hr>>
      <button id="btn9" type="button" class="btn btn-outline-</pre>
primary">Seat 09</button>
      <button id="btn10" type="button" class="btn btn-outline-</pre>
primary">Seat 10</button>
      <button class="space" type="button"> space </button>
```

```
<button id="btn11" class="btn btn-outline-</pre>
primary" type="button">Seat 11</button>
      <button id="btn12" class="btn btn-outline-</pre>
primary" type="button">Seat 12</button>
      <br>
      <button id="btn13" class="btn btn-outline-</pre>
primary" type="button">Seat 13</button>
      <button id="btn14" class="btn btn-outline-</pre>
primary" type="button">Seat_14</button>
      <button class="space" type="button"> space </button>
      <button id="btn15" class="btn btn-outline-</pre>
primary" type="button">Seat 15</button>
      <button id="btn16" class="btn btn-outline-</pre>
primary" type="button">Seat 16</button>
      <br>
      <button id="btn17" class="btn btn-outline-primary"</pre>
type="button">Seat 17</button>
      <button id="btn18" class="btn btn-outline-primary"</pre>
type="button">Seat 18</button>
      <button class="space"> space </button>
      <button id="btn19" class="btn btn-outline-primary"</pre>
type="button">Seat 19</button>
      <button id="btn20" class="btn btn-outline-primary"</pre>
type="button">Seat 20</button>
      <br>
      <button id="btn21" class="btn btn-outline-primary"</pre>
type="button">Seat 21</button>
      <button id="btn22" class="btn btn-outline-primary"</pre>
type="button">Seat 22</button>
      <button class="space"> space </button>
      <button id="btn23" class="btn btn-outline-primary"</pre>
type="button">Seat 23</button>
      <button id="btn24" class="btn btn-outline-primary"</pre>
type="button">Seat 24</button>
```

```
<br>
      <button id="btn25" class="btn btn-outline-primary"</pre>
type="button">Seat 25</button>
      <button id="btn26" class="btn btn-outline-primary"</pre>
type="button">Seat 26</button>
      <button class="space" type="button"> space </button>
      <button id="btn27" class="btn btn-outline-primary"</pre>
type="button">Seat 27</button>
      <button id="btn28" class="btn btn-outline-</pre>
primary" type="button">Seat 28</button>
      <hr>>
      <button id="btn29" class="btn btn-outline-primary"</pre>
type="button">Seat 29</button>
      <button id="btn30" class="btn btn-outline-primary"</pre>
type="button">Seat 30</button>
      <button class="space"> space </button>
      <button id="btn31" class="btn btn-outline-primary"</pre>
type="button">Seat 31</button>
      <button id="btn32" class="btn btn-outline-primary"</pre>
type="button">Seat 32</button>
      <br>
    </form>
</div>
<div id="gator" class="col-12 col-sm-12 col-lg-4 col-md-12">
</div>
</div>
<div class="row">
<div class="col-12 col-sm-12 col-lg-12 col-md-12">
    <h2>Please Payment : </h2>
    <form>
```

```
<a href="booking.php">Payment</a>
    </form>
</div>
</div>
  <br>
  <div class="row">
  <div class="col-12 col-sm-12 col-lg-12 col-md-12">
  <h3>If you want to go Home please Click Home</h3>
  <a href="C_private.php">Home</a>
</div>
</div>
  <br>
  <script src="js/Projapati_01_Seat.js">
  </script>
  </div>
</body>
</html>
<?php
```