

OCULAR MANIFESTATION OF HIV/AIDS

MOLLUSCUM CONTAGIOSUM



OCULAR MANIFESTATION OF HIV/ AIDS

- 1. MOLLUSCUM CONTAGIOSUM
- Tumour due to poxvirus
- Presents as small dome shaped nodule often umbilicated centrally.
- May produce conjunctivitis and keratitis if lesion sheds into the conjunctival space.

MANAGEMENT

- Cauterisation, excision or cauterisation
- **2 KAPOSI'S SARCOMA**
- A vascular tumor
- Appears as nodule or brown ,pink and red violet lesion on eyelid or conjunctiva
- Ulceration is present at times.
- **Management:** cytotoxic drugs, cART, radiotherapy



CYTOMEGALOVIRUS RETINITIS

- CMV retinitis is a chronic diffuse exudative infection of retina caused by CMV virus.
- **CLINICAL FEATURES**
- Poor vision
- Floaters
- Cotton wool spots
- Full thickness retinal necrosis and oedema which starts peripherally.

- Retinal bleeding and vasculitis
- Retinal atrophy
- **MANAGEMENT**
- **Use one of the following drugs**
- Ganciclovir IV
- Foscarnet IV
- Dihydroxyproxymethyl guanine IV

SQUAMOUS CELL CARCINOMA : see notes
on ocular neoplasm

HERPES ZOSTER OPHTHALMICUS: see
notes on presented lecture previously

