

Apache Ignite vs ScratchBird: Cross-Engine Feature Comparison

Report ID: april-2026-apache_ignite-vs-scratchbird

- report_date: 2026-04-01
- report_family_version: april_2026_v1
- comparison_intent: EMULATION_FEASIBILITY
- assessment_lanes: CURRENT_STATE, SPECIFIED_TARGET_STATE
- scope_profile: role-scoped cross-engine comparison; current-state plus specified-target-state; exact file-format, benchmark, and ecosystem-only tooling parity excluded unless named
- subject_a.engine_key: apache_ignite
- subject_a.display_name: Apache Ignite
- subject_a.version_or_release: formal reference pack capture as of 2026-04-01
- subject_a.edition_or_variant: donor-role baseline
- subject_a.deployment_mode: role-scoped donor baseline
- subject_b.engine_key: scratchbird
- subject_b.display_name: ScratchBird
- subject_b.version_or_release: canonical spec tree as of 2026-04-01
- subject_b.edition_or_variant: spec-defined engine and compatibility target
- subject_b.deployment_mode: embedded-first engine with layered runtime expansion
- scratchbird_role: IMPLEMENTATION_CANDIDATE
- evidence_cutoff_date: 2026-04-01
- generator_or_author: Codex
- excluded_domains: exact on-disk parity, benchmark score claims, ecosystem-only tooling, and non-authoritative donor topics explicitly rejected by the reference matrix
- source_pack: docs/specifications/Reference_Documentation_specification.md + docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite + ScratchBird canonical specs

1. Purpose and Scope

This report compares Apache Ignite against ScratchBird using the canonical pairwise report schema defined for April 2026. It is intentionally donor-role-scoped rather than a product-marketing checklist: the report measures the topics the reference matrix says this donor is authoritative for, and it explicitly rejects using the donor as authority outside those topics.

2. Executive Summary

- current_state_verdict: NOT_CURRENTLY_FEASIBLE
- specified_target_state_verdict: PARTIAL_WITH_GAPS
- primary_current_blockers: data-grid collocation and memory-centric distributed SQL/runtime behavior
- donor_role_summary: Data-grid donor

3. Subject Identity and Scope Assumptions

- donor_rank_and_phase: rank 40, Beta 2
- donor_role: Data-grid donor
- why_included: Useful donor for affinity/collocation and memory-centric distributed SQL
- authoritative_topics: Partitioning, collocation, topology changes, compute-plus-data-grid patterns
- non_authoritative_topics: In-memory grid assumptions as the baseline engine architecture
- evidence_imported_into_specs: role-scoped donor constraints, feature-family comparison rows, and target-state blocker classification

4. Overall Category Scorecard

CURRENT_STATE

Metric	Count
in-scope feature rows	10
IDENTICAL	0
FUNCTIONALLY_EQUIVALENT	0
COMPATIBLE_WITH_MAPPING	0
EMULATABLE_WITHOUT_MATERIAL_LOSS	0
PARTIAL_PARITY	8
directional-only rows	0
blocker rows	10
roadmap-only rows	1

SPECIFIED_TARGET_STATE

Metric	Count
in-scope feature rows	10
IDENTICAL	0
FUNCTIONALLY_EQUIVALENT	0
COMPATIBLE_WITH_MAPPING	1
EMULATABLE_WITHOUT_MATERIAL_LOSS	0
PARTIAL_PARITY	9
directional-only rows	0
blocker rows	9
roadmap-only rows	10

5. Architecture, Storage, and Transaction Semantics

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_classification	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	architecture_engine_model	Engine model and transaction semantics	NATIVE	PARTIAL	NOT_COMPARABLE	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares externally visible engine model, transaction semantics, and storage-facing truth rather than raw implementation on language or code shape.	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/08_Transaction_Core/README.md; docs/specifications/34_Table_Storage_and_Access_Methods/README.md; docs/specifications/35_Durability_Crash_Recovery_and_Checkpoint_Model/README.md
SPECIFIED_TARGET_STATE	architecture_engine_model	Engine model and transaction semantics	NATIVE	PLANNED	PARTIAL_PARITY	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and	docs/reference/formal_reference_s

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
									memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row measures the spec-backed target-state comparison rather than only what ships today.	et/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/ formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/08_Transaction_Core/README.md; docs/specifications/34_Table_Storage_and_Access_Methods/README.md; docs/specifications/35_Durability_Crash_Recovery_and_Checkpoint_Model/README.md

6. Catalog and Metadata Surface

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	catalog.system_surface	Catalog and metadata surface	NATIVE	PARTIAL	PARTIAL_PURITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares whether system	docs/reference/ formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/ formal_reference_set/21_40_beta2_design

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_classification	evidence_grade	notes_or_mapping	source_references
									metadata, catalog views, and identity surfaces can be presented with honest equivalence.	_and_metadata_set/40_apache_ignite/SOURCE.txt; docs/specifications/24_Catalog_Model_and_Virtual_Overlay_s/README.md; docs/specifications/37_Statistics_Metadata_and_Schema_DDL/README.md
SPECIFIED_TARGET_STATE	catalog_system_surface	Catalog and metadata surface	NATIVE	PLANNED	COMPATIBLE_WITH_MAPPING	NO_DIRECTIONAL_DELTA	MAPPING_REQUIRED	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether ScratchBird's specified overlays and compatibility views define an honest target-state metadata surface.	docs/reference/formal_reference_set/21_40_beta2_design_and_metadata_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_metadata_set/40_apache_ignite/SOURCE.txt; docs/specifications/24_Catalog_Model_and_Virtual_Overlay_s/README.md; docs/specifications/37_Statistics_Metadata_and_Schema_DDL/README.md

7. Data Types and Value Domains

assessment_lane	feature_key	feature_name	subject_state	subject_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	types.value_domain	Type system and value domains	NATIVE	PARTIAL	PARTIAL_PURITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares value-domain coverage and whether the donor's major type families can be represented without misleading coercion claims.	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/15_Complex_Types/README.md
SPECIFIED_TARGET_STATE	types.value_domain	Type system and value domains	NATIVE	PLANNED	PARTIAL_PURITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether canonical type and alias specs are sufficient for a defensible target-state mapping.	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/15_Complex_Types/README.md

8. Indexes and Access Methods

assessment_lane	feature_key	feature_name	subject_state	subject_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	indexes.access_method	Index and access methods	NATIVE	PARTIAL	PARTIAL_PURITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	VENDOR_DOC	The donor	docs/reference

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
ATE	hods	access-method surface			RITY	TA	AP	C_BACKED	centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares access-method families and the operator surface that makes them reachable to users.	/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/
SPECIFIED_TARGET_STATE	indexes.access_methods	Index and access-method surface	NATIVE	PLANNED	PARTIAL_PARTIALITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether the target index and planner surface is specified well enough for stable comparison.	docs/reference/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/18_Index_Framework/README.md

9. DDL and Object Lifecycle

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	ddl.object_lifecycle	DDL and object lifecycle	NATIVE	PARTIAL	PARTIAL_PARTIALITY	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation	docs/reference/

assessment_lane	feature_key	feature_name	subject_attribute	subject_status	comparison_outcome	delta_class	blocking_classification	evidence_grade	notes_or_mapping	source_references
									and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares schema and object lifecycle operations rather than byte-for-byte syntax identity.	formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/
										formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/21_V3_Dialect_Surface/README.md; docs/specifications/37_Statistics_Meta_data_and_Schema_DDL/README.md
SPECIFIED_TARGET_STATE	ddl_object_lifecycle	DDL and object lifecycle	NATIVE	PLANNED	PARTIAL_PURITY	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether the specified DDL/object model covers the donor's required lifecycle surface.	docs/reference/
										formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/
										formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/21_V3_Dialect_Surface/README.md; docs/

assessment_lane	feature_key	feature_name	subject_ate	subject_b_s_tate	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
										specifications/ 37_Statistics_Meta data_and_ Schema_DDL/ README.md

10. DML and Query Semantics

assessment_lane	feature_key	feature_name	subject_ate	subject_b_s_tate	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	dml.query_and_mutation_surface	DML and query semantics	NATIVE	PARTIAL	PARTIAL_PURITY	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird’s current single-node-first implementation. This row compares the query and mutation surface that matters to application-visible semantics.	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/21_V3_Dialect_Surface/README.md; docs/specifications/36_Query_Rewrite_and_Planner/README.md
SPECIFIED_TARGET_STATE	dml.query_and_mutation_surface	DML and query semantics	NATIVE	PLANNED	PARTIAL_PURITY	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird’s current single-node-first implementation. This row	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_re

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
									asks whether the specified query and mutation surface is comparable even when implementation is still incomplete.	et/21_40_bet_a2_design_and_method_set/40_apache_ignite/SOURCE.tx; docs/specifications/21_V3_Dialect_Surface/README.md; docs/specifications/36_Query_Rewrite_and_Planner/README.md

11. Functions Surface

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	functions_builtin_surface	Built-in function surface	NATIVE	PARTIAL	PARTIAL_PARTIALITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares built-in callable surface at the family level, not every donor-specific helper or alias.	docs/reference/formal_reference_set/21_40_bet_a2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_bet_a2_design_and_method_set/40_apache_ignite/SOURCE.tx; docs/specifications/17_Functions_and_Procedures/README.md; docs/specifications/21_V3_Dialect_Surface/README.md
SPECIFIED_TARGET_STATE	functions_builtin_surface	Built-in function surface	NATIVE	PLANNED	PARTIAL_PARTIALITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	SPEC_BACKED	The donor centers collocation	docs/reference/

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
									and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether the specified callable surface and aliasing plans define a usable target-state comparison.	formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/
										formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/17_Functions_and_Procedures/README.md; docs/specifications/21_V3_Dialect_Surface/README.md

12. Functions, Procedural Language, and Triggers

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	procedural.programmability_and_triggers	Programmability, procedures, and triggers	NATIVE	PARTIAL	PARTIAL_PURITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row compares procedures, triggers, scripting, and related programmability surfaces.	docs/reference/
									formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/	formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
SPECIFIED_TARGET_STATE	procedural.programmability_and_triggers	Programmability, procedures, and triggers	NATIVE	PLANNED	PARTIAL_PARTIALITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether procedural and trigger semantics are specified well enough to compare honestly.	17_Functions_and_Procedures/README.md; docs/specifications/21_V3_Dialect_Surface/README.md docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/17_Functions_and_Procedures/README.md; docs/specifications/21_V3_Dialect_Surface/README.md

13. Security, Identity, and Permission Model

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	security.identity_and_policy_surface	Identity, privilege, and policy surface	NATIVE	PARTIAL	PARTIAL_PARTIALITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
									first implementation. This row compares engine-visible identity, privilege, policy, and security-boundary behavior.	reference / formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/19_Security_Model/README.md
SPECIFIED_TARGET_STATE	security.identity_and_policy_surface	Identity, privilege, and policy surface	NATIVE	PLANNED	PARTIAL_PARSITY	NO_DIRECTIONAL_DELTA	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether identity, privilege, and policy behavior are specified well enough for target-state comparison.	docs/reference / formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference / formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/19_Security_Model/README.md

14. Embedding, Deployment, and Utility Surface

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_class	evidence_grade	notes_or_mapping	source_refs
CURRENT_STATE	deployment.runtime_and_operator_surface	Runtime, deployment, and operator surface	NATIVE	PLANNED	NOT_COMPARABLE	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	VENDOR_DOC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation	docs/reference / formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference / formal_re

assessment_lane	feature_key	feature_name	subject_attribute	subject_b_s_tate	comparison_outcome	delta_class	blocking_classification	evidence_grade	notes_or_mapping	source_references
									on. This row compares embedding, wire/runtime exposure, and operator-facing deployment or utility surfaces.	reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/25_Runtime_Modes/README.md; docs/specifications/30_Client_Tooling/README.md; docs/specifications/31_Conformance_Performance_and_Reliability_Gates/README.md
SPECIFIED_TARGET_STATE	deployment.runtime_and_operator_surface	Runtime, deployment, and operator surface	NATIVE	PLANNED	PARTIAL_PURITY	ARCHITECTURALLY_DIFFERENT	CURRENT_GAP	SPEC_BACKED	The donor centers collocation and memory-centric distributed SQL/runtime behavior rather than ScratchBird's current single-node-first implementation. This row asks whether the runtime, protocol, and operator surface is specified well enough to compare honestly.	docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md; docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt; docs/specifications/25_Runtime_Modes/README.md; docs/specifications/30_Client_Tooling/README.md; docs/specifications/31_Confor

assessment_lane	feature_key	feature_name	subject_a_state	subject_b_state	comparison_outcome	delta_class	blocking_classification	evidence_grade	notes_or_mapping	source_refs
										mance_Performance_and_Reliability_Gates/README.md

15. Limitations, Exclusions, and Non-Comparable Areas

- The donor is authoritative only for the topic set named in the reference matrix; this report does not treat Apache Ignite as authority outside that set.
- The current-state lane is intentionally conservative and does not upgrade spec-backed future work into shipped compatibility.
- Exact file-format, byte-protocol, or operational maturity parity is excluded unless the relevant family row explicitly names it.

16. Optional Mapping or Emulation Strategy

- Use Data-grid donor as the donor-control boundary when deciding which behaviors to emulate directly, which to map through overlays or dialect translation, and which to reject as non-goals.
- Prioritize these donor topics when expanding ScratchBird target-state parity: Partitioning, collocation, topology changes, compute-plus-data-grid patterns
- Preserve this anti-copy boundary: In-memory grid assumptions as the baseline engine architecture

17. Final Assessment

CURRENT_STATE

Verdict: NOT_CURRENTLY_FEASIBLE. The current-state lane is blocked or constrained mainly by data-grid collocation and memory-centric distributed SQL/runtime behavior. Row-level blocker families: architecture, catalog, types, indexes, ddl, dml, functions, procedural, security, deployment.

SPECIFIED_TARGET_STATE

Verdict: PARTIAL_WITH_GAPS. The specified target-state lane is judged against the current canonical ScratchBird specifications rather than only implemented behavior. Remaining target-state blocker families: architecture, types, indexes, ddl, dml, functions, procedural, security, deployment.

18. Evidence and Sources

- donor control matrix: docs/specifications/Reference_Documentation_specification.md
- donor formal reference pack: docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/README.md, docs/reference/formal_reference_set/21_40_beta2_design_and_method_set/40_apache_ignite/SOURCE.txt
- comparison schema: docs/specifications/31_Conformance_Performance_and_Reliability_Gates/CROSS_ENGINE_FEATURE_COMPARISON_REPORT_SCHEMA_AND_PAIRWISE_COMPARABILITY_MODEL.md
- ScratchBird canonical sections used across the family rows: docs/specifications/08_Transaction_Core/README.md; docs/specifications/15_Complex_Types/README.md; docs/specifications/17_Functions_and_Procedures/README.md; docs/specifications/18_Index_Framework/README.md; docs/specifications/19_Security_Model/README.md; docs/specifications/21_V3_Dialect_Surface/README.md; docs/specifications/24_Catalog_Model_and_Virtual_Overlays/README.md; docs/specifications/25_Runtime_Modes/README.md; docs/specifications/30_Client_Tooling/README.md; docs/specifications/31_Conformance_Performance_and_Reliability_Gates/README.md; docs/specifications/34_Table_Storage_and_Access_Methods/README.md; docs/specifications/35_Durability_Crash_Recovery_and_Checkpoint_Model/README.md; docs/specifications/36_Query_Rewrite_and_Planner/README.md; docs/specifications/37_Statistics_Metadata_and_Schema_DDL/README.md; docs/specifications/39_Backup_Restore_and_Bulk_Data_Paths/README.md