Understanding the Monty Hall Problem: A Statistical Analysis

Dalton Schwentker

October 5, 2024

Abstract

The Monty Hall problem is a classic example of conditional probability that has puzzled many people, including mathematicians, since its introduction. This paper aims to explore the problem in detail, present its solution, and clarify the logic using statistical reasoning and simulations.

1 Introduction

The Monty Hall problem is a probability puzzle based on a television game show scenario. The setup is simple: a contestant is faced with three doors. Behind one door is a car, and behind the other two doors are goats. The contestant initially selects one of the doors, and then the host, Monty Hall, who knows what is behind each door, opens one of the remaining doors to reveal a goat. The contestant is then given the choice to stick with their original choice or switch to the other remaining door. The question is: should the contestant stick or switch to maximize their chances of winning the car?

2 Problem Formulation

To better understand the Monty Hall problem, let us define the possible outcomes. Initially, the probability of selecting the door with the car is $\frac{1}{3}$, while the probability of choosing a door with a goat is $\frac{2}{3}$. After Monty opens a door to reveal a goat, many people mistakenly believe that the odds of the car being behind either of the two remaining doors are equal ($\frac{1}{2}$ each). However, this reasoning is incorrect.

3 Solution Through Conditional Probability

To solve the Monty Hall problem, we must consider how Monty's action affects the probabilities. Let us denote:

- A: The event that the car is behind the initially chosen door.

- B: The event that Monty opens a door to reveal a goat.

We are interested in the conditional probability $P(A \mid B)$. Initially, $P(A) = \frac{1}{3}$. When Monty opens a door to reveal a goat, he is giving us information about where the car might be. If the car was not behind the initially chosen door (which has a probability of $\frac{2}{3}$), then Monty is forced to reveal the goat behind one of the other doors, thus improving the odds of the car being behind the remaining door. Therefore, switching doors gives the contestant a $\frac{2}{3}$ chance of winning the car, while sticking with the original choice gives only a $\frac{1}{3}$ chance.

4   Simulations

To further illustrate the solution, we conducted a simulation of the Monty Hall problem 10,000 times. The results consistently show that switching doors leads to winning the car approximately 66.7% of the time, while sticking with the original choice results in winning only 33.3% of the time. This outcome aligns with our theoretical analysis.


Figure 1: Monty Hall Simulation Results: Number of Wins for Switching vs. Staying

For the detailed Python code used to run the simulation and create the visualization, please refer to the GitHub repository at `https://github.com/DaltonSchwentker/monty_hall_simulation`.

5   Discussion

The Monty Hall problem is often counterintuitive because people tend to assume that each door has an equal probability after Monty opens one of them. However, by understanding the conditional probabilities involved, it becomes clear

that switching doors is the optimal strategy. This problem serves as a valuable lesson in the importance of updating probabilities when new information is provided, a concept central to Bayesian inference.

6   Conclusion

The Monty Hall problem demonstrates how human intuition can often lead us astray in probabilistic reasoning. By analyzing the problem using the principles of conditional probability, we conclude that the optimal strategy is to always switch doors after Monty reveals a goat. This conclusion is supported both by theoretical analysis and by simulation results.

References

[1] M. vos Savant, *Ask Marilyn*, Parade Magazine, 1990.

[2] S. M. Ross, *Introduction to Probability and Statistics for Engineers and Scientists*, 5th ed., Academic Press, 2014.