Genesis OS / Relationship Scores Economy, Coins, Badges & Scoreboard Official Companion Contract v1

Workbook-aligned engagement architecture for ledgered rewards, badge progression, social visibility, couple-presence mechanics, and anti-manipulation enforcement.

Purpose	Define the production mechanics for coins, badges, scoreboard, couple presence, transaction logging, and abuse prevention without corrupting the private scoring engine.
Primary audience	Founder, product, backend, data, fraud/risk, AI governance, QA, and future full-stack/Bubble developers.
Precedence	Workbook + corrected unified master blueprint + this companion contract + badge/coins/scoreboard blueprint.
Non-negotiable	Coins, badges, themes, and scoreboard prestige must never alter compatibility score, readiness score, rank eligibility, or confidence law.

1. Executive lock

This contract turns the engagement layer from a good product idea into buildable law. The app can reward participation, reflection, consistency, couple growth, ritual completion, and social visibility, but every reward must route through a server-side ledger, a governed badge engine, and a scoreboard policy that protects emotional integrity.

The economy exists to increase retention and celebrate healthy use of the platform. It does not exist to bribe the score engine, inflate public standing through purchases, or let social popularity masquerade as relationship health.

> **Core stance**
> The core engine measures compatibility, readiness, stability, clusters, drift, grief, anger, shadow activation, and chemistry. The economy layer may react to governed events from those systems, but it may not write back into private score law or change matchmaking rights outside explicit rule gates.

2. Scope of this contract

- Ledger architecture for coin balances, lifetime totals, reserved funds, reversals, expirations if enabled, and auditability.
- Earn tables covering onboarding, assessments, Sanctuary use, couple growth actions, event participation, games, reflections, and relationship-mode milestones.
- Spend tables covering cosmetic purchases, room themes, scorecard display skins, couple-space decor, event entry, and other non-score-altering unlocks.
- Badge architecture covering single-user, couple, ritual, growth, consistency, community, integrity, and event badges.
- Scoreboard architecture for public activity feeds, weekly or seasonal boards, couple boards, and future social layers.
- Abuse prevention: idempotency, cooldowns, anti-farming rules, server validation, account-link analysis, anomaly review, and admin tooling.
- Shared/private data separation so public achievements never leak hidden cluster, shadow, grief, anger, or Sanctuary-private context.

3. Design principles

Principle	Operational meaning
Emotional integrity over dopamine farming	The platform can be sticky without turning into a slot machine for lonely people. Reward loops should celebrate effort, completion, reflection, and consistency rather than shallow virality.
Ledger first, balance second	A current coin balance is only a projection. The source of truth is the append-only transaction ledger plus reversal events, fraud holds, and admin audit trail.

Public prestige is curated, not raw exposure	The scoreboard must highlight healthy platform activity without exposing private score law, psychological labels, or sensitive Sanctuary content.
Couple growth is collaborative, not adversarial	Once relationship mode is confirmed, the app evolves from match/discovery into shared growth. Couple rewards should encourage collaboration, pulse check consistency, repair completion, room cultivation, and ritual participation rather than partner-vs-partner competition.
No pay-to-win mechanics	Users can buy cosmetics, convenience, or themed experiences. They cannot buy a better compatibility score, better readiness number, more favorable match ranking, or hidden emotional classifications.

4. System boundaries and source events

The economy layer is downstream of governed runtime events. It may observe and reward events such as assessment completion, Sanctuary sessions, pulse checks, repair loops, relationship confirmation, game completion, and event participation. It may not invent its own emotional truth.

Source system	Eligible event families	May earn/spend?	Hard boundary
Onboarding / profile	account_created, rs_code_assigned, consent_completed, preferences_completed	Earn	No direct score effects.
Assessment engine	assessment_started, assessment_completed, polarity_completed, reassessment_cooldown_respected	Earn	Cannot mint coins for partial spam or repeated answer flipping.
Sanctuary	stillness_completed, ritual_completed, mirror_reflection_acknowledged, whisper_saved, archive_entry_completed	Earn / Spend cosmetic Sanctuary upgrades	Private content stays private; public feed only uses approved event labels.
Relationship mode	relationship_created, pulse_check_completed, repair_module_completed, shared_ritual_completed, couple_milestone	Earn / Spend couple-space upgrades	No partner-private reflection text in public outputs.
Games	game_completed, challenge_won,	Earn / Spend entries	Game rewards capped so entertainment cannot

	fair_play_verified		dominate growth actions.
Events / community	event_joined, event_completed, official challenge milestone	Earn / Spend entry	Community events may not expose hidden compatibility or emotional data.
Admin / fraud	manual_adjustment, reversal, hold_applied, ban_applied	Adjust / Reverse	All admin actions require actor ID, reason code, and audit log.

5. Canonical object model

Developers should build the engagement layer around explicit objects. Do not hide coin math inside profile fields or ad hoc automations. Every visible number should be reconstructable from events.

Object	Primary keys / fields	Purpose	Visibility
CoinAccount	account_id, owner_type(user/couple/system), owner_id, current_balance, reserved_balance, lifetime_earned, lifetime_spent, last_reconciled_at, economy_version	Fast read model for wallet display and reconciliation target	Owner + admin
CoinTransactionLedger	tx_id, owner_id, owner_type, tx_type, direction, amount, currency_code, source_event_type, source_event_id, source_ref_id, status, reversible_flag, fraud_state, created_at	Append-only source of truth for every earn, spend, hold, reverse, or migrate event	Admin + internal services
CoinEarnRule	rule_id, event_type, owner_scope, reward_amount, daily_cap, weekly_cap, cooldown_seconds, verification_requirements, active_from, retired_at	Server-side rules for minting coins	Internal only
CoinSpendRule	sku_id, item_type, owner_scope, cost_amount, repeatable_flag, inventory_class,	Rules for valid purchases	Internal only

	refund_policy, visibility_policy		
BadgeDefinition	badge_id, family, tier, unlock_logic, visibility_default, retroactive_flag, icon_key, copy_key, score_protection_flag	Defines milestone and badge products	Mixed
UserBadge / CoupleBadge	owner_id, badge_id, awarded_at, source_event_id, source_rule_id, revoked_at, display_preference	Awarded badge record	Owner + optional public
ScoreboardEntry	entry_id, board_type, period_key, owner_type, owner_id, points, rank, board_visibility, derived_from_version	Materialized leaderboard row	Public / limited
ScoreboardFeedPost	feed_id, owner_id, event_type, display_template, preview_payload, privacy_tier, published_at, moderation_state	Curated public social feed item	Public according to privacy
ThemeInventory	inventory_id, owner_id, sku_id, unlock_source(purchase/badge/event), equipped_flag, room_family, style_tokens	Stores cosmetic themes and decor unlocks	Owner + admin
CouplePresence	relationship_id, couple_handle, room_theme_id, shared_progress_band, public_summary_state, consent_matrix_version	Shared couple identity and future room evolution anchor	Mixed

6. Transaction ledger contract

The ledger is the law. Balances are cached projections. Any service that changes a coin balance must do so by writing a ledger transaction and then updating the materialized balance under idempotent rules.

6.1 Required transaction types

tx_type	Direction	Use case	Notes

earn_reward	credit	Standard earn from validated event	Most common mint path
spend_purchase	debit	User buys cosmetic, access, theme, entry, or couple-space upgrade	Requires SKU and balance check
hold_reserve	debit to reserved	Temporary reservation before asynchronous completion	Used for event entry or queued purchase
release_hold	credit from reserved	Hold reversed or not consumed	Must reference original hold
refund	credit	Approved refund based on refund policy	Never for score manipulation
reversal	credit or debit	Undo mistaken or fraudulent ledger effect	Must reference source tx_id
expiry	debit	Optional expiration if product policy ever enables it	Avoid unless clearly justified
migration_adjustment	credit/debit	Version migration or backfill	Require migration batch ID
fraud_freeze	administrative hold	Suspend spend rights pending review	Does not change lifetime earned
admin_grant	credit	Manual gift, support recovery, or campaign grant	Requires actor and reason code

6.2 Required ledger fields

- tx_id: immutable UUID.
- owner_type and owner_id: user wallet versus couple wallet.
- currency_code: default RS_COIN or future multi-currency support if introduced later.
- direction and amount: always positive amount with direction field; do not store negative magic numbers.
- status: pending, posted, reversed, refunded, held, expired, voided.
- source_event_type and source_event_id: direct tie to the originating validated event.
- rule_id or sku_id: the rule that authorized the transaction.
- idempotency_key: required for every earn or spend write path to stop duplicate grants.
- fraud_state: clean, under_review, blocked, reversed_for_abuse.
- actor_type and actor_id for admin writes.
- reason_code and freeform_notes for manual changes.
- created_at, posted_at, reversed_at timestamps.

6.3 Materialized balance rules

Balance field	How calculated	Use
current_balance	sum(credits posted) - sum(debits posted); reserved funds excluded from spendable view	Wallet display and purchase validation
reserved_balance	sum(active holds not yet released or consumed)	Prevents double-spend while async flows complete
lifetime_earned	sum(posted credits from earn/admin grant/refund according to policy	Prestige analytics and milestone eligibility
lifetime_spent	sum(posted spend debits excluding temporary holds until consumed	Economy analytics and fair-use monitoring
net_adjustment	sum(admin and migration deltas	Audit, not public prestige

7. Earn tables

Earn rules must be explicit, capped, and server validated. The goal is to reward meaningful platform participation, not let users farm endless currency by spamming low-value actions.

Earn family	Example source events	Reward posture	Cap / cooldown posture	Verification
Onboarding completion	account_created, profile_completed, consent_completed	One-time fixed earn by milestone step	Strict one-time; no repeats except migrations	Server checks milestone state
Assessment completion	assessment_completed, polarity_completed	One-time or versioned-cycle earn	Cooldown enforced; re-takes only if allowed	Assessment must reach valid submit state
Sanctuary discipline	stillness_completed, ritual_completed, archive_entry_completed, mirror_acknowledged	Small steady earns for real sessions	Daily caps and per-module cooldowns	Duration, completion state, anti-idle checks
Growth / recovery actions	repair_module_completed, reflection_followup_completed, drift_recovery_milestone	Moderate earns because these support retention and health	Weekly caps; repeat only on distinct windows	Rule engine confirms unique completion
Relationship mode	relationship_created, pulse_check_completed, shared_ritual_complet	Couple or split earn depending design choice	No farming from repeated open/close cycles	Relationship state and milestone uniqueness

	ed, couple_milestone			
Games	game_completed, challenge_won, fair_play_verified	Small to medium earns, secondary to growth systems	Hard daily caps; suspicious loops reviewed	Fair-play, anti-bot, anti-collusion checks
Events / community	event_joined, event_completed, official campaign milestone	Campaign-driven earns	Event-defined caps	Attendance or completion verification
Streak discipline	7-day Sanctuary streak, pulse streak, couple ritual streak	Badge-linked or small coin bonus	Anti-break abuse; missed day resets or grace policy	Streak service

7.1 Earn rule examples

- Onboarding may grant a one-time starter bundle spread across verified milestones so users do not get full reward for half-finishing setup.
- Assessment completion can grant a larger one-time reward than routine activity because it unlocks core product value and quality data.
- Sanctuary actions should reward consistency more than volume. Ten shallow sessions in ten minutes should not out-earn one legitimate guided session over time.
- Couple-mode rewards should favor pair completion of pulse checks, repair loops, shared rituals, and anniversary milestones rather than conflict spectacle or public posting volume.
- Game rewards should remain the side dish, not the meal. If game farming out-earns reflection or growth work, the economy will drift toward nonsense.

Recommended calibration stance
Make the highest-trust earn paths the ones that support long-term product health: assessment completion, meaningful Sanctuary engagement, couple growth actions, verified event participation, and measured streak discipline. Keep game and social-feed earnings intentionally lower.

8. Spend tables

Spend rules should create delight and identity without corrupting the system. Purchases should unlock cosmetics, expression, room customization, event access, or convenience. They must never buy emotional truth, hidden labels, or matchmaking unfairness.

Spend family	Example SKUs	Allowed owner	Refund posture	Restrictions
Profile cosmetics	badge frames, display skins, accent themes, RS code flourish	User	Usually no refund after use	No visibility boost in ranking
Scoreboard cosmetics	board card themes, celebration animations, profile	User or couple	No refund after equip/use	Visual only

	highlight styles			
Couple-space decor	room themes, seasonal decor packs, ambience skins, shared banner art	Couple	Policy-based; likely no refund after equip	Cosmetic only; no relationship score change
Sanctuary cosmetics	journal skins, ambient scene packs, ritual visual themes	User	No refund after consumption/unlock	No stronger AI or score perks
Event entry	special challenge entry, tournament ticket, seasonal quest pass	User or couple	Partial rules depending cancellation	Rewards still subject to anti-abuse and fair-play
Convenience unlocks	extra archive organization themes, non-sensitive layout upgrades	User	Policy-based	Cannot bypass cooldowns or private-safety rules

8.1 Explicitly forbidden spend targets

- Compatibility score increases, readiness score increases, or any reweighting of the workbook engine.
- Improved match ranking, artificial visibility boosts in candidate generation, or score-threshold bypass unless a separate product policy explicitly defines access outside score law.
- Unlocking another user's hidden archetype/shadow severity, grief state, anger state, cluster load, or Sanctuary-private material.
- Buying moderation immunity, fraud review bypass, or admin override influence.
- Purchasing public prestige that falsely implies relationship quality.

9. Badge system contract

Badges are typed milestone records tied to real events and rules. They can be private, owner-visible, couple-visible, or public. They should be designed for identity, progression, and recognition without becoming manipulative social pressure.

Badge family	Purpose	Examples	Default visibility
Foundation	Celebrate setup and core completion	Onboarded, Assessed, Polarity Complete, Ready to Reflect	Owner + optional public
Sanctuary	Reward consistency, reflection, rituals, stillness	Stillness Keeper, Mirror Streak, Archive Builder	Owner; some public if user opts in
Growth / integrity	Mark real growth loops and repair effort	Repair Returned, Reflection Follow-Through, Consistency Keeper	Owner; selective public

Relationship / couple	Mark shared milestones after relationship confirmation	Official Pair, Pulse Steady, Ritual Keepers, Anniversary Marker	Couple public with consent
Events / games	Recognize official events and fair-play wins	Season Winner, Event Challenger, Tournament Victor	Public
Legacy / seasonal	Limited-time badges with archival value	Founding Era, Winter Ritual Set, Pilot Cohort	Public or owner by policy

9.1 Badge tiers and upgrade logic

Badge tiers should be explicit: Bronze, Silver, Gold, Platinum or a future renamed ladder. Tier upgrades should either replace prior tier display or stack in history while only showing the highest active tier publicly. Every upgrade must store the source event, rule version, and timestamp.

- Badges may be one-time, repeat-tiered, streak-based, season-based, or retired.
- Badges may trigger cosmetic unlocks, but not score advantages.
- Retroactive awards are allowed only through governed migration jobs or recalculation passes.
- Revocations require explicit reason codes such as fraud, event reversal, or migrated unlock logic.

10. Scoreboard contract

The scoreboard is a public activity and recognition hub, not a leak of private emotional analytics. It can show rankings, movement, milestones, and couple progress, but only from approved public-facing metrics.

Board type	What it ranks	Input sources	Privacy note
Global progress board	Public progression points from approved achievements	badges, validated milestone points, streak points, event points	No private score law
Weekly rising board	Movement over a time window	delta of approved board points	Prevents old whales from owning every board forever
Couple board	Shared couple progress and milestones	couple pulse checks, rituals, repair completions, milestone posts	Only after relationship confirmation and shared consent
Games board	Game wins and fair-play progression	verified game events	Separate from growth boards
Ritual / Sanctuary board	Consistency in public-safe ritual activity	approved Sanctuary streak outputs only	Never expose private reflection content

10.1 Scoreboard feed posts

Feed posts should be templated and governed. Examples include badge unlocks, streak milestones, relationship confirmation milestone, event wins, couple achievements, and seasonal board

movement. They should not include raw answer text, grief specifics, anger specifics, cluster names, or Sanctuary-private journal excerpts.

- Every feed post stores: template_id, owner_id, public payload, privacy_tier, moderation_state, published_at, source_event_ids.
- Users need controls for public posting preferences, especially during relationship-mode transition.
- Couples need a shared consent setting for couple-post visibility. One partner should not force the other into public display by tapping a shiny button at 1:13 a.m.

11. Relationship mode and couple economy hooks

Once a relationship is confirmed, the product evolves from discovery into shared growth. The economy should recognize that shift. It should support shared presence, shared milestones, shared room customization, and collaborative progression.

11.1 Couple wallet posture

- The system may support a couple wallet, two linked personal wallets, or both. This contract recommends both: personal wallets remain personal; couple wallet exists for shared purchases and couple-earned rewards.
- Couple-earned rewards should route according to rule: split-to-both, shared-to-couple, or mixed distribution.
- Couple purchases such as room themes, decor, celebration skins, or couple event entries should spend from the couple wallet unless product policy explicitly allows personal gifting.

11.2 Room themes and shared space

This contract treats couple-space themes as a first-class cosmetic inventory family. Engineering should support room_family, theme_id, style tokens, ambience settings, and equip history so the relationship side can evolve later without rebuilding the economy tables.

Field	Meaning	Why it matters	Visibility
room_family	functional space class such as daily room, ritual room, celebration room, archive room	Lets design rename visual themes without changing data law	Internal + owner
theme_id	specific aesthetic package	Inventory and purchase control	Owner
equip_history	when theme was applied and by whom	Audit and shared-consent tracing	Internal
consent_required_flag	whether both partners must approve equip	Protects shared space from unilateral public styling	Internal policy + owner visible
shared_space_state	active, paused, archived, seasonal, relationship_closed	Controls lifecycle after breakup or pause	Internal + owner

12. Anti-manipulation and fraud rules

This is the part that stops the engagement layer from becoming a farm, a bot playground, or a fake prestige machine.

Control	Rule	Why it exists
Idempotent reward writes	Every reward path must include idempotency_key + source_event_id uniqueness	Stops duplicate grant storms
Cooldown windows	Rules define minimum interval before same earn can trigger again	Blocks tap spam
Daily/weekly caps	Per rule and per family caps	Stops infinite farming
Server-side validation	Client never grants coins or badges directly	Prevents spoofed requests
Fair-play verification	Games and events can require anti-bot or anti-collusion checks	Protects credibility
Relationship abuse detection	Repeated relationship create/break cycles cannot farm couple rewards	Stops fake couples gaming milestones
Alt-account analysis	Correlate device/account/payment/network signals where allowed	Detects reward farming rings
Anomaly scoring	Flag unusual earning velocity, impossible streaks, or bursty spend patterns	Routes to review
Fraud holds and reversals	System may freeze spend or reverse rewards pending review	Protects economy integrity
Admin review tooling	Case queue, reason codes, ledger diff, rule replay, user note history	Lets humans investigate without improvising

12.1 Forbidden manipulation patterns

- Assessment spam for repeated reward claims.
- Sanctuary idle loops where the user starts and abandons sessions just to mint currency.
- Relationship-mode milestone loops using fake confirmations and rapid dissolves.
- Game collusion with friendly accounts to force wins or entry rebates.
- Badge exploit scripts via replayed client requests.
- Public feed farming through hidden/private events that are not approved for public templates.

13. Consent, privacy, and public-safe exposure

The scoreboard and badge layer must be consent-aware. Public recognition should be earned, not involuntary. Sensitive systems remain hidden unless the product has a deliberately softened owner-facing translation.

Data class	Examples	Public allowed?	Notes
Public-safe achievements	badge unlock name, event win, streak milestone, board movement	Yes	Only if user/couple visibility allows
Owner-private emotional context	Sanctuary text, Whisper drafts, grief details, anger details, cluster names	No	Can inform internal rewards but never public payload
Partner-private couple data	private pulse answers, individual reflections inside couple mode	No	Needs shared/private separation
Derived public summaries	couple milestone, shared ritual completion, decor unlock, seasonal theme equip	Yes with shared consent	No hidden psychology leakage

14. API and worker surface

Keep the economy logic out of the client. The client should request actions; services validate, write the ledger, issue badges, update boards, and publish feed posts.

- POST /economy/events/ingest - internal endpoint for validated source events.
- POST /wallet/purchase - spend request with owner context, sku_id, idempotency_key.
- GET /wallet/summary - current balance, reserved, recent transactions, inventory summary.
- GET /badges - owned badges, tier, visibility, unlock history.
- GET /scoreboard/{board_type} - public ranking view.
- POST /scoreboard/feed/publish - internal-only after template and privacy validation.
- POST /fraud/review/action - admin-only hold, reverse, restore, or annotate case.

14.1 Worker sequence

- Validated source event enters event bus.
- Reward worker checks CoinEarnRule table, caps, cooldowns, uniqueness, and consent.
- If eligible, worker writes ledger transaction and updates CoinAccount projection.
- Badge worker evaluates unlock rules and writes badge records.
- Scoreboard worker updates materialized board rows and optional feed candidate.
- Moderation/privacy worker validates feed publication against consent and sensitivity policies.
- Audit worker stores immutable trace for replay and investigation.

15. QA checklist and rollout boundaries

Area	Must be proven before launch	Rollout stance
Ledger correctness	Replayable balances, reversal integrity, no duplicate grants under retries	Phase 1 non-negotiable
Earn rules	Cooldowns and caps work; no partial-action farming	Phase 1 non-negotiable
Spend rules	Cannot buy forbidden advantages; refunds follow policy	Phase 1 non-negotiable
Badge logic	Retroactive and live unlocks behave the same	Phase 1
Scoreboard privacy	No hidden emotional data leaks through templates	Phase 1
Couple wallet / room themes	Shared purchases and consent paths behave predictably	Phase 2 if couple-mode launch follows later
Fraud controls	Review queue, holds, reversals, anomaly flags	Phase 1 minimum; expand later

16. Final build statement

Developers should treat this contract as the official build law for the economy, coins, badges, and scoreboard layer. The engagement system may celebrate progress, surface public-safe wins, and enrich the couple-growth journey. It may not alter deterministic scoring, expose protected emotional data, or reward manipulation.

Remember for later couple-side expansion

Keep the schema broad enough to support the fully evolved relationship side: shared couple spaces, themed rooms, decor inventory, shared achievements, pulse-derived milestones, repair artifacts, and future scoreboard and social-feed layers. Build the data model once so product imagination can grow without another schema exorcism.