CHOPWIZE

INTELLIGENT FOOD DECISIONS

PHASE 1 — COMPLETE FRONTEND DESIGN & EXPERIENCE MASTER PROMPT

Senior Product Designer • Senior UI/UX Designer • Frontend Design Systems Architect

A complete, phase-by-phase visual and interaction specification for the CHOPWIZE application — customer, restaurant, rider and admin experiences.

Prepared for: Google AI Studio implementation

Brand: CHOPWIZE — Intelligent Food Decisions

Product: Nigerian food-tech application

Source basis: CHOPWIZE Phase 1 Product & Workflow Specification, Version 1.0

DESIGN DIRECTION

Premium • warm • editorial • food-led • calm • precise • app-first • mobile-first

How to use this document

This document is the frontend design master prompt. Give it to Google AI Studio together with the existing CHOPWIZE frontend project and the Phase 1 Product & Workflow Specification PDF. The AI must inspect the existing project first, preserve working functionality, and then implement the design in controlled phases.

This is a design and frontend implementation brief. It does not replace the backend prompt, business policies, payment credentials, final provider decisions or product decisions that the source specification leaves open.

Source requirements versus design decisions

The product handoff explicitly confirms the CHOPWIZE brand, core feature set, user roles, main customer navigation, key workflows, mobile-first requirement and brand colours. It does not prescribe exact font families, pixel measurements, border radii, breakpoints, animation timings, component dimensions or a final hero composition. Those details are defined below as proposed design-system decisions so the frontend can be implemented consistently. Treat them as design recommendations, not as previously approved business rules.

Non-negotiable source-of-truth rules

- The brand name is CHOPWIZE, not Shopwise. The product descriptor is “Intelligent Food Decisions.”
- Use the specified brand palette: deep plum #30102F, gold #CBB477, ivory #FAF8F4, white, dark text #242124, secondary #716B71 and border #EAE5E9.
- Keep the product simple, premium, mobile-first and uncluttered. Avoid excessive gradients, neon styling and unrelated palette changes.
- Use realistic Nigerian food imagery and clear language.
- Do not fabricate restaurants, menu items, prices, ratings, verification, availability, delivery ETAs, riders or live tracking.
- Every major flow needs loading, empty, success, error, pending, unavailable, offline and permission-denied states where relevant.
- All role experiences must reflect the same backend order record. The frontend must display server-confirmed state, not invent it.
- Demo data, simulated payments, sample partners and simulated tracking must be visibly labelled as demo.

Implementation rule

Do not attempt to generate every page in one uncontrolled pass. Implement each phase, inspect it, test it at the required screen sizes, fix regressions, and only then continue. Do not replace the existing application with a marketing website or a static visual mockup.

Contents

1. Master Google AI Studio instruction
2. Product experience architecture and role separation
3. Visual identity and design tokens
4. Typography system
5. Layout grid, spacing and responsive breakpoints
6. Navigation systems and navigation motion
7. Global interaction, motion and accessibility
8. Image art direction, hero backgrounds and 3D restraint
9. Shared component library
10. Phase 0 — Project inspection and design foundation
11. Phase 1 — Customer app shell and home
12. Phase 2 — Discover, search, filters and AI concierge
13. Phase 3 — Restaurant profile and menu
14. Phase 4 — Item details, cart and checkout
15. Phase 5 — Order confirmation, tracking and order history
16. Phase 6 — Customer plans, budget and convenience
17. Phase 7 — Profile, account, support and trust
18. Phase 8 — Restaurant partner experience
19. Phase 9 — Rider experience
20. Phase 10 — Admin and operations dashboard
21. Responsive behaviour by device
22. Motion, hover, scroll and transition specification
23. Icons, illustrations, imagery and prohibited visual shortcuts
24. States, errors, feedback and microcopy
25. Accessibility, performance and Nigerian network realities
26. Frontend architecture, code quality and backend integration
27. Quality assurance and acceptance checklist
28. Final execution instruction for Google AI Studio

1. MASTER GOOGLE AI STUDIO INSTRUCTION

Copy the instruction in this section as the opening instruction to Google AI Studio. The remaining sections of this PDF define the exact visual and page-by-page requirements it must follow.

Act as a world-class Senior Product Designer, Senior UI/UX Designer, Design Systems Architect and Senior Frontend Engineer. You are designing and implementing CHOPWIZE — Intelligent Food Decisions, a premium Nigerian food-tech application.

Your task is to turn the existing CHOPWIZE frontend into a complete, polished, production-minded application interface. This is an application, not a promotional website. It must feel like a real product people use repeatedly to discover food, order, pay, manage meals and operate restaurants or deliveries.

- Inspect the current codebase before editing. Identify framework, routing, components, assets, styles, installed packages, current screens and existing functionality.
- Preserve working routes and features. Do not discard existing work simply to make the project easier.
- Use the exact CHOPWIZE identity and design tokens defined in this document. Do not substitute another palette or create generic AI-looking gradients.
- Build four distinct experiences: customer application, restaurant partner application/dashboard, rider application and secure admin/operations dashboard.
- Create a consistent shared component library, but do not force every role into the same navigation or layout.
- Use real, recognizable interface icons from one consistent icon library. Do not use emoji, AI stickers, random decorative symbols or mismatched icon packs.
- Use authentic, high-quality Nigerian food photography. Do not use generic stock imagery that misrepresents the dish.
- Every visible control must have a meaningful action or be clearly disabled with an explanation. No decorative dead buttons.
- Use realistic demo content only when clearly marked as demo. Never imply that sample payment, live GPS, real partner verification or actual availability is real.
- Build responsive layouts from small Android screens upward, then tablet and desktop.
- Use subtle, deliberate motion. Avoid excessive animation, parallax overload, gratuitous 3D, spinning objects, bouncing cards and scroll hijacking.
- Respect reduced-motion preferences, keyboard navigation, contrast and touch target sizes.
- Implement one phase at a time and report what changed, which routes were completed, what remains and what was tested.

Required behaviour from the AI builder

Before coding, produce a concise project inspection summary and a proposed route/screen inventory. Then implement the phases in order. If a required external service is not connected, create a clear integration boundary and a labelled demo state. Do not fake a successful backend operation.

Frontend versus backend responsibility

Frontend owns	Backend owns / confirms
Layout, visual state, local form interaction, navigation, loading presentation, client-side input hints.	Authentication truth, permissions, prices, fees, order state, payment verification, dispatch, availability, refunds and financial records.
Cart presentation and checkout review UI.	Authoritative cart validation, price calculation, service-area validation and order creation.
Displaying order timeline and real-time updates.	Persisted order status, valid transitions, actor history and event delivery.
AI prompt and results presentation.	AI orchestration grounded in real restaurant/menu data, allergy hard filters and factual result validation.

2. PRODUCT EXPERIENCE ARCHITECTURE AND ROLE SEPARATION

2.1 Application structure

The four role experiences share a brand system and backend, but each has its own navigation, information hierarchy and operational priorities.

Experience	Primary device emphasis	Core interface character
Customer	Mobile-first; responsive desktop/tablet	Warm, editorial, image-led, quick decisions, low-friction ordering.
Restaurant / Vendor	Phone-friendly responsive dashboard; desktop productivity	Operational, clear, high-information, fast order handling and menu management.
Rider	Mobile-first app interface	Large controls, high clarity, one-handed operation, status and safety focus.
Admin / Operations	Desktop-first secure dashboard; tablet capable	Dense but readable operations interface, filters, tables, audit and exception management.

2.2 Customer primary navigation

Use the five source-defined primary destinations: Home, Discover/Search, Orders, Plans and Profile. On phones, use a bottom navigation bar. On larger screens, use a compact top navigation or a restrained left rail only if it improves the existing app structure. Keep the cart action visible and easy to reach.

2.3 Restaurant navigation

- Overview / Today
- Orders
- Menu
- Restaurant profile and hours
- Availability / Busy / Paused
- Sales and payouts
- Staff and permissions, if enabled
- Support / Help
- Settings

2.4 Rider navigation

- Home / Availability
- Delivery offers
- Active delivery
- Delivery history
- Earnings
- Support / Safety
- Profile and documents

2.5 Admin navigation

- Operations overview

- Live orders
- Restaurant applications and partners
- Rider applications and riders
- Support and complaints
- Payments, refunds and settlements
- Service areas and platform settings
- Reports
- Admin users, permissions and audit log

2.6 Role entry and route protection

After authentication, route each approved role to its own application shell. A customer must never see partner or admin navigation. An unapproved restaurant or rider should see an application-status experience, not operational controls. An admin route must never be publicly discoverable as a registration flow.

3. VISUAL IDENTITY AND DESIGN TOKENS

3.1 Approved colour palette

The following palette is explicitly stated in the product handoff. Use it as the source of truth. The usage recommendations are design-system proposals.

Token	Hex	Recommended use
Deep Plum	#30102F	Primary brand colour, primary buttons, selected navigation, strong headings and key brand moments.
Gold	#CBB477	Premium accent, small highlights, selected indicators, subtle emphasis and restrained decorative rules.
Ivory	#FAF8F4	Primary warm app canvas, page backgrounds and large quiet surfaces.
White	#FFFFFF	Cards, sheets, menus, forms and content surfaces.
Dark Text	#242124	Primary body text, headings and high-contrast labels.
Secondary	#716B71	Supporting text, metadata, helper text and quiet labels.
Border	#EAE5E9	Dividers, card outlines, input borders and table separators.

3.2 Supporting semantic colours — proposed

Use semantic colours only for meaning, not decoration. These are proposed interface tokens and should remain muted enough to sit beside the brand palette.

Purpose	Proposed colour	Usage
Success	#287A55	Payment confirmed, completed, saved, approved.
Warning	#9A6A18	Pending action, nearing deadline, attention required.
Error	#B33B43	Failed payment, invalid input, destructive confirmation.
Info	#49627A	Neutral information and system notices.

3.3 Colour usage ratios

- Keep the majority of screens light: ivory canvas with white content surfaces.
- Use plum for primary actions and meaningful brand anchors, not as a full-screen background on every page.
- Use gold sparingly. It should feel like a premium detail, not a second dominant colour.
- Do not use gold for small body text on ivory or white because contrast may be insufficient.
- Avoid large gradients. The approved identity is grounded in solid colours, photography, typography and material-like surfaces.
- Do not introduce neon, electric purple, bright cyan or unrelated colour systems.

3.4 Surface and elevation system

Surface	Treatment
Page canvas	Ivory #FAF8F4; no texture by default.
Primary card	White background; 1px #EAE5E9 border; subtle shadow only where separation is needed.
Elevated popover / menu	White surface, 1px border, soft shadow, clear focus and dismiss behaviour.
Selected card / option	Very pale plum tint with plum outline or clear selected indicator; do not fill every selected component in dark plum.
Modal / bottom sheet	White surface with controlled backdrop dimming; rounded upper corners on mobile sheets.
Dark plum brand panel	Solid plum, white text, restrained gold details; use for focused moments such as a campaign panel or sign-in side panel.

3.5 Borders and radii

Component	Proposed radius
Small chips and compact tags	8px
Inputs and standard buttons	12px
Standard cards	16px
Large feature cards / image panels	20px
Modal and desktop dialog	20px
Mobile bottom sheet top corners	24px
Pills	999px only when the control is intentionally pill-shaped

Do not round every element indiscriminately. Use a consistent radius hierarchy. Avoid excessive bubble-like cards or oversized rounded rectangles.

3.6 Borders

- Default border: 1px solid #EAE5E9.
- Focused field: 2px plum outline or accessible focus ring, not a glow effect.
- Selected card: 1.5–2px plum border with a subtle tinted background.
- Avoid permanent decorative borders around hero sections.
- Do not use animated perimeter borders or glowing outlines as a default brand motif.

4. TYPOGRAPHY SYSTEM

The source handoff does not specify fonts. The following is a proposed typography system selected for a modern, premium, highly legible food application.

4.1 Font families

Role	Recommended font	Use
Primary interface / headings	Manrope	Brand headings, screen titles, card titles, navigation and button labels.
Body / dense interface	DM Sans	Descriptions, long text, form help, data tables and operational content.
Fallback	system-ui, Arial, sans-serif	Use if web fonts fail to load.

Load fonts efficiently, with only the weights required. Do not use decorative display fonts, handwritten fonts or multiple competing typefaces.

4.2 Type scale

Token	Size / line height	Weight	Typical use
Display	40 / 48px	700	Large desktop hero headline only.
H1	32 / 40px	700	Main page heading on desktop.
H2	26 / 34px	700	Section title.
H3	21 / 28px	650–700	Card group / panel heading.
H4	18 / 26px	600–700	Card title / subsection.
Body large	16 / 25px	400–500	Introductory and important descriptive text.
Body	14 / 22px	400	Default interface text.
Small	12 / 18px	400–500	Metadata, timestamps, helper text.
Micro	11 / 15px	500	Only for non-critical labels; avoid where possible.

4.3 Mobile typography adjustments

- Mobile display headline: 30–34px, line height 1.12–1.2.
- Mobile page H1: 26–28px, line height 1.2.
- Mobile body: 14–16px; do not reduce body copy to fit cards.
- Button labels: 14–15px, weight 600.
- Do not use all caps for long headings. Use uppercase only for short overlines or compact status labels.

4.4 Text behaviour

- Use sentence case for navigation and buttons.
- Use clear Nigerian English; prices use ■ with readable separators.
- Keep line lengths around 45–75 characters for long-form descriptions.
- Use line clamping only in cards where a detail page is available.
- Never use low-contrast grey for essential instructions or prices.

5. LAYOUT GRID, SPACING AND RESPONSIVE BREAKPOINTS

5.1 Spacing scale

Token	Value	Usage
space-1	4px	Icon-to-label micro gap.
space-2	8px	Compact internal spacing.
space-3	12px	Chip and small component spacing.
space-4	16px	Default component gap.
space-5	20px	Card internal spacing.
space-6	24px	Section and card spacing.
space-8	32px	Large section spacing.
space-10	40px	Desktop content grouping.
space-12	48px	Major page sections.
space-16	64px	Large desktop section spacing.
space-20	80px	Hero and page-level breathing room.

5.2 Responsive breakpoints

Breakpoint	Width	Behaviour
Small phone	320–374px	Single column; compact paddings; no horizontal overflow; bottom navigation.
Standard phone	375–430px	Primary target; 16–20px side padding; two-column compact food tiles only where readable.
Large phone	431–599px	More generous cards; still mobile navigation.
Small tablet	600–767px	Flexible two-column layouts; retain touch-friendly controls.
Tablet	768–1023px	Two-column content where appropriate; navigation may become rail/top hybrid.
Laptop	1024–1279px	Desktop navigation; centered content; dashboards gain side navigation.
Desktop	1280–1439px	Full layout; controlled content width; 12-column grid.
Wide desktop	1440px+	Do not stretch text or cards endlessly; max content width around 1320px.

5.3 Container and grid rules

- Mobile page padding: 16px; increase to 20px on larger phones.
- Tablet page padding: 24–32px.
- Desktop page padding: 32–48px depending on the shell.
- Maximum customer content width: approximately 1240–1320px.
- Desktop content grid: 12 columns with 20–24px gutters.

- Restaurant and admin dashboards may use a wider working area, but keep tables readable.
- Avoid fixed-width cards that overflow on small screens.
- Use fluid widths, minmax, clamp and content-aware layouts instead of arbitrary pixel positioning.

5.4 Safe areas and viewport

Respect Android browser safe areas and device insets. Keep bottom navigation and checkout actions above the device gesture area. Do not hide content behind sticky bars. Use dynamic viewport sizing carefully on mobile so browser chrome changes do not clip forms or sheets.

6. NAVIGATION SYSTEMS AND NAVIGATION MOTION

6.1 Customer mobile navigation

Use a fixed bottom navigation bar with five destinations: Home, Discover, Orders, Plans and Profile. It should be compact, quiet and unmistakably app-like.

- Height: approximately 64–72px plus safe-area inset.
- White surface with a subtle top divider; avoid a heavy shadow.
- Icon size: 20–22px; label: 10–11px, medium weight.
- Selected destination: plum icon and label, with a small restrained indicator or pale plum background.
- Unselected destinations: secondary text/icon colour.
- The cart should be a separate accessible action in the app header or a contextual floating/anchored action where relevant; never let it obscure navigation.

6.2 Customer desktop navigation

- Brand mark and wordmark on the left.
- Primary destinations in the center or left-middle.
- Search and cart actions remain easy to reach.
- Account/profile and notifications on the right.
- Use a restrained active underline or pill; do not animate a bright line around the whole navbar.
- Header may remain sticky if useful for app navigation, but content must not jump when it becomes sticky.

6.3 Restaurant and rider navigation

Restaurant desktop: compact sidebar with icon plus text labels, top utility bar and main working area. On mobile, use a bottom navigation or compact drawer with clearly labelled destinations. Rider mobile: prioritize active job and availability; use a bottom navigation for Home, Jobs, Earnings and Profile/Support.

6.4 Admin navigation

Use a stable left sidebar on desktop with collapsible groups, a top bar for global search, notifications and account controls, and a compact drawer on tablet/mobile. Avoid squeezing complex tables into tiny mobile columns; use stacked records or horizontal scroll with clear affordance.

6.5 Navigation transitions

Interaction	Motion
Route change	Fade + 6px vertical shift, 160–220ms; avoid full-screen page fly-ins.
Active tab	Colour transition 120–160ms; optional indicator glide 180ms.
Mobile drawer	Slide from left/right 220–280ms with dim backdrop.
Bottom sheet	Slide upward 220–280ms with slight backdrop fade.
Sticky header	No height jump; use background and subtle shadow only after scroll threshold.
Back navigation	Restore previous scroll position and filter state where practical.

7. GLOBAL INTERACTION, MOTION AND ACCESSIBILITY

7.1 Motion principles

- Motion must explain hierarchy, state change or spatial relationship.
- Use 120–180ms for small feedback, 180–260ms for component transitions and 220–320ms for drawers/sheets.
- Use ease-out for entrances and ease-in for exits; use spring motion only for small tactile interactions.
- Avoid animation that delays a task or blocks input.
- Respect prefers-reduced-motion and provide a static equivalent.
- Do not animate every card on scroll. Stagger only a small number of elements when it materially improves comprehension.

7.2 Hover, focus, press and disabled states

State	Required treatment
Default	Clear surface, border and text hierarchy.
Hover (pointer only)	Slight surface tint, border shift or 1–2px elevation; never scale large cards dramatically.
Focus-visible	Strong 2px accessible outline with offset; visible on keyboard navigation.
Pressed	Small visual compression (scale 0.98 max) or darker surface; 80–120ms.
Disabled	Muted but legible; no hover affordance; explain why if the reason is not obvious.
Loading	Preserve control dimensions; show spinner or progress and prevent duplicate submission.

7.3 Scroll behaviour

- Normal document scrolling is the default. Never hijack wheel, touch or trackpad scroll.
- Do not create forced snap scrolling for ordinary app pages.
- Use sticky section controls only where they help, such as menu category tabs or checkout summary on desktop.
- On mobile, sticky bottom actions must respect safe areas and must not cover content.
- Use subtle reveal on selected large sections only; content must remain visible if animation fails.
- Preserve scroll position when opening/closing a modal or navigating back where appropriate.

7.4 3D and depth

3D is an optional accent, not a requirement for every page. Use CSS perspective, layered photography, subtle depth and realistic shadows only where they reinforce the food-led brand. Do not add spinning 3D food models, rotating phones, floating cubes, glassmorphism everywhere or effects that reduce performance. Any 3D hero must have a static fallback and must not delay the first meaningful interaction.

7.5 Accessibility

- Minimum touch target: 44×44px; aim for 48×48px on primary mobile actions.
- Maintain WCAG AA contrast for text and essential controls.
- All icon-only buttons require accessible names and tooltips where appropriate.
- Inputs require persistent labels, not placeholder-only labels.

- Use semantic headings, buttons, links, lists, tables and dialog roles.
- Support keyboard navigation, visible focus, escape-to-close and focus return for dialogs.
- Do not convey order state by colour alone; include text labels and/or icons.

8. IMAGE ART DIRECTION, HERO BACKGROUNDS AND 3D RESTRAINT

8.1 Food imagery direction

Photography is a major part of the experience. Use realistic, appetizing, high-resolution images of Nigerian meals and familiar food contexts. Prioritize accurate dish representation, natural lighting, believable portions and clean composition.

- Use authentic dishes such as jollof rice, fried rice, egusi, efo riro, amala and ewedu, pounded yam, suya, grilled fish, moi moi, akara, snacks and desserts where relevant.
- Do not label one dish as another. The image must match the menu item.
- Use landscape 4:3 or 16:9 images for restaurant cards and wide feature panels; square or 4:5 crops for food tiles where appropriate.
- Use object-fit: cover with carefully chosen object-position. Avoid stretching or awkward face/food crops.
- Add alt text that describes the actual dish or restaurant image.
- Do not use images as a substitute for text labels, price or availability.

8.2 Home hero

Recommended hero direction: a confident, food-led hero with a large editorial headline, short supporting copy, a prominent search/AI prompt and one clear primary action. Use a large real Nigerian food photograph or a curated collage with one focal image. Keep the hero visually rich but not crowded.

Property	Specification
Desktop composition	Two-column or asymmetric editorial composition; text block around 42–48% width and image 52–58%.
Mobile composition	Headline and search first; image follows or becomes a cropped background panel. Avoid text over a busy image.
Background	Ivory or white base. If image is full bleed, use a subtle solid overlay only to guarantee text contrast.
Headline	H1/display scale; short and direct, not multiple paragraphs.
Primary action	Search / Ask Chopwize / Explore food, according to the actual implemented flow.
Motion	Image may use a subtle 1–2% scale settle on initial load; text fades in with 40–80ms stagger.
Scroll	Normal scroll. No forced parallax. Hero should not pin for a long scroll sequence.

8.3 Hero background video

The source product handoff does not require a video hero. Do not force a video background simply because it is visually fashionable. If the founder supplies or approves a suitable food video, treat it as optional enhancement: muted, autoplay only where browser policy allows, looped, compressed, no audio dependency, poster image fallback, pause/reduced-motion support and no obstruction of the search action.

8.4 Cards with image backgrounds

- Use an image-led card only when it helps identify a dish, restaurant or feature.
- Use a consistent bottom gradient overlay only when text must sit over a photo; keep it subtle and local to the image, not a site-wide gradient aesthetic.
- Place price, rating, open status and delivery/pickup details on a clean surface or high-contrast overlay.
- Never place important text over an uncontrolled busy photo.

8.5 3D use cases

- Optional hero food composition with gentle depth and static image fallback.
- Small layered image treatment for a campaign or Surprise Me feature.
- Do not use 3D in order tracking, forms, dashboards or data-heavy tables.
- Keep 3D assets compressed, lazy-loaded and disabled on low-power devices if needed.

9. SHARED COMPONENT LIBRARY

Component	Visual and behavioural specification
Primary button	Plum fill, white label, 12px radius, 48–52px height; clear pressed/loading/disabled states.
Secondary button	White/ivory surface, plum text, 1px border; same height as primary.
Tertiary / text button	No filled surface; clear hover/focus; reserved for low-priority actions.
Destructive button	Muted red treatment; destructive confirmation for irreversible actions.
Text input	48–52px height, 12px radius, 1px border; label above; helper/error below; focus ring.
Search field	Prominent but not oversized; leading search icon; clear action; optional filter action.
Filter chip	8–12px radius; compact; selected state clearly visible; removable where applied.
Food card	Image, dish title, restaurant, price, availability and one clear action; consistent image ratio.
Restaurant card	Representative food/restaurant image, name, cuisine, open/closed, supported fulfilment and genuine rating only.
Status badge	Short text with semantic tone; never colour-only.
Modal	White surface, 20px radius, accessible focus trap, escape close where safe.
Bottom sheet	Mobile-first, 24px top radius, drag handle optional, safe-area padding.
Toast	Brief confirmation/error, non-blocking, dismissible; do not use for critical long-lived information.
Skeleton	Match final component dimensions to avoid layout shift; use restrained shimmer or static placeholder.
Empty state	Plain language, useful explanation and one next action; avoid cartoon mascots or AI stickers.
Table	Readable row height, clear column labels, responsive fallback and empty/loading states.
Tabs	Clear active underline or tint; keyboard navigable; horizontally scrollable on mobile if necessary.
Dropdown	Consistent menu width, keyboard support, clear selected state and outside-click handling.
Pagination	Accessible previous/next and page state; preserve filters.

9.1 Button hierarchy

Each screen should have one visually dominant primary action. Secondary actions must not compete. Do not render multiple plum-filled buttons side-by-side unless they are genuinely equal choices, such as Pickup and Delivery.

9.2 Cards

Cards should not all look identical. Use a small set of purposeful variants: food, restaurant, plan, order, dashboard metric and alert. Avoid nested cards inside cards. Use whitespace and dividers before adding more boxes.

10. PHASE 0 — PROJECT INSPECTION AND DESIGN FOUNDATION

Objective

Establish the real project structure, tokens and reusable foundations before designing feature pages.

Tasks

1. Inspect the repository, framework, router, existing components, CSS strategy, icon package, asset pipeline and current routes.
2. Create a route inventory and identify which pages already exist, are partial, or are missing.
3. Create design tokens for colours, typography, spacing, radii, shadows, z-index, breakpoints and motion.
4. Create the global typography, button, input, card, modal, drawer, toast, tabs, chips, badges, skeleton and empty-state components.
5. Set up responsive app shells for customer, restaurant, rider and admin.
6. Create a consistent icon system using Lucide or the icon library already installed. Use one coherent family and stroke weight.
7. Add a global error boundary, loading presentation and accessible focus styles.
8. Confirm all fonts and images load efficiently and have fallbacks.

Deliverables

- Documented route map.
- Central design-token file.
- Reusable component library.
- Responsive shell for each role.
- Working light visual theme using the approved palette.
- No broken existing routes.

Acceptance

A developer should be able to build a new page using the shared tokens and components without inventing new colours, spacing or button styles. All four shells must be visually related but role-appropriate.

11. PHASE 1 — CUSTOMER APP SHELL AND HOME

11.1 Customer app shell

- Mobile header: brand mark/wordmark, selected delivery location or address action, cart/profile access as appropriate.
- Desktop header: brand, navigation, search or AI entry point, cart and account.
- Mobile bottom navigation: Home, Discover, Orders, Plans, Profile.
- Show cart count only when the cart has items; do not use an animated bouncing badge.
- The active navigation item must remain clear without large decorative effects.

11.2 Home page hierarchy

1. Greeting and service location: greet the user without taking excessive vertical space; show a location/address selector with clear permission handling.
2. AI food prompt: a prominent search-style entry reading “What are you in the mood for?” with a real text field or clear tap-to-open action.
3. Mood and craving chips: Comfort food, Something spicy, Light meal, Grilled food, Sweet treat, Local favourites, Quick lunch and Budget-friendly. These are search intents, not diagnoses.
4. Featured food discovery: one or two editorial image-led collections, not a carousel that dominates the page.
5. Nearby/open restaurants: cards show name, cuisine, genuine rating if supported, current open/closed state and pickup/delivery support.
6. Surprise Me: a clear feature card with optional budget, fulfilment, spice and dietary filters.
7. Category collections: rice dishes, swallow/soups, grills, breakfast, snacks, drinks and desserts. Categories must be data-driven.
8. Personalized/favourites or recent activity: show only when actual user data exists.
9. Footer or app utility links only where appropriate; do not make the mobile home feel like a marketing landing page.

11.3 Home hero copy and layout

Use concise, useful copy. Suggested direction, not mandatory final copy: “Good food starts with a better decision.” Supporting line: “Find meals you’ll love from restaurants around you.” Primary interaction: the AI/search field. Do not fill the hero with multiple CTAs, decorative stickers or fake popularity claims.

11.4 Home cards

- Restaurant cards: consistent image ratio, clear restaurant name, cuisine/category, open status, genuine rating if available and delivery/pickup indicator.
- Food cards: item image, dish name, restaurant name and current price. Add availability and allergy/ingredient note only when data exists.
- Feature cards: use plum or pale gold accents sparingly; ensure text contrast and one obvious action.
- Use skeletons matching the final card geometry.

11.5 Home interaction

- Location selector opens a modal/sheet with saved addresses, manual address entry and optional device location permission explanation.
- Tapping AI prompt opens the concierge experience and preserves the user's query context.
- Mood chips apply a real search filter and show a selected state.
- Surprise Me returns eligible real menu items only; “Try another” refreshes from valid results.
- Closed/paused restaurants remain viewable if appropriate but cannot be checked out for unavailable fulfilment.

12. PHASE 2 — DISCOVER, SEARCH, FILTERS AND AI CONCIERGE

12.1 Discover page

Create a search-first discovery workspace. Search should accept restaurant name, dish, cuisine, craving, budget and location. Support common spelling variants and verified menu synonyms.

- Search input at top with clear button and search icon.
- Recent searches only if actual history exists; allow clearing history.
- Category shortcuts managed by platform data.
- Results can switch between restaurant and dish views if both are supported.
- Show current open/closed status and pickup/delivery support.
- Show last-updated menu/availability data where practical.

12.2 Filters

Filter	UI behaviour
Open now	Toggle or checkbox; must reflect current restaurant operating status.
Pickup / Delivery	Segmented choice; only show fulfilment modes supported by results.
Price range / budget	Slider or range inputs with visible naira values.
Food category / cuisine	Multi-select chips or filter sheet.
Dietary options	Clear labels; only use supported metadata.
Allergies	Prominent high-priority restriction; never treat as a casual ranking preference.
Distance / location	Only show if location data or manual address is available.

12.3 Filter sheet

On mobile, filters open as a bottom sheet with sticky Apply and Clear actions. On desktop, use a side panel or popover. Applied filters must appear as removable chips above results. Preserve filter state when the user opens a restaurant and returns.

12.4 AI food concierge

Design the AI assistant as a practical search and decision interface, not a cartoon chatbot. It translates natural language into search actions against real Chopwize data.

- Conversation layout: compact header, short introductory guidance, message area, suggested prompt chips and composer anchored near the bottom.
- Assistant results: up to three strong real options initially; each includes actual restaurant/item, current price, availability, reason for match and view/add action.
- Ask one concise clarification only when missing information materially changes results, such as delivery versus pickup or unclear budget.
- Voice input may be added if feasible; text remains available. Let users correct transcription.
- AI suggestions never make purchases. Customer must choose and confirm checkout.
- When no exact match exists, say so and show the nearest valid alternatives.
- Allergy restrictions must be hard filters. Show a clear reminder to confirm ingredients with the restaurant where source data is uncertain.

12.5 Surprise Me

A focused selection screen or sheet. Optional inputs: budget, fulfilment method, spice preference and dietary filters. Result shows meal, restaurant, price and a short reason. Actions: “Get this” and “Try another”. Never bypass availability, allergy, service-area or checkout rules.

12.6 Cooking assistant

Keep recipe suggestions visually distinct from actual restaurant listings. Let the customer enter ingredients, meal type, available time, servings and preferences. Show practical ideas, steps and missing ingredients. Offer “Find/order this meal” only when a matching real menu item exists. Avoid medical or therapeutic claims.

13. PHASE 3 — RESTAURANT PROFILE AND MENU

13.1 Restaurant profile layout

1. Hero/header image and restaurant identity: name, cuisine/categories, accurate verification wording, current opening state and hours.
2. Fulfilment selector: Delivery or Pickup, shown only when supported and available.
3. Restaurant details: address/location, contact/support route and directions action.
4. Menu search field.
5. Menu category navigation, sticky on desktop or horizontally scrollable on mobile.
6. Menu item list/grid with image where available, name, description, price, modifiers/options, availability and ingredient/allergen notes where supplied.
7. Restaurant actions: favorite, share, report incorrect information and subscription section only if an active approved plan exists.

13.2 Menu design

Menu items should prioritize scannability. On mobile, use a clean vertical list with small/medium image thumbnails or compact food cards. On desktop, use a two-column menu/content layout with category navigation. Avoid forcing a dense grid when menu descriptions and options need reading.

13.3 Menu item states

- Available: normal add action.
- Unavailable: visible unavailable label and disabled add action.
- Options required: “Choose options” opens item detail sheet/modal.
- Price changed since cart: show the new price and require customer confirmation before payment.
- Allergen/ingredient data missing: do not invent it; show only a neutral “Check with restaurant” note where appropriate.

13.4 Subscription section

Only display restaurant-managed meal subscriptions when the feature is approved for launch and the restaurant has an active plan. Show title, price, duration, included meals/credits, eligible items, redemption rules, expiry, pickup/delivery availability and cancellation terms. Never show an empty or fabricated subscription offer.

14. PHASE 4 — ITEM DETAILS, CART AND CHECKOUT

14.1 Item detail sheet

- Large, accurate dish image if available.
- Dish name, description and current price.
- Portion/size options and modifiers.
- Add-ons with clearly visible additional prices.
- Quantity selector with accessible controls.
- Special instructions field with sensible character limit.
- Ingredient/allergen information only where supplied.
- Sticky add-to-cart action showing updated total where useful.

14.2 Cart

Phase 1 cart is limited to one restaurant per order. If a customer tries to add an item from another restaurant, explain the rule and offer to clear the current cart or finish checkout.

- Restaurant identity and fulfilment type.
- Item rows with thumbnail, selected modifiers, notes, quantity and line total.
- Edit item, change quantity and remove actions.
- Unavailable item warning and refresh/revalidation action.
- Subtotal and any valid discount.
- Continue shopping action returns to the same restaurant where practical.
- Proceed to checkout action.

14.3 Checkout

1. Fulfilment choice: delivery or pickup, only where supported.
2. Delivery address and contact details, plus delivery instructions. Validate service-area eligibility before payment.
3. For pickup, show restaurant location and collection instructions; no rider job or delivery fee.
4. Order review with all items, modifiers, quantities and item instructions.
5. Full itemized price breakdown: item subtotal, discount, delivery fee if applicable, platform/service fee if applicable, tax/other charges where applicable and total.
6. Payment method selection showing only methods actually enabled and tested.
7. Terms/confirmation and final pay action.

14.4 Checkout design rules

- Use a calm, focused layout with minimal distractions.
- Desktop: two-column layout with form/details left and order summary right; summary may be sticky if it does not obscure content.
- Mobile: single column with a clear sticky bottom total/action only when safe-area and content visibility are handled.
- Show no hidden fees. Do not invent delivery charges or taxes.
- Do not trust frontend totals; backend calculates and validates final price.
- Show payment pending, failed, success and retry states accurately.

14.5 Confirmation

After verified successful payment, show order number, restaurant, items, fulfilment type, amount paid, receipt and next status. Show estimated timing only when a defensible estimate exists. The order must remain accessible from Orders if the app closes.

15. PHASE 5 — ORDER CONFIRMATION, TRACKING AND ORDER HISTORY

15.1 Order details screen

- Order number and placed time.
- Restaurant and fulfilment method.
- Itemized receipt and actual paid amount.
- Status timeline with text labels and timestamps.
- Rider information only after a real assignment and only as permitted.
- Map/tracking only when real location updates exist; never use fake movement.
- Support action and case creation route.
- Cancellation/refund state only as confirmed by backend/provider.

15.2 Timeline states

State	Customer-facing display
Awaiting payment	Payment not confirmed; do not imply the restaurant has a paid order.
Paid / Order submitted	Payment confirmed and order sent to restaurant.
Restaurant accepted	Restaurant accepted; preparation can begin.
Preparing	Restaurant is preparing the meal.
Ready for pickup	Pickup can be collected or delivery is ready for rider handoff.
Rider assigned	A rider has actually been assigned.
Picked up / In transit	Rider confirmed collection and is travelling to customer.
Completed	Pickup or delivery completion verified.
Rejected / Cancelled / Issue	Show reason, actual payment/refund status and support path.

15.3 Tracking screen

Use a map only when actual map/location integration exists. Otherwise show a clean status timeline and last confirmed update. Never display fake live tracking, invented ETAs or fabricated rider coordinates. Provide a clear “Last updated” timestamp when relevant.

15.4 Orders list

- Separate active and past orders.
- Order card shows restaurant, date, amount, fulfilment, current status and view details action.
- Reorder copies eligible previous items into a new cart, then revalidates current price, options and availability.
- Reorder never automatically charges or submits.
- Show empty state with Discover action when no orders exist.

16. PHASE 6 — CUSTOMER PLANS, BUDGET AND CONVENIENCE

16.1 Plans hub

The Plans destination groups meal timetable and food budget planner. Make the two functions easy to distinguish. Avoid making the experience feel like a medical diet application.

16.2 Meal timetable

- Week or selected-period view with days and meal slots.
- Entries support meal, time, notes and servings.
- Manual creation and AI-assisted ideas.
- Upload image/PDF/document only if OCR capability is connected.
- OCR result appears as an editable draft; customer must confirm before saving.
- Optional reminders are opt-in and editable.
- Allow edit, delete and replace actions.
- Planned meals may link to restaurant search if matching items exist; ordering remains a separate confirmation.

16.3 Food budget planner

- Setup: monthly food budget, month start, optional household size, optional split between home cooking and restaurant purchases, tracking preference.
- Summary: total budget, recorded spending, remaining balance, progress and explainable daily/weekly guide.
- Automatically include completed Chopwize orders when supported by backend.
- External purchases require manual entry unless an approved integration exists.
- Allow manual spending add/edit/delete and categorization.
- Prevent double counting of orders already imported.
- Use neutral warning language when approaching or exceeding budget; never shame the customer.
- Clearly communicate that incomplete manual records may not represent all food spending.

16.4 Group / office order

1. Host chooses one restaurant, fulfilment method, closing time and optional per-person spending guidance.
2. Host creates group order and shares controlled link.
3. Participants identify themselves and add available items before cutoff.
4. Host reviews participant names, item choices and combined total.
5. Host can remove invalid items or request revisions.
6. Host pays once; participants do not see private payment details.
7. Restaurant receives one consolidated order with participant labels/instructions.
8. Expired unpaid group order becomes expired; edits stop after checkout.

16.5 Food gifting

- Select Send a food gift.
- Choose restaurant and items.
- Enter recipient name, phone/contact, address or supported pickup arrangement.
- Add optional gift message.

- Review full price and recipient details before payment.
- Pay; recipient receives appropriate fulfilment notification.
- Do not expose sensitive gift/payer details on lock screen unless intentionally configured.
- Recipient must not be charged in the specified flow.

16.6 Restaurant-managed subscriptions

Treat subscriptions as a gated feature. Only show them if founder-approved for the release and an active restaurant plan exists. Present exact terms, price, duration, included credits/meals, redemption limits, eligible items, expiry and cancellation/refund terms. Do not invent unlimited plans.

17. PHASE 7 — PROFILE, ACCOUNT, SUPPORT AND TRUST

17.1 Profile

- Name and contact information.
- Saved addresses.
- Food preferences and favourite cuisines.
- Spice level and budget range if customer chooses to save them.
- Dietary preferences and allergies with clear edit/delete controls.
- Favorites.
- Notification preferences.
- Privacy controls and account/data request route.
- Help and support.
- Secure logout.

17.2 Authentication screens

Keep authentication minimal and consistent with the app. Support the methods actually configured by the backend. The source handoff confirms phone and/or email with OTP for customers; do not add Google sign-in or password flows unless the project and backend support them.

- Welcome / sign-in entry.
- Phone/email entry and OTP verification.
- Resend timer and clear failure handling.
- Profile completion after browsing where possible; do not force long onboarding before discovery.
- Restaurant/rider application is a distinct approval flow, not a public instant activation flow.
- Admin is invitation-only; no public admin registration.

17.3 Restaurant trust

Use accurate verification wording. A badge must describe what was checked and must not imply guaranteed food quality. Only show genuine ratings/reviews from eligible completed orders. Sponsored placements must be labelled and separated from organic relevance.

17.4 Ratings and complaints

- After completion, invite rating of restaurant and rider separately for delivery orders.
- Structured categories: food quality, order accuracy, packaging, delivery experience, communication and other.
- A complaint creates a support case linked to the order.
- Rating is not refund approval. Refunds require policy review and transaction records.

17.5 Support

Support entry points appear in order details and profile. Order-specific support attaches the order ID automatically. Categories include payment issue, missing/incorrect item, delay, delivery issue, restaurant issue, refund request, account issue and other. Show case reference and status. Never claim a refund is completed until backend/provider confirmation.

18. PHASE 8 — RESTAURANT PARTNER EXPERIENCE

18.1 Partner onboarding

Create a phone-friendly, guided application for small Nigerian food businesses. Avoid intimidating long forms. Use clear steps, progress indication, save-and-resume and document upload guidance.

- Trading name and owner/authorized contact.
- Phone/email and business address/map pin.
- Service locations and cuisine/food categories.
- Operating hours and pickup/delivery capability.
- Menu and prices.
- Photos with rights to use.
- Secure payout details through approved process.
- Requested verification documents.
- Terms acceptance and application status.

18.2 Application states

Draft → Submitted → Under review → More information required / Approved / Rejected / Suspended. Show the actual state and any required next action. Account creation does not mean public ordering is enabled.

18.3 Restaurant dashboard home

Area	Design requirement
Top status	Clear Accepting orders / Busy / Paused control. Pausing stops new orders but does not erase accepted orders.
Summary	New orders, preparing, ready for pickup, completed, sales summary and payout status.
New-order queue	Prominent alert with sound/vibration where supported and a persistent visible fallback queue.
Quick actions	Menu availability, hours, support and today's order list.
Empty state	Guided checklist for new restaurant with no orders.

18.4 Orders console

- Order cards show order ID, time, items, modifiers, notes, quantity, fulfilment, relevant customer instructions, payment status and group/gift marker.
- Accept action includes preparation estimate.
- Reject action requires a reason.
- Accepted order moves to Preparing.
- Mark Ready for pickup when ready.
- Delivery handoff requires correct order verification.
- Restaurant cannot mark delivery Completed merely because rider departed.
- If prep estimate is missed or restaurant does not respond, show operations escalation state.

18.5 Menu management

- Manage categories and items.
- Edit name, description, price, photo, portion/size, add-ons, prep time where appropriate, ingredient/allergen notes and availability.
- Mark item unavailable immediately.
- Busy/pause mode at restaurant level.
- Price changes must not silently rewrite a cart or paid order.
- Log important menu and price changes with actor and timestamp.

18.6 Sales and payouts

Show order-level gross item value, discounts, commission/platform fee, configured charges/tax, refunds/adjustments, net amount due and payout status. Provide viewable/downloadable statements with order IDs and dates. Do not promise instant or daily payouts unless policy and provider support that timing. Kitchen staff must not see owner-only financial information.

19. PHASE 9 — RIDER EXPERIENCE

19.1 Rider app principles

The rider interface is a mobile operational tool. Prioritize readability in daylight, large touch targets, concise instructions, low cognitive load and one-handed operation. Avoid decorative hero layouts.

19.2 Rider onboarding

- Name and contact information.
- Identity information and required documents.
- Service area.
- Vehicle type/details and applicable licence/vehicle documents.
- Emergency/support contact if policy requires.
- Secure payout details.
- Terms acceptance.
- Application status and reviewer feedback where applicable.

19.3 Rider home

- Approval status.
- Online/offline control; disabled until approved and eligible.
- Assigned service zone.
- GPS/connectivity status.
- Active job summary.
- Earnings summary.
- Operational safety instructions and support access.

19.4 Delivery offer

Offer card shows pickup restaurant/location, drop-off area or distance estimate, delivery pay only if calculation policy is approved, reliable pickup window if available, and accept/decline action with timeout. Do not expose full customer address before acceptance unless necessary and approved.

19.5 Active delivery

1. Assigned job overview and route action.
2. Navigate to restaurant.
3. Arrived at restaurant action.
4. Restaurant verifies order ID or pickup code.
5. Rider confirms collection.
6. Backend changes status to Picked up / In transit.
7. Navigate to customer and use approved contact route.
8. Customer shares delivery code after receiving food, or approved fallback is used.
9. Rider submits completion; backend validates and closes job.

19.6 Exception and safety flows

- Food not ready / wrong / missing.
- Restaurant cannot locate order.

- Customer unreachable.
- Wrong address.
- Vehicle problem.
- Safety concern.
- GPS/app issue.
- Payment/earnings issue.

For post-pickup incidents, show a priority support route. Rider cannot self-approve a refund or falsely mark delivery complete. Do not collect unnecessary photos or precise location history.

19.7 Earnings

Show completed deliveries, pay per job where policy allows, adjustments, configured bonuses, payout status and statement history. Do not display funds as withdrawable until reconciled and payable.

20. PHASE 10 — ADMIN AND OPERATIONS DASHBOARD

20.1 Admin visual direction

The admin interface is a professional operations console, not a customer-facing food discovery page. Keep the same CHOPWIZE brand colours but use tighter spacing, denser information and stronger table hierarchy.

20.2 Operations overview

- Active orders by status.
- Dispatch pending.
- Overdue restaurant response.
- Rider availability.
- Open incidents.
- Payment exceptions.
- Quick filters for time, status, service area and restaurant.
- Clear distinction between live, delayed, pending and failed records.

20.3 Restaurant management

- Application queue.
- Document review with secure access.
- Approve/reject/suspend controls.
- Service area and verification notes.
- Profile status and audit trail.
- Approval reason and reviewer timestamp.

20.4 Rider management

- Applications and documents.
- Approval/suspension.
- Online status and active job.
- Incident history.
- Service-zone eligibility.
- Payout/earnings access according to permission.

20.5 Live order management

- Search by order ID, customer or restaurant.
- Order timeline and event history.
- Contact parties through approved channels.
- Manual rider assign/reassign with reason.
- Show previous and new assignment.
- No silent state overrides.

20.6 Support and complaints

- Case queue, priority and filters.

- Attachments and linked order.
- Assigned agent.
- Internal notes separate from customer-visible messages.
- Customer-visible status and resolution.

20.7 Payments and settlements

- Gateway events.
- Failed/pending transactions.
- Refunds.
- Restaurant statements.
- Rider earnings and payout status.
- Reconciliation reports.
- Permission-gated financial actions.

20.8 Platform settings

Service areas, fulfilment modes, fees, commission settings, operating-hours rules, dispatch timeouts, notification templates and categories. Do not make unapproved settings editable by support staff.

20.9 Reports

Orders, cancellations, acceptance/preparation times, delivery completion, complaints, restaurant activity, rider activity and payment/refund reconciliation. Include filters, export only where authorized, clear date/time zone and empty states.

20.10 Admin roles

Role	Typical UI permissions
Support agent	Assigned cases, order context, customer-visible support updates; no platform-wide financial configuration.
Operations manager	Partner operations, live orders, rider assignment/reassignment, incidents and service operations.
Finance	Financial records, authorized refund/payout initiation, reconciliation; audit required.
Super-admin	Platform-wide controls, user/role management and sensitive overrides; every action audited.

21. RESPONSIVE BEHAVIOUR BY DEVICE

21.1 Small Android phones

- One column; 16px side padding; 44–48px touch targets.
- No horizontal overflow, tiny labels or side-by-side forms.
- Use bottom sheets for filters and item options.
- Keep primary action reachable without covering content.
- Compress images and avoid heavy motion/3D.
- Show essential information before decorative content.

21.2 Standard Android and iPhone

- Primary design target for customer and rider.
- Use 16–20px gutters, readable cards and clear bottom navigation.
- Keep checkout summary and active order status easy to scan.
- Support portrait first; landscape should not break layout.

21.3 Tablet

- Use two-column layouts where helpful.
- Keep touch targets large.
- Use side navigation or top navigation depending on width.
- Avoid stretching card content to full tablet width.

21.4 Desktop

- Use controlled max-width for customer pages.
- Use desktop navigation and larger visual imagery without oversized whitespace.
- Restaurant/admin dashboards may use sidebar and multi-column content.
- Tables may show more columns, but avoid dense 10px text.
- Use hover states only as enhancement; all actions must remain visible and keyboard accessible.

21.5 Responsive image and media

Use responsive image sources, explicit aspect ratios and lazy loading below the fold. Avoid loading desktop-sized images on low-end mobile devices. Use poster/fallback images for video and static fallbacks for 3D.

22. MOTION, HOVER, SCROLL AND TRANSITION SPECIFICATION

Element	Entrance / interaction	Exit / reduced-motion fallback
Page content	Opacity 0→1 + translateY 6px, 180ms.	Fade 120ms; no movement when reduced motion.
Food cards	No large entrance animation; optional short fade for first viewport.	Immediate/static.
Buttons	Pressed scale 0.98, 90ms; colour 120ms.	No scale if reduced motion.
Dropdown	Opacity + translateY 4px, 140ms.	Fade 100ms.
Modal	Backdrop fade 160ms; panel scale 0.98→1, 180ms.	Instant or opacity only.
Bottom sheet	TranslateY 100%→0, 240ms.	Opacity only.
Mobile drawer	TranslateX, 240ms.	Instant or fade.
Tabs	Indicator glide 160–200ms.	Immediate colour change.
Toast	Fade/translateY 6px, 160ms.	Fade only.
Sticky header	Background/border/shadow transition 160ms.	No motion.
Accordion	Height/opacity 180ms; avoid awkward content clipping.	Instant expand/collapse.
Skeleton	Very subtle shimmer or static block.	Static placeholder.

22.1 Scroll reveal

Only use scroll reveal for selected editorial sections on the home/discovery experience. Reveal should be short, one-time and subtle. Do not hide content until a user scrolls, and do not animate every card in a long list.

22.2 Parallax

Avoid parallax on the primary app experience. If used in one approved hero, keep movement under 10px and disable it on mobile/reduced-motion. Never make the user feel that the interface is moving independently of their scroll.

22.3 3D transitions

Do not use 3D page flips or perspective transitions between app routes. A restrained image depth effect may be used in one campaign/hero area only. Ensure GPU-intensive effects are not applied to long lists or dashboard tables.

22.4 Navbar effects

Use active-state underline/tint, subtle sticky surface treatment and smooth colour transitions. No neon glow, no moving perimeter border, no looping animated navbar and no attention-grabbing continuous motion.

23. ICONS, ILLUSTRATIONS, IMAGERY AND PROHIBITED VISUAL SHORTCUTS

23.1 Real icon system

Use Lucide icons or the icon library already installed in the project. Use consistent 1.75–2px stroke weight, consistent optical sizing and predictable filled/outline states. Select icons by meaning.

Meaning	Suggested icon
Home	house
Discover/search	search / compass
Orders	receipt / clipboard-list
Plans/calendar	calendar-days
Profile	user-round
Cart	shopping-bag
Location	map-pin
Pickup	store
Delivery	bike
Clock	clock
Filter	sliders-horizontal
Favorite	heart
Support	message-circle / headset
Settings	settings
Notifications	bell
Payments	credit-card / wallet
Restaurant menu	utensils
Rider navigation	navigation
Reports	chart-no-axes-column / chart-bar
Security	shield-check

23.2 Icon rules

- Do not mix filled emoji, outline icons and random 3D icons.
- Do not use icon-only controls without accessible labels.
- Do not use decorative icon overload in cards.
- Use icons to improve recognition, not as decoration in every heading.
- Avoid AI stickers, cartoon mascots, robot heads, sparkles-as-brand-language and random emoji.

23.3 Illustrations

Use illustrations only where a real empty/error state needs explanation. Prefer a simple brand-colour line illustration or typography-led empty state. Do not insert generic AI-generated cartoon people, sticker packs or mascots.

23.4 Imagery quality

- Use licensed, supplied or approved imagery.
- Keep dish image and item name accurate.
- Avoid watermarks and unrelated stock photos.
- Use consistent crop ratios and colour treatment.
- Use placeholders that clearly look like placeholders until real content exists.

24. STATES, ERRORS, FEEDBACK AND MICROCOPY

24.1 Required states

State	Presentation
Loading	Skeleton or inline progress; preserve layout dimensions.
Empty	Explain what is absent and provide one useful next action.
Success	Short confirmation; show the resulting state or next step.
Error	Explain what failed, what remains safe and how to retry.
Pending	Use a clear pending label and avoid claiming completion.
Unavailable	Explain the specific item/restaurant/fulfilment limitation.
Offline	Show last confirmed data timestamp where relevant; queue only safe local actions.
Permission denied	Explain why permission is needed and offer manual alternative if possible.
Session expired	Preserve safe draft data and guide user to sign in again.
Payment uncertain	Do not encourage a duplicate payment; show checking/pending state and safe next action.

24.2 Microcopy tone

Use calm, direct, human language. Be warm but not childish. Avoid exaggerated promises, pressure language and fake urgency.

Instead of	Prefer
“Oopsie! Something went wrong ■”	“We couldn’t load this right now. Try again.”
“Your rider is almost there!” (unverified)	“Your order is awaiting rider assignment.”
“Refund successful!” (not confirmed)	“Your refund is being processed.”
“Best restaurant in Lagos!” (unsupported)	Use factual restaurant details and genuine feedback only.
“AI magic is happening!”	“Finding meals that match your request…”

24.3 Confirmation and destructive actions

Use confirmation dialogs for clearing a cart, cancelling an order where policy permits, deleting a plan, removing an address or suspending a partner. Explain consequences in plain language. Do not overuse confirmation dialogs for harmless navigation.

25. ACCESSIBILITY, PERFORMANCE AND NIGERIAN NETWORK REALITIES

25.1 Performance

- Prioritize first meaningful content and fast initial rendering.
- Lazy-load below-the-fold imagery and non-critical modules.
- Use responsive image formats and dimensions.
- Avoid huge animation libraries when CSS transitions are enough.
- Split code by role and route where appropriate.
- Prevent layout shift with image aspect ratios and skeleton dimensions.
- Cache safe read-only data carefully; revalidate availability and price before checkout.

25.2 Variable network

- Design for slow and intermittent connections common on mobile networks.
- Show a clear offline/poor connection indicator without alarming the user unnecessarily.
- Keep forms resilient and preserve safe drafts.
- Disable duplicate submissions while a request is in flight.
- Use retry actions that are safe and idempotent.
- After reconnect, refresh from backend; do not assume local state is authoritative.

25.3 Device capability

Do not assume flagship phones. Use efficient transitions, avoid continuous GPU effects, and ensure the experience remains usable on mid-range Android devices. Test small viewport widths, older browsers supported by the project and reduced-motion settings.

25.4 Accessibility acceptance

- Keyboard access for every interactive element.
- Screen-reader labels for icons and form errors.
- Visible focus states.
- Sufficient contrast for text and controls.
- Touch targets at least 44×44px.
- No colour-only status.
- Reduced motion respected.
- Zoom and larger text do not break core flows.

26. FRONTEND ARCHITECTURE, CODE QUALITY AND BACKEND INTEGRATION

26.1 Component architecture

Use reusable components grouped by domain and role. Avoid a single giant component for an entire route. Separate presentation, state, data access and business rules.

- Shared design system: tokens, typography, buttons, fields, cards, overlays, feedback and navigation.
- Customer domain: discovery, restaurants, menu, cart, checkout, orders, plans, profile and support.
- Restaurant domain: onboarding, dashboard, orders, menu, hours, finance and staff.
- Rider domain: onboarding, availability, offers, active job, earnings and support.
- Admin domain: overview, partners, riders, orders, cases, finance, settings and reports.

26.2 Routing

Use clear role-specific route groups and protected layouts. Preserve intended destination after sign-in where safe. Prevent unauthorized direct URL access. Show a proper access-denied or not-found state.

26.3 API integration

- Create a typed API client/service layer if the stack supports it.
- Centralize auth/session handling and error mapping.
- Use loading, success, error and empty states consistently.
- Do not hard-code API response assumptions without matching backend contracts.
- Use real backend values for prices, fees, availability, ratings, order state and rider status.
- Do not treat optimistic UI as confirmed for payment, order status, refund, assignment or delivery completion.

26.4 Demo mode

If backend APIs are not ready, implement an explicit demo mode with sample data and a visible demo label. Make simulated state transitions coherent across customer, restaurant, rider and admin experiences. Never mix demo data with production records or present demo payment as real.

26.5 State management

Keep server state distinct from local UI state. Persist only safe, necessary local state. Revalidate critical data at checkout and on reconnect. Avoid duplicating the same order state independently in multiple frontends.

26.6 Error handling

Show user-friendly errors and preserve technical details in developer logs without exposing secrets or internal stack traces. If a backend action fails, do not display a success state.

27. QUALITY ASSURANCE AND ACCEPTANCE CHECKLIST

27.1 Visual review

- Brand palette matches the approved tokens.
- Typography scale is consistent across routes.
- No unrelated gradients, neon colours or AI sticker aesthetics.
- Spacing, radii, borders and shadows are consistent.
- Food photography is accurate and well-cropped.
- No clipped text, overlapping elements or horizontal overflow.
- No inconsistent icon packs or emoji used as icons.

27.2 Customer journey

- Browse home and select location.
- Search restaurants and menu items.
- Apply and clear filters.
- Use mood/craving discovery.
- Use AI concierge and Surprise Me with real/clearly labelled demo data.
- Open restaurant profile and menu.
- Configure item options and add to cart.
- Handle one-restaurant cart rule.
- Review full checkout price.
- Choose supported pickup or delivery.
- See correct payment state.
- Open order status from Orders after app refresh.
- Use support, reorder and ratings only when eligible.

27.3 Restaurant journey

- Submit application and see pending state.
- Approved partner can configure profile, hours and menu.
- Restaurant can pause new orders without losing accepted orders.
- New order alert and fallback queue are visible.
- Accept/reject with required details.
- Update preparation and ready state.
- Verify rider handoff.
- View sales and payout status with appropriate role access.

27.4 Rider journey

- Unapproved rider cannot go online.
- Approved rider can go online in enabled zone.
- Receive eligible offer.
- Only one rider can acquire a job.

- View appropriate pickup details.
- Verify pickup and delivery.
- Handle exception and contact operations.
- View completed jobs and reconciled earnings.

27.5 Admin journey

- Review restaurant and rider applications.
- Monitor active orders and dispatch exceptions.
- Assign/reassign rider with reason.
- Review support cases.
- Review payment/refund/settlement records according to role.
- Edit platform settings only with permission.
- Audit sensitive actions.

27.6 Responsive testing

Test at minimum 320px, 360px, 375px, 390px, 430px, 768px, 1024px, 1280px and 1440px widths. Test portrait and landscape where relevant. Confirm navigation, modals, tables, sticky actions, forms and images remain usable.

27.7 Completion standard

The frontend is not complete because it looks polished. It is complete when each role can complete its intended journey, all actions map to real backend behaviour or clearly labelled demo behaviour, and every state is understandable, accessible and responsive.

28. FINAL EXECUTION INSTRUCTION FOR GOOGLE AI STUDIO

Now implement the CHOPWIZE frontend according to this document and the supplied Phase 1 Product & Workflow Specification. Start with Phase 0 inspection and design foundations. Do not jump ahead or generate disconnected pages.

1. Inspect and report the existing project structure and route inventory.
2. Establish the exact design tokens and shared components.
3. Build the customer shell and Home page.
4. Complete Discover, Search, Filters and AI concierge.
5. Complete Restaurant Profile and Menu.
6. Complete Item Details, Cart and Checkout.
7. Complete Order Confirmation, Tracking and Orders.
8. Complete Plans, Budget, Group Orders, Gifting and gated Subscription UI.
9. Complete Profile, Authentication, Support and Trust.
10. Build the Restaurant Partner experience.
11. Build the Rider experience.
12. Build the Admin/Ops dashboard.
13. Run responsive, accessibility, visual and functional QA across all roles.
14. Provide a completion report with routes, components, interactions, API dependencies, demo-only features and outstanding decisions.

Do not compromise these final principles

- CHOPWIZE must feel like a premium, real food-tech app, not a generic template or marketing website.
- Keep the experience clean, calm, food-led and practical.
- Use the approved palette exactly; do not invent a new brand colour system.
- Use real icons, accurate imagery and clear typography. No AI stickers, random emojis or cartoon decoration.
- Use motion with restraint. No unnecessary scroll hijacking, constant animation or gratuitous 3D.
- Do not fabricate live data, payment success, ratings, restaurant verification, rider assignment or tracking.
- Keep every role distinct while maintaining one coherent product identity.
- Preserve all Phase 1 features in the design plan, even if the founder later stages their release.
- Do not silently decide unresolved business policies or provider integrations.

END OF FRONTEND DESIGN MASTER PROMPT — CHOPWIZE / PHASE 1

Reference basis: CHOPWIZE Phase 1 Product & Workflow Specification, Version 1.0. Exact typography, measurements, breakpoints and motion values in this document are proposed design-system recommendations because the source handoff does not prescribe those values.

Prepared as a detailed implementation brief for Google AI Studio.