

Ticket entity

SESAP support tickets. New submissions land unassigned for triage; the robot writes the assignment back during orchestration.

Entity id ca14332a-0081-f111-b338-000d3ab4d3b7

Fields 24 (19 business · 5 system) **Tenant** stanbgdgzsb / DefaultTenant

FIELD	TYPE	REQ	NOTES
♦ Ref	STRING	REQ · UQ	Human ref, e.g. SESAP-1042
Subject	STRING	REQ	Ticket title
Description	MULTILINE_TEXT		Full detail
Requester	STRING		Who raised it
RequesterEmail	STRING		Notification recipient
Category	STRING		incident / request ...
SubCategory	STRING		
Department	STRING		
Channel	STRING		Portal / Email / ...
Team	STRING		Set during routing
BusinessService	STRING		
RiskLevel	STRING		Drives the Maestro auto-vs-manual gateway
Priority	STRING		low / medium / high / urgent
Status	STRING		open / in progress / resolved / closed
AssignedTo	STRING		Written by the RPA robot — the engineer
AssignmentStatus	STRING		Write-back proof: Unassigned → Assigned
Tags	STRING		Comma-separated
Source	STRING		SESAP

CreatedAt

DATETIME

App-set ISO timestamp · SLA baseline

SYSTEM FIELDS · 5 (MANAGED BY DATA SERVICE)

FIELD	TYPE	REQ	NOTES
◆ Id	UUID	PK	Primary key
CreatedBy	RELATIONSHIP		User
CreateTime	DATETIME_WITH_TZ		Record created
UpdateTime	DATETIME_WITH_TZ		Powers avg resolution time — advances on write-back
UpdatedBy	RELATIONSHIP		User

green row = write-back / analytics field

◆ = key/unique

REQ = required

Baseline 4.2 satisfied: the minimum fields (ID, subject, description, priority, status, assignee, created date) are all present, and AssignmentStatus is the status field the automation updates to prove the write-back loop.

Exported live via scripts/describe-entity.mjs · UiPath Data Fabric