

---

**Cheetah**

---

**Cheetah**  
**Use-Case Specification: Add Lecturer**

**Version 1.1**

Cheetah

Version 1.1

02/05/2017

## Revision History

Date	Version	Description	Author
21/11/2016	1.0	Initial Version	Damian Pistorius, Lior Olszewski, Sara Olszewski
02/05/2017	1.1	Function Points	Sara Olszewski

## Table of Contents

1. Use-Case Name.....	4
1.1 Brief Description.....	4
2. Flow of Events.....	4
2.1 Basic Flow.....	4
3. Special Requirements.....	6
3.1 Functionality in the Browser.....	6
4. Preconditions.....	6
4.1 Log-In.....	6
5. Postconditions.....	6
5.1 Submit.....	6
6. Extension Points.....	6

# Use-Case Specification: Add Lecturer

## 1. Use-Case Name


### 1.1 Brief Description

This use case allows the student to create his professor if he isn't existing yet.


## 2. Flow of Events

### 2.1 Basic Flow

Activity Diagram:



**Mock-Up:**



### **3. Special Requirements**

#### **3.1 Functionality in the Browser**

Since it will be a web application, it should fit every browser. It should have a responsive design.

### **4. Preconditions**

#### **4.1 Log-In**

The student has to be registered, logged in and chosen a school and course.

### **5. Postconditions**

#### **5.1 Submit**

The student has to press the submit button so the database can create and add the new professor.

### **6. Extension Points**

Function Point Calculation:

[https://docs.google.com/spreadsheets/d/1GuAvXTwR3EBxf9bSZ5d9jDknXt4O-wumNrIfMivH\\_Uo/edit#gid=0](https://docs.google.com/spreadsheets/d/1GuAvXTwR3EBxf9bSZ5d9jDknXt4O-wumNrIfMivH_Uo/edit#gid=0)