

## Oppgave 1 A)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CcSsssA</title>
  <link rel="stylesheet" href="Ateststyle.css">
</head>
<body>
  <h1>A world full of opportunities</h1>
  <h2>A definitive experience of all time</h2>
  <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Distinctio deleniti sit aliquam quod repudiandae quos, dolore veritatis, aliquid inv
  <h2>Truthfully incredible</h2>
  <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Facilis nisi explicabo tempore, qui fuga aut reiciendis cum beatae hic quo asperiore
  <h2>The Future is here</h2>
  <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Architecto quod tempora repudiandae molestias, optio maiores adipisci? Pariatur sol
</body>
</html>
```

```
*{
  background-color: #tan;
}

h1{
  color: #blueviolet;
  font-size: 80px;
  font-family: 'Times New Roman', Times, serif;
  font-weight: 200;
  background-color: #black;
  padding: 1em;
  margin: 1em;
}

h2{
  color: #blue;
  background-color: #black;
  padding: 10px 50px 30px 0px;
  margin: 1em;
}

p{
  color: #aqua;
}
```

# A world full of opportunities

## A definitive experience of all time

Lorem ipsum dolor sit amet consectetur adipisicing elit. Distinctio deleniti sit aliquam quod repudiandae quos, dolore veritatis, aliquid inventore vitae, eos modi obsequat? A fea voluptas justo rerum repellendus quam?

## Truthfully incredible

Lorem ipsum dolor sit amet consectetur adipisicing elit. Facilis nisi explicabo tempore, qui fuga aut reiciendis cum beatae hic quo asperiores nostrum error ab dignissimos patibet consectetur doloribus? Molestias, illo,

## The Future is here

## Oppgave 1 B)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CcSsssB</title>
  <link rel="stylesheet" href="Bteststyle.css">
</head>
<body>
  <h1 class="myClass1">An efficient developer...</h1>

  <p id="myID1">An efficient developer do what it have to be done</p>

  <h1 id="myID2" class="myClass2">An good developer...</h1>

  <p class="myClass2">An good developer turns coffee into code</p>

  <h1 class="myClass3">An super developer...</h1>

  <p id="myID3" class="myClass3">An super developer use always https://developer.mozilla.org/en-US/ as documentation</p>
</body>
</html>
```

```
#myID1{
  color: violet;
}

.myClass2{
  color: blueviolet;
  font-size: 36px;
}

#myID2{
  color: blue;
  text-align: center;
}

.myClass3{
  color: green;
  font-size: 28px;
  text-align: right;
}
```

**An efficient developer...**

An efficient developer do what it have to be done

**An good developer...**

An good developer turns coffee into code

**An super developer...**

An super developer use always <https://developer.mozilla.org/en-US/> as documentation

Hovedforskjellen mellom class og id er at class er en bred gruppe som kan ha flere elementer, mens id er en spesifikk identifikator. Class kan bli brukt for å gi flere elementer samme egenskaper, mens id hjelper med å gi spesielle egenskaper til noen elementer.