

SCHOOL OF COMPUTING (SOC)

IOT CA2 Step-by-step Tutorial

DIPLOMA IN BUSINESS INFORMATION TECHNOLOGY
DIPLOMA IN INFORMATION TECHNOLOGY
DIPLOMA IN INFOCOMM SECURITY MANAGEMENT

ST0324 Internet of Things (IOT)

Date of Submission: 18 August 2019

Prepared for: Ms Dora Chua

Class: DIT/2B/35

Submitted by:

Student ID	Name
1804375	Damian Tan Xian Kai
1828555	Mohamed Ajmal
1843059	So Wei Hao

Table of Contents

Section 1 Overview of project	2
A. Where we have uploaded our tutorial	2
B. What is the application about?	2
C. How does the final RPI set-up looks like?	2
D. How does the web or mobile application look like?	3
E. System architecture of our system	5
F. Evidence that we have met basic requirements	5
G. Bonus features on top of basic requirements	6
A. Quick-start guide (Readme first).....	6
Section 2 Hardware requirements	7
Hardware checklist.....	7
Section 3 Setup	7
Section 4 Node red codes.....	9

Section 1

Overview of project

A. Where we have uploaded our tutorial


<https://youtu.be/vW1W-uVw8EY>

<https://github.com/DamianTanXianKai/Team-Basic-IOT-CA2>

B. What is the application about?



Our application aims to assist users in life. Our application has a wifi speed test, motion sensor, light detector, card reader and temperature sensor. Users can on and off their room light from the dashboard which is very convenient if the user feels that the room is dark and find their switch really far from their seats. The wifi speed test is there to ensure user has a stable connection at all times and when the wifi speed drops user will be able to see from the gauge and save their data before they get disconnected and lose all their progress. The temperature sensor is to tell user what is the temperature outside like and users will be able to gauge if it is a sunny day or a cloudy day. The card reader is to unlock the house door. Lastly, the motion sensor allows user to on the alarm which will trigger when it detects motion and then the user will receive an image on their telegram and email, and a message from twilio saying that there is an intruder

C. How does the final RPI set-up looks like?




D. How does the web or mobile application look like?

Web App




TelegramBot



E. System architecture of our system

Provide a hand-drawn or computer-drawn system architecture diagram please. Example given below.



F. Evidence that we have met basic requirements

Provide bullet list to describe how your group has met basic requirements

Requirement	Evidence
Used three sensors	Used light sensor, wifi adapter, temperature sensor, motion sensor
Used MQTT	Our MQTT endpoint. Examples will be speedtest-download, speedtest-upload Example of data sent through MQTT : Light value, Temperature value, Wifi Speed value
Stored data in cloud	Stored light data in Cloudant database in IBM cloud
Used cloud service	Hosted web server on ibm
Provide real-time sensor value / status	Show the real-time value of temperature sensor and wifi adapter
Provide historical sensor value/ status	Show historical value of light sensor
Control actuator	Placed button on webpage to control light bulb

G. Bonus features on top of basic requirements

Provide bullet list of the bonus features you have added on top of basic requirements

- a) Telegram bot can check wifi speed by pulling data from IBM
- b) Telegram bot can activate alarm.
- c) Telegram will receive image when motion is detected.
- d) Email will receive image when motion is detected.

A. Quick-start guide (Readme first)

Give a few lines of basic instructions on how I need to run your app, e.g

- 1) First connect hardware as in Section 3 for Raspberry Pi A, B and C.
- 2) Install nodes needed after copying the codes for the node red to separate devices. Copy code A for Raspberry Pi A's node red, code B for Raspberry Pi B's node red, code C for Raspberry Pi C's node red and Code IBM to IBM's node red.
- 3) Create gateways and add a device for each gateway.
- 4) Authenticate the 3 different Raspberry Pi and each Pi will be linked to one gateway and one gateway can only be linked to one Raspberry Pi.
- 5) Change all watson iot output node's credential from all Raspberry Pi and connect them with IBM's node red.
- 6) Change all watson iot input and output nodes from IBM respectively to the Raspberry Pi that sends out the values to IBM or takes the values from IBM.
- 7) Create databases from cloudant with names 'download', 'upload', 'access', 'light', 'temp' and 'hum'.
- 8) Select the service from the cloudant node to your own cloudant service
- 9) Reconfigure telegram nodes with your own Bot-Name, Token, User and Chat Id
- 10) Reconfigure email node and add your own email.
- 11) Reconfigure twilio and use your own account and add your own phone number.
- 12) Download the 3 js file and move it to Raspberry Pi C's root directory.
- 13) Reconfigure the Daemon node and add the route for the js files to the arguments.

Section 2

Hardware requirements


Hardware checklist

4 Bulb, 1 DHT 11, 1 LDR, 1 Motion Sensor, 1 Buzzer, 1 RFID reader, 1 RFID card,
3 Raspberry Pi 3 Model B set with NoIR Camera Board


Section 3

Setup


Raspberry Pi A



Raspberry Pi B



Raspberry Pi C



Section 4

Node red codes

Raspberry Pi A's Node Red Code:

```
[{"id":"13a78b57.773d35","type":"tab","label":"Raspberry Pi A","disabled":false,"info":"","{
  "id":"7498066b.0fd4b8","type":"inject","z":"13a78b57.773d35","name":"Poll for internet speed every 15s","topic":"","payload":"","payloadType":"date","repeat":"15","crontab":"","once":false,"onceDelay":0.1,"x":180,"y":60,"wires":[["46536ca5.b4cff4"]]},
  {"id":"b80eb915.d38688","type":"function","z":"13a78b57.773d35","name":"set download values","func":"var download = msg.payload.speeds.download;\n\nmsg.payload = Math.ceil(download);\n\nglobal.set('downloadval', msg.payload)\n\nreturn msg;","outputs":1,"noerr":0,"x":580,"y":80,"wires":[["f5320a92.50f7b8"]]},
  {"id":"ffc8b466.bd1238","type":"inject","z":"13a78b57.773d35","name":"Send upload value to Bluemix","topic":"","payload":"","payloadType":"date","repeat":"30","crontab":"","once":false,"onceDelay":0.1,"x":670,"y":160,"wires":[["43d9f408.fbdb4c"]]},
  {"id":"43d9f408.fbdb4c","type":"function","z":"13a78b57.773d35","name":"Format msg for speedtest","func":"speed2 = global.get('uploadval')\n\nmsg.payload = speed2\n\nreturn msg;","outputs":1,"noerr":0,"x":650,"y":220,"wires":[["8bea1e7a.778d3","39402e8f.f6ca22"]]},
  {"id":"f5320a92.50f7b8","type":"debug","z":"13a78b57.773d35","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"payload","targetType":"msg","x":770,"y":80,"wires":[["8bea1e7a.778d3","39402e8f.f6ca22"]]},
  {"id":"8bea1e7a.778d3","type":"debug","z":"13a78b57.773d35","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"false","x":870,"y":280,"wires":[["739f96c.1fe7868"]]},
  {"id":"739f96c.1fe7868","type":"inject","z":"13a78b57.773d35","name":"Send download value to Bluemix","topic":"","payload":"","payloadType":"date","repeat":"30","crontab":"","once":false,"onceDelay":0.1,"x":180,"y":160,"wires":[["15875458.e7b1bc"]]},
  {"id":"15875458.e7b1bc","type":"function","z":"13a78b57.773d35","name":"Format msg for speedtest","func":"speed1 = global.get('downloadval')\n\nmsg.payload = speed1\n\nreturn msg;","outputs":1,"noerr":0,"x":150,"y":220,"wires":[["9c521b1e.3d2cd8","f78a0afc.c678e8"]]},
  {"id":"9c521b1e.3d2cd8","type":"debug","z":"13a78b57.773d35","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"false","x":370,"y":280,"wires":[["ceb9174a.f3add8"]]},
  {"id":"ceb9174a.f3add8","type":"function","z":"13a78b57.773d35","name":"set upload values","func":"var upload = msg.payload.speeds.upload;\n\nmsg.payload = Math.ceil(upload);\n\nglobal.set('uploadval', msg.payload)\n\nreturn msg;","outputs":1,"noerr":0,"x":570,"y":40,"wires":[["494cd6e1.b66318"]]},
  {"id":"494cd6e1.b66318","type":"debug","z":"13a78b57.773d35","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"payload","targetType":"msg","x":770,"y":40,"wires":[["de2a6cb3.e1b37"]]},
  {"id":"de2a6cb3.e1b37","type":"rpi-gpio","z":"13a78b57.773d35","name":"LED","pin":"22","set":true,"level":"0","freq":"","out":"out","x":590,"y":360,"wires":[["c71af0a1.30e7f"]]},
  {"id":"c71af0a1.30e7f","type":"debug","z":"13a78b57.773d35","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"false","x":610,"y":400,"wires":[["caaaebb3.f80f48"]]},
  {"id":"caaaebb3.f80f48","type":"function","z":"13a78b57.773d35","name":"Filter the"}
```

```
command","func":"msg.payload = msg.payload.led\nreturn
msg;","outputs":1,"noerr":0,"x":410,"y":360,"wires":[["de2a6cb3.e1b37","c71af0a1.30e7f"]],{"id":
"46536ca5.b4cff4","type":"speedtest","z":"13a78b57.773d35","name":"","maxTime":5000,"x":400,
"y":60,"wires":[["b80eb915.d38688","ceb9174a.f3add8"]],{"id":"d4514f9a.ef6cf","type":"wiotp
in","z":"13a78b57.773d35","authType":"g","deviceKey":"4615215c.6cf4d","deviceType":"","devicel
d":"","command":"Bulb","commandType":"g","qos":"1","name":"Listen to LED command from
IBM","x":170,"y":360,"wires":[["caaaebb3.f80f48"]],{"id":"39402e8f.f6ca22","type":"wiotp
out","z":"13a78b57.773d35","authType":"g","qs":"false","qsDeviceId":"","deviceKey":"4615215c.6c
f4d","deviceType":"gw-p1804375","deviceId":"gwid-p1804375","event":"speedtest-
upload","format":"String","qos":"1","name":"Sending To
IBM","x":620,"y":280,"wires":[],{"id":"f78a0afc.c678e8","type":"wiotp
out","z":"13a78b57.773d35","authType":"g","qs":"false","qsDeviceId":"","deviceKey":"4615215c.6c
f4d","deviceType":"gw-p1804375","deviceId":"gwid-p1804375","event":"speedtest-
download","format":"String","qos":"1","name":"Sending To
IBM","x":120,"y":280,"wires":[],{"id":"4615215c.6cf4d","type":"wiotp-
credentials","z":"","name":"","org":"k6be3c","serverName":"k6be3c.messaging.internetofthings.ib
mcloud.com","devType":"gw-p1804375","devId":"gwid-
p1804375","keepalive":"60","cleansession":true,"tls":"","usetls":false}}
```

Raspberry Pi B's Node Red Code:

```
[{"id":"c03da4a.c92c858","type":"tab","label":"CA2","disabled":false,"info":""},{"id":"11ccae22.d87
7f2","type":"function","z":"c03da4a.c92c858","name":"store light value","func":"global.set('light',
msg.payload)","outputs":1,"noerr":0,"x":600,"y":80,"wires":[["382200f0.61e7f"]],{"id":"b329c567.
605718","type":"inject","z":"c03da4a.c92c858","name":"poll for light values every 3
secs","topic":"","payload":"","payloadType":"date","repeat":"","crontab":"","once":false,"onceDela
y":0.1,"x":130,"y":80,"wires":[["fcc6e6bc.4af258"]],{"id":"fcc6e6bc.4af258","type":"pimcp3008","z
":"c03da4a.c92c858","name":"","dev":"3008","pin":0,"dnum":0,"bus":0,"x":390,"y":80,"wires":[["1
1ccae22.d877f2"]],{"id":"382200f0.61e7f","type":"debug","z":"c03da4a.c92c858","name":"","activ
e":true,"tosidebar":true,"console":false,"tostatus":false,"complete":false,"x":800,"y":80,"wires":[
],{"id":"c0051b6a.ffae68","type":"wiotp
out","z":"c03da4a.c92c858","authType":"g","qs":"false","qsDeviceId":"","deviceKey":"bafc303a.c5c
a9","deviceType":"gw-p1828555","deviceId":"gwid-
p1828555","event":"light","format":"json","qos":"0","name":"Send Light Value to
IBM","x":790,"y":200,"wires":[],{"id":"478ac592.37374c","type":"debug","z":"c03da4a.c92c858","n
ame":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"payload","targe
tType":"msg","x":750,"y":260,"wires":[],{"id":"91a8f62c.bd2d08","type":"function","z":"c03da4a.c
92c858","name":"format the msg","func":"light = global.get('light')\nmsg.payload = {'d': {'light':
light}}\nreturn
msg;\n","outputs":1,"noerr":0,"x":400,"y":220,"wires":[["2b9fec80.d9e214"]],{"id":"fa35ee58.353
7b","type":"inject","z":"c03da4a.c92c858","name":"Send light values to IBM
Cloud","topic":"","payload":"","payloadType":"date","repeat":"10","crontab":"","once":false,"once
Delay":0.1,"x":150,"y":220,"wires":[["91a8f62c.bd2d08"]],{"id":"2b9fec80.d9e214","type":"json","
z":"c03da4a.c92c858","name":"","property":"payload","action":"","pretty":false,"x":590,"y":220,"w
ires":[["c0051b6a.ffae68","478ac592.37374c"]],{"id":"256cef5f.c68f5","type":"debug","z":"c03da4
a.c92c858","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"tr
ue","targetType":"full","x":570,"y":340,"wires":[],{"id":"b102330b.c2bf3","type":"rpi-
dht22","z":"c03da4a.c92c858","name":"","topic":"rpi-
```



```

dht22","dht":"11","pintype":"0","pin":4,"x":380,"y":340,"wires":[["256cef5f.c68f5","d503cdd2.319
38","9adac46d.7a18f8"]],{"id":"a8ab7be.74c0388","type":"debug","z":"c03da4a.c92c858","name":
":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"false","x":730,"y":440
,"wires":[]},{"id":"a6da5c31.630e9","type":"debug","z":"c03da4a.c92c858","name":"","active":true,
"tosidebar":true,"console":false,"tostatus":false,"complete":"false","x":710,"y":560,"wires":[]},{"id
":"d503cdd2.31938","type":"function","z":"c03da4a.c92c858","name":"humidity","func":"msg.payload
ad=msg.humidity;\nreturn
msg;","outputs":1,"noerr":0,"x":520,"y":500,"wires":[["a6da5c31.630e9","4915662a.554eb8"]],{"id
":"12e946d2.5d1ae9","type":"wiotp
out","z":"c03da4a.c92c858","authType":"g","qs":"false","qsDeviceId":"","deviceKey":"bafc303a.c5c
a9","deviceType":"gw-p1828555","deviceId":"gwid-
p1828555","event":"temperature","format":"String","qos":"0","name":"Send Temperature Value
to IBM","x":790,"y":380,"wires":[]},{"id":"4915662a.554eb8","type":"wiotp
out","z":"c03da4a.c92c858","authType":"g","qs":"false","qsDeviceId":"","deviceKey":"bafc303a.c5c
a9","deviceType":"gw-p1828555","deviceId":"gwid-
p1828555","event":"humidity","format":"String","qos":"0","name":"Send humidity Value to
IBM","x":760,"y":500,"wires":[]},{"id":"9adac46d.7a18f8","type":"function","z":"c03da4a.c92c858",
"name":"temperature","func":"msg.payload = msg.payload\nreturn
msg;","outputs":1,"noerr":0,"x":550,"y":420,"wires":[["a8ab7be.74c0388","12e946d2.5d1ae9"]],{"i
d":"5c4798f8.c065a8","type":"inject","z":"c03da4a.c92c858","name":"poll for light values every 5
secs","topic":"","payload":"","payloadType":"date","repeat":"5","crontab":"","once":false,"onceDel
ay":0.1,"x":160,"y":340,"wires":[["b102330b.c2bf3"]],{"id":"bd48a069.ace49","type":"wiotp
in","z":"c03da4a.c92c858","authType":"g","deviceKey":"bafc303a.c5ca9","deviceType":"","deviceId
":"","command":"led","commandType":"g","qos":0,"name":"Recieve LED Status FROM
IBM","x":150,"y":620,"wires":[["fc261bd5.064838"]],{"id":"fc261bd5.064838","type":"function","z
":"c03da4a.c92c858","name":"Convert","func":"msg.payload = msg.payload.led\nreturn
msg;\n","outputs":1,"noerr":0,"x":360,"y":620,"wires":[["c6593605.fb1da8","389ff4f4.aa3f8c"]],{"i
d":"389ff4f4.aa3f8c","type":"debug","z":"c03da4a.c92c858","name":"","active":true,"tosidebar":tr
ue,"console":false,"tostatus":false,"complete":"false","x":570,"y":620,"wires":[]},{"id":"c6593605.fb
1da8","type":"rpi-gpio out","z":"c03da4a.c92c858","name":"LED
OUTPUT","pin":"12","set":false,"level":"0","freq":"","out":"out","x":580,"y":680,"wires":[]},{"id":"b
afc303a.c5ca9","type":"wiotp-credentials","z":"","name":"My Raspberry Pi
Gateway","org":"k6be3c","serverName":"k6be3c.messaging.internetofthings.ibmcloud.com","devT
ype":"gw-p1828555","devId":"gwid-
p1828555","keepalive":"60","cleansession":true,"tls":"","usetls":false}]

```

Raspberry Pi C's Node Red Code:

```

[{"id":"88adc5ee.65ea88","type":"tab","label":"Telegram Bot and Alarm
System","disabled":false,"info":""},{"id":"ee0b8aa6.b73c38","type":"rpi-gpio
in","z":"88adc5ee.65ea88","name":"motion","pin":"37","intype":"tri","debounce":"25","read":true,
"x":90,"y":160,"wires":[["25d8bb36.db2334","a8787a4d.0d8be8","dbe6c2f6.59152"]],{"id":"8eb3f
2b.19cc91","type":"debug","z":"88adc5ee.65ea88","name":"","active":true,"tosidebar":true,"conso
le":false,"tostatus":false,"complete":"payload","targetType":"msg","x":770,"y":100,"wires":[]},{"id":
"b633a6a1.f08d08","type":"rpi-gpio
out","z":"88adc5ee.65ea88","name":"","pin":"12","set":true,"level":"0","freq":"","out":"out","x":78
0,"y":40,"wires":[]},{"id":"25d8bb36.db2334","type":"trigger","z":"88adc5ee.65ea88","op1":"1","op
2":"0","op1type":"str","op2type":"str","duration":"10","extend":true,"units":"s","reset":"","name":

```

```

    "x":410,"y":40,"wires":[["b633a6a1.f08d08"]]],{"id":"a8787a4d.0d8be8","type":"function","z":"8
8adc5ee.65ea88","name":"Send 1 if motion is detected","func":"motion = msg.payload;\nif (motion
== 1){\nreturn
msg;\n}","outputs":"2","noerr":0,"x":460,"y":160,"wires":[["8eb3f2b.19cc91"],[]]],{"id":"17827811.f
1b2b8","type":"inject","z":"88adc5ee.65ea88","name":"","topic":"button","payload":"1","payloadT
ype":"num","repeat":"","crontab":"","once":false,"onceDelay":"","x":100,"y":240,"wires":[["dbe6c2
f6.59152"]]],{"id":"dbe6c2f6.59152","type":"function","z":"88adc5ee.65ea88","name":"Alarm On
Off Logic","func":"context.motion = context.motion || 0;\ncontext.button = context.button ||
0;\n\nif (msg.topic === 'button') {\n context.button = msg.payload;\n} else {\n context.motion =
msg.payload;\n}\n\nif (context.motion == 1 && context.button == 1 ) {\n return
msg;\n}","outputs":1,"noerr":0,"x":910,"y":240,"wires":[["c902727a.a94c7","1859c3d8.f4240c","13
f518ba.50c047"]]],{"id":"505adb39.2bb4d4","type":"inject","z":"88adc5ee.65ea88","name":"","topi
c":"button","payload":"0","payloadType":"num","repeat":"","crontab":"","once":false,"x":100,"y":2
80,"wires":[["dbe6c2f6.59152"]]],{"id":"6793a51a.ba16fc","type":"rpi-gpio
out","z":"88adc5ee.65ea88","name":"Buzzer","pin":"33","set":true,"level":"0","out":"out","x":1380
,"y":240,"wires":[]],{"id":"c902727a.a94c7","type":"trigger","z":"88adc5ee.65ea88","op1":"1","op2
":"0","op1type":"str","op2type":"str","duration":"1","extend":true,"units":"s","reset":"","name":"","
"x":1120,"y":240,"wires":[["6793a51a.ba16fc"]]],{"id":"ccd8fac4.c61cb8","type":"camerapi-
takephoto","z":"88adc5ee.65ea88","filemode":"1","filename":"foto.jpeg","filedefpath":"0","filepat
h":"/home/pi/Pictures/","fileformat":"jpeg","resolution":"3","rotation":"0","flip":"0","flipv":"0","b
rightness":"50","contrast":"0","sharpness":"0","quality":"80","imageeffect":"none","exposuremode
":"auto","iso":"0","agcwait":"1.0","led":"0","awb":"auto","name":"Take
photo","x":1390,"y":340,"wires":[["6717e098.5b241","2ccf2c0b.0ff9e4","560ab77e.b3ba38","c706
661d.66c738"]]],{"id":"623057e1.3bb918","type":"telegram
sender","z":"88adc5ee.65ea88","name":"","bot":"73f1a0a8.7affa","x":2150,"y":340,"wires":[]],{"i
d":"4ec6bce5.530504","type":"function","z":"88adc5ee.65ea88","name":"Send
photo","func":"msg.payload = {}\nmsg.payload.chatId = 634903049\nmsg.payload.type =
'photo'\nmsg.payload.content = '/home/pi/Pictures/test.jpeg';\nreturn msg;\n/* type can be one
of the
following\nphoto\naudio\nvideo\nsticker\nvoice\ndocument\n*/","outputs":1,"noerr":0,"x":1890,
"y":340,"wires":[["623057e1.3bb918"]]],{"id":"6717e098.5b241","type":"delay","z":"88adc5ee.65e
a88","name":"","pauseType":"delay","timeout":"2","timeoutUnits":"seconds","rate":"1","nbRateU
nits":"1","rateUnits":"second","randomFirst":"1","randomLast":"5","randomUnits":"seconds","drop
":false,"x":1660,"y":340,"wires":[["4ec6bce5.530504"]]],{"id":"2ccf2c0b.0ff9e4","type":"function","
z":"88adc5ee.65ea88","name":"Send alert","func":"msg.payload = {}\nmsg.payload.chatId =
634903049\nmsg.payload.type = 'message'\nmsg.payload.content = 'Intruder detected!';\nreturn
msg;\n\n","outputs":1,"noerr":0,"x":1670,"y":520,"wires":[["d890ab26.b7f408"]]],{"id":"d890ab26.
b7f408","type":"telegram
sender","z":"88adc5ee.65ea88","name":"","bot":"73f1a0a8.7affa","x":2150,"y":520,"wires":[]],{"i
d":"1859c3d8.f4240c","type":"delay","z":"88adc5ee.65ea88","name":"","pauseType":"rate","timeo
ut":"5","timeoutUnits":"seconds","rate":"1","nbRateUnits":"10","rateUnits":"second","randomFirst
":"1","randomLast":"5","randomUnits":"seconds","drop":false,"x":1140,"y":340,"wires":[["ccd8fac4
.c61cb8"]]],{"id":"6a3fab56.8307e4","type":"telegram
command","z":"88adc5ee.65ea88","name":"","command":"/alarmOn","bot":"73f1a0a8.7affa","stri
ct":false,"x":100,"y":400,"wires":[["f9750fc.d26b5f","b4d254a7.7a3108"],[]]],{"id":"f9750fc.d26b5f"
,"type":"function","z":"88adc5ee.65ea88","name":"Activate alarm","func":"msg.topic =
'button'\nmsg.payload = '1'\nreturn

```

```

msg;,"outputs":1,"noerr":0,"x":500,"y":320,"wires":[["5d53b897.871058"]]],{"id":"ac379f93.92763",
"type":"telegram
command","z":"88adc5ee.65ea88","name":"","command":"/alarmOff","bot":"73f1a0a8.7affa","strict":false,"x":100,"y":540,"wires":[["ba161e33.b2eb2","64cf0689.82da48"],[]]],{"id":"ba161e33.b2eb2",
"type":"function","z":"88adc5ee.65ea88","name":"Deactivate alarm","func":"msg.topic =
\\\"button\\\"\\nmsg.payload = '0'\\nreturn
msg;,"outputs":1,"noerr":0,"x":490,"y":460,"wires":[["dbe6c2f6.59152"]]],{"id":"5d53b897.871058",
"type":"change","z":"88adc5ee.65ea88","name":"","rules":[{"t":"set","p":"topic","pt":"msg","to":"button","tot":"str"}],"action":"","property":"","from":"","to":"","reg":false,"x":710,"y":320,"wires":[["dbe6c2f6.59152"]]],{"id":"b4d254a7.7a3108",
"type":"function","z":"88adc5ee.65ea88","name":"Response to user(Alarm Activated)","func":"msg.payload = {}\\nmsg.payload.chatId =
634903049\\nmsg.payload.type = 'message'\\nmsg.payload.content = 'Alarm Activated';\\nreturn
msg;\\n\\n","outputs":1,"noerr":0,"x":440,"y":400,"wires":[["946e96fc.49ada8","8a223c13.0bc78"]]],{
"id":"946e96fc.49ada8","type":"telegram
sender","z":"88adc5ee.65ea88","name":"","bot":"73f1a0a8.7affa","x":710,"y":360,"wires":[[]]],{"id":"64cf0689.82da48",
"type":"function","z":"88adc5ee.65ea88","name":"Response to user(Alarm Deactivated)","func":"msg.payload = {}\\nmsg.payload.chatId = 634903049\\nmsg.payload.type =
'message'\\nmsg.payload.content = 'Alarm Deactivated';\\nreturn
msg;\\n\\n","outputs":1,"noerr":0,"x":450,"y":540,"wires":[["9ed95cdd.52906","54ffbee1.40e7f"]]],{
"id":"9ed95cdd.52906","type":"telegram
sender","z":"88adc5ee.65ea88","name":"","bot":"73f1a0a8.7affa","x":730,"y":520,"wires":[[]]],{"id":"15c6751f.81d66b",
"type":"telegram
command","z":"88adc5ee.65ea88","name":"","command":"/help","bot":"73f1a0a8.7affa","strict":false,"x":90,"y":640,"wires":[["9ca0b63f.677ae8"],[]]],{"id":"9ca0b63f.677ae8",
"type":"function","z":"88adc5ee.65ea88","name":"Response to user(Help)","func":"msg.payload =
{}\\nmsg.payload.chatId = 634903049\\nmsg.payload.type = 'message'\\nmsg.payload.content =
'/alarmOn - Alarm system in the kitchen will be turned on.\\n/alarmOff - Alarm system in the
kitchen will be turned off.\\n/wifi - Wifi upload and download speed will be sent.\\n/openDoor -
The front door will be unlocked for five seconds.';\\nreturn
msg;\\n\\n","outputs":1,"noerr":0,"x":410,"y":640,"wires":[["5da83faa.3fc7f"]]],{"id":"5da83faa.3fc7f",
"type":"telegram
sender","z":"88adc5ee.65ea88","name":"","bot":"73f1a0a8.7affa","x":730,"y":640,"wires":[[]]],{"id":"4b6a1e0c.09e71",
"type":"wiotp
in","z":"88adc5ee.65ea88","authType":"g","deviceKey":"cea8d751.87d4e8","deviceType":"","deviceId":"","command":"buttonOn","commandType":"g","qos":0,"name":"Waiting command to turn on
alarm from
IBM","x":210,"y":320,"wires":[["f9750fc.d26b5f","b4d254a7.7a3108"]]],{"id":"13f518ba.50c047",
"type":"debug","z":"88adc5ee.65ea88","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":false,"x":1130,"y":140,"wires":[[]]],{"id":"2ce87b05.eede84",
"type":"wiotp
in","z":"88adc5ee.65ea88","authType":"g","deviceKey":"cea8d751.87d4e8","deviceType":"","deviceId":"","command":"buttonOff","commandType":"g","qos":0,"name":"Waiting command to turn
off alarm from
IBM","x":210,"y":460,"wires":[["ba161e33.b2eb2","64cf0689.82da48"]]],{"id":"d0c9464a.186718",
"type":"wiotp
out","z":"88adc5ee.65ea88","authType":"g","qs":false,"qsDeviceId":"","deviceKey":"cea8d751.87d4e8","deviceType":"gw-p1843059","deviceId":"gwid-p1843059",
"event":"alarmon","format":"json","qos":0,"name":"Sending Alarm Status To

```



```

IBM", "x":1140, "y":420, "wires":[]}, {"id":"8a223c13.0bc78", "type":"function", "z":"88adc5ee.65ea88",
, "name":"Send status of alarm system to Ibm Cloud", "func":"msg.payload = 'Alarm turned
on\n\nreturn
msg;\n", "outputs":1, "noerr":0, "x":780, "y":460, "wires":[["d0c9464a.186718", "fc85c70a.fb8df8"]]}, {"
id":"40a47310.94d42c", "type":"wiotp
out", "z":"88adc5ee.65ea88", "authType":"g", "qs":"false", "qsDeviceId":"","deviceKey":"cea8d751.87
d4e8", "deviceType":"gw-p1843059", "deviceId":"gwid-
p1843059", "event":"alarmoff", "format":"json", "qos":"0", "name":"Sending Alarm Status To
IBM", "x":1140, "y":580, "wires":[]}, {"id":"54ffbee1.40e7f", "type":"function", "z":"88adc5ee.65ea88",
, "name":"Send status of alarm system to Ibm Cloud", "func":"msg.payload = 'Alarm turned
off\n\nreturn
msg;\n", "outputs":1, "noerr":0, "x":800, "y":580, "wires":[["40a47310.94d42c", "fc85c70a.fb8df8"]]}, {"
id":"fc85c70a.fb8df8", "type":"debug", "z":"88adc5ee.65ea88", "name":"","active":true, "tosidebar":t
rue, "console":false, "tostatus":false, "complete":"false", "x":1090, "y":500, "wires":[]}, {"id":"b8ad7d6b
.b0cae", "type":"telegram
command", "z":"88adc5ee.65ea88", "name":"/wifi", "command":"/wifi", "bot":"73f1a0a8.7affa", "stric
t":false, "x":90, "y":820, "wires":[["b8d4d49d.3fd6d8"], []]}, {"id":"9db14cb.153bdb", "type":"telegram
sender", "z":"88adc5ee.65ea88", "name":"","bot":"73f1a0a8.7affa", "x":990, "y":720, "wires":[[]]}, {"id
":"72533360.6ef86c", "type":"wiotp
in", "z":"88adc5ee.65ea88", "authType":"g", "deviceKey":"cea8d751.87d4e8", "deviceType":"","devic
eld":"","command":"wifi", "commandType":"g", "qos":0, "name":"Retrieving Wifi Speed from
IBM", "x":170, "y":720, "wires":[["ca94df91.b3128"]]}, {"id":"ca94df91.b3128", "type":"function", "z":"
88adc5ee.65ea88", "name":"Retrieve message information from IBM Cloud ", "func":"return
msg;\n", "outputs":1, "noerr":0, "x":600, "y":720, "wires":[["9db14cb.153bdb", "98966b7a.24d6f8"]]}, {
"id":"b8d4d49d.3fd6d8", "type":"function", "z":"88adc5ee.65ea88", "name":"Send signal to parse
wifi info to local RPI", "func":"msg.topic = 'wifisend'\nmsg.payload = '1'\n\nreturn
msg;", "outputs":1, "noerr":0, "x":420, "y":820, "wires":[["7c3770c0.daab2"]]}, {"id":"7c3770c0.daab2",
, "type":"change", "z":"88adc5ee.65ea88", "name":"","rules":[{"t":"set", "p":"topic", "pt":"msg", "to":"
wifisend", "tot":"str"}], "action":"","property":"","from":"","to":"","reg":false, "x":730, "y":820, "wires"
:[["14743ed6.7f1f11"]]}, {"id":"14743ed6.7f1f11", "type":"wiotp
out", "z":"88adc5ee.65ea88", "authType":"g", "qs":"false", "qsDeviceId":"","deviceKey":"cea8d751.87
d4e8", "deviceType":"gw-p1843059", "deviceId":"gwid-
p1843059", "event":"wifisend", "format":"json", "qos":"0", "name":"Send command to retrieve wifi
info to IBM", "x":1140, "y":820, "wires":[]}, {"id":"560ab77e.b3ba38", "type":"file
in", "z":"88adc5ee.65ea88", "name":"Snapshot
photo", "filename":"/home/pi/Pictures/test.jpeg", "format":"","chunk":false, "sendError":true, "enco
ding":"none", "x":1680, "y":260, "wires":[["875f8ed3.36478"]]}, {"id":"875f8ed3.36478", "type":"functi
on", "z":"88adc5ee.65ea88", "name":"Email-subject: Someone has
arrived", "func":"msg.topic=\"Someone has arrived\"\nmsg.filename=\"test.jpeg\"\n\nreturn
msg;", "outputs":1, "noerr":0, "x":1970, "y":260, "wires":[["b4fc881f.5f07e8"]]}, {"id":"b4fc881f.5f07e8
", "type":"e-
mail", "z":"88adc5ee.65ea88", "server":"smtp.gmail.com", "port":465, "secure":true, "tls":false, "na
me":"jackyso2000@gmail.com", "dname":"","x":2310, "y":260, "wires":[]}, {"id":"6a54d045.57b81", "t
ype":"twilio
out", "z":"88adc5ee.65ea88", "twilio":"6295e48a.8fee5c", "twilioType":"sms", "url":"","number":"+65
81789275", "name":"","x":2250, "y":180, "wires":[]}, {"id":"c706661d.66c738", "type":"template", "z":"
88adc5ee.65ea88", "name":"Activity is

```

```

detected","field":"payload","fieldType":"msg","format":"handlebars","syntax":"mustache","templa
te":"Some activity is being detected in front of your
house","x":1690,"y":180,"wires":[["6a54d045.57b81"]]],{"id":"98966b7a.24d6f8","type":"debug","z
":"88adc5ee.65ea88","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"co
mplete":false,"x":630,"y":760,"wires":[]},{"id":"73f1a0a8.7affa","type":"telegram
bot","z":"","botname":"SmartBedroom","username":"Titan","chatids":"634903049","baseapiurl":
","updateMode":"polling","pollInterval":"300","useSocks":false,"socksHost":"","socksPort":"6667","
socksUsername":"anonymous","socksPassword":"","bothost":"","localBotPort":"8443","publicBotP
ort":"8443","privateKey":"","certificate":"","useSelfSignedCertificate":false,"verboseLogging":false},{
"id":"cea8d751.87d4e8","type":"wiotp-credentials","z":"","name":"My Raspberry Pi
Gateway","org":"k6be3c","serverName":"k6be3c.messaging.internetofthings.ibmcloud.com","devT
ype":"gw-p1843059","devId":"gwid-
p1843059","keepAlive":"60","cleanSession":true,"tls":"","usetls":false},{"id":"6295e48a.8fee5c","ty
pe":"twilio-
api","z":"","name":"","sid":"AC587183b028f06526fc4a0348534c8c17","from":"+12055283983"}]]

```

Raspberry Pi C's Node Red Code for RFID:

```

[{"id":"cb977296.ed02","type":"tab","label":"RFID
Reader","disabled":false,"info":"","z":"cb977296.ed02","na
me":"","topic":"","payload":"true","payloadType":"bool","repeat":"","crontab":"","once":false,"onc
eDelay":0.1,"x":110,"y":460,"wires":[["9be46cc6.96b78"]]],{"id":"9be46cc6.96b78","type":"exec","z
":"cb977296.ed02","command":"sudo python
Add.py","addPay":false,"append":"","useSpawn":false,"timer":"","oldrc":false,"name":"Execute
Add.py","x":540,"y":400,"wires":[["e9deacb4.259cf","ce01d4b0.efa3a8"],[],[]]},{"id":"f456a1ed.2d4
6b","type":"inject","z":"cb977296.ed02","name":"","topic":"","payload":"true","payloadType":"boo
l","repeat":"","crontab":"","once":false,"onceDelay":0.1,"x":110,"y":660,"wires":[["51563678.f3f16
8"]]],{"id":"51563678.f3f168","type":"exec","z":"cb977296.ed02","command":"sudo python
Del.py","addPay":false,"append":"","useSpawn":false,"timer":"","oldrc":false,"name":"","x":650,"
y":600,"wires":[["7f81e1f6.ca1d6","ce01d4b0.efa3a8"],[],[]]},{"id":"d67c6ee7.22db5","type":"functi
on","z":"cb977296.ed02","name":"If access denied then execute this","func":"access =
msg.payload;\nif (access.includes(\"Denied\")){\nreturn
msg;\n}","outputs":1,"noerr":0,"x":500,"y":120,"wires":[["26d3a7b0.fd7b18","285adc4d.418054"]]]
,{"id":"28bd9160.06572e","type":"rpi-gpio out","z":"cb977296.ed02","name":"Sound the buzzer for
one
second","pin":"33","set":true,"level":"0","freq":"","out":"out","x":1220,"y":40,"wires":[]},{"id":"26d
3a7b0.fd7b18","type":"trigger","z":"cb977296.ed02","op1":"1","op2":"0","op1type":"str","op2type
":"str","duration":"1","extend":true,"units":"s","reset":"","name":"","x":900,"y":40,"wires":[["28bd
9160.06572e","2e210300.ffb15c"]]],{"id":"83dbea37.719b08","type":"function","z":"cb977296.ed0
2","name":"send picture","func":"msg.payload = {}\nmsg.payload.chatId =
634903049\nmsg.payload.type = 'photo'\nmsg.payload.content =
'/home/pi/Pictures/foto.jpeg';\nreturn msg;\n/* type can be one of the
following\nphoto\naudio\nvideo\nsticker\nvoice\ndocument\n*/","outputs":1,"noerr":0,"x":1530,
"y":120,"wires":[["67439fe.4dc4e6"]]],{"id":"e8b637b7.435458","type":"delay","z":"cb977296.ed02
","name":"Wait for 2
seconds","pauseType":"delay","timeout":"2","timeoutUnits":"seconds","rate":"1","nbRateUnits":"1
","rateUnits":"second","randomFirst":"1","randomLast":"5","randomUnits":"seconds","drop":false,
"x":1250,"y":120,"wires":[["83dbea37.719b08"]]],{"id":"ad1f938d.37d77","type":"function","z":"cb

```

```

977296.ed02", "name": "Send alert", "func": "msg.payload = {}\nmsg.payload.chatId =
634903049\nmsg.payload.type = 'message'\nmsg.payload.content = 'Intruder detected!'\nreturn
msg;\n\n", "outputs": 1, "noerr": 0, "x": 1230, "y": 220, "wires": [{"eb38bce4.30c"}], {"id": "3a075bcf.53e
124", "type": "wiotp
in", "z": "cb977296.ed02", "authType": "g", "deviceKey": "53fc2239.01438c", "deviceType": "", "deviceId
": "", "command": "AddTag", "commandType": "g", "qos": 0, "name": "Waiting command to trigger add
card process from
IBM", "x": 260, "y": 360, "wires": [{"9be46cc6.96b78"}], {"id": "b2c3711a.83a2e", "type": "wiotp
in", "z": "cb977296.ed02", "authType": "g", "deviceKey": "53fc2239.01438c", "deviceType": "", "deviceId
": "", "command": "DelTag", "commandType": "g", "qos": 0, "name": "Waiting command to trigger
delete card process from
IBM", "x": 270, "y": 560, "wires": [{"51563678.f3f168"}], {"id": "f6bf6ec4.8e2a7", "type": "wiotp
out", "z": "cb977296.ed02", "authType": "g", "qs": "false", "qsDeviceId": "", "deviceKey": "53fc2239.0143
8c", "deviceType": "gw-p1843059", "deviceId": "gwid-
p1843059", "event": "card", "format": "json", "qos": "", "name": "Send RFID reader status to
IBM", "x": 516, "y": 225, "wires": []}, {"id": "e9deacb4.259cf", "type": "wiotp
out", "z": "cb977296.ed02", "authType": "g", "qs": "false", "qsDeviceId": "", "deviceKey": "53fc2239.0143
8c", "deviceType": "gw-p1843059", "deviceId": "gwid-
p1843059", "event": "addcard", "format": "json", "qos": "", "name": "Send add card details to
IBM", "x": 1000, "y": 380, "wires": []}, {"id": "7f81e1f6.ca1d6", "type": "wiotp
out", "z": "cb977296.ed02", "authType": "g", "qs": "false", "qsDeviceId": "", "deviceKey": "53fc2239.0143
8c", "deviceType": "gw-p1843059", "deviceId": "gwid-
p1843059", "event": "delcard", "format": "json", "qos": "", "name": "Send delete card details to
IBM", "x": 1010, "y": 580, "wires": []}, {"id": "ce01d4b0.efa3a8", "type": "debug", "z": "cb977296.ed02", "n
ame": "", "active": true, "tosidebar": true, "console": false, "tostatus": false, "complete": "false", "x": 950, "
y": 480, "wires": []}, {"id": "39016711.c913d8", "type": "debug", "z": "cb977296.ed02", "name": "", "active
": true, "tosidebar": true, "console": false, "tostatus": false, "complete": "false", "x": 430, "y": 280, "wires": [
]}, {"id": "285adc4d.418054", "type": "camerapi-
takephoto", "z": "cb977296.ed02", "filemode": "1", "filename": "foto.jpeg", "filedefpath": "0", "filepath":
"/home/pi/Pictures/", "fileformat": "jpeg", "resolution": "3", "rotation": "0", "flip": "0", "flipv": "0", "brig
htness": "50", "contrast": "0", "sharpness": "0", "quality": "80", "imageeffect": "none", "exposuremode": "
auto", "iso": "0", "agcwait": "1.0", "led": "0", "awb": "auto", "name": "Take
photo", "x": 910, "y": 160, "wires": [{"e8b637b7.435458", "ad1f938d.37d77"}], {"id": "67439fe.4dc4e6",
"type": "telegram
sender", "z": "cb977296.ed02", "name": "", "bot": "f108c9de.685a88", "x": 1817, "y": 116, "wires": []}, {"i
d": "eb38bce4.30c", "type": "telegram
sender", "z": "cb977296.ed02", "name": "", "bot": "f108c9de.685a88", "x": 1499, "y": 221, "wires": []}, {"i
d": "2e210300.ffb15c", "type": "rpi-gpio
out", "z": "cb977296.ed02", "name": "", "pin": "16", "set": true, "level": "0", "freq": "", "out": "out", "x": 150
7.5, "y": 56, "wires": []}, {"id": "ac08eefe.b8758", "type": "rpi-gpio
out", "z": "cb977296.ed02", "name": "", "pin": "18", "set": true, "level": "0", "freq": "", "out": "out", "x": 104
9, "y": 291, "wires": []}, {"id": "404d251.58031dc", "type": "function", "z": "cb977296.ed02", "name": "If
access denied then execute this", "func": "access = msg.payload;\nif
(access.includes('Granted')){\nreturn
msg;\n\n", "outputs": 1, "noerr": 0, "x": 547, "y": 174, "wires": [{"ac08eefe.b8758"}], {"id": "5a04582a.c47e
d8", "type": "daemon", "z": "cb977296.ed02", "name": "RFIDReader", "command": "python", "args": "-u
/home/pi/Read.py", "autorun": true, "cr": false, "redo": true, "op": "string", "closer": "SIGKILL", "x": 129, "y

```

```

":60,"wires":[["d67c6ee7.22db5","f6bf6ec4.8e2a7","39016711.c913d8","404d251.58031dc"],[],[]],
{"id":"53fc2239.01438c","type":"wiotp-credentials","z":"","name":"My Raspberry Pi
Gateway","org":"k6be3c","serverName":"k6be3c.messaging.internetofthings.ibmcloud.com","devT
ype":"gw-p1843059","devId":"gwid-
p1843059","keepalive":"60","cleansession":true,"tls":"","usetls":false},{id":"f108c9de.685a88","ty
pe":"telegram
bot","z":"","botname":"SmartBedroomBot","usernames":"Titan","chatids":"634903049","baseapiur
l":"","updateMode":"polling","pollinterval":"300","usesocks":false,"sockshost":"","socksport":"666
7","socksusername":"anonymous","sockspassword":"","bothost":"","localbotport":"8443","publicb
otport":"8443","privatekey":"","certificate":"","useselfsignedcertificate":false,"verboseLogging":fals
e}]

```

IBM's Node Red Code:

```

{"id":"deb0d57.1c46528","type":"tab","label":"Flow
1"},{"id":"f452e733.427168","type":"tab","label":"Flow
A","disabled":false,"info":""},{id":"2d231251.1597be","type":"tab","label":"Flow
B","disabled":false,"info":""},{id":"248e193f.1584f6","type":"ui_tab","z":"","name":"Home","icon
":"dashboard","disabled":false,"hidden":false},{id":"c5f2b6c0.6b2b48","type":"ui_group","z":"","na
me":"Speed
Test","tab":"248e193f.1584f6","disp":true,"width":"12","collapse":false},{id":"511cd361.6efb4c","
type":"ui_base","theme":{"name":"theme-
light","lightTheme":{"default":"#0094CE","baseColor":"#0094CE","baseFont":"-apple-
system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","edited":true,"reset":false},"darkTheme":{"default":"#097479","baseColor":"#097479","base
Font":"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-
Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","edited":false},"customTheme":{"name":"Untitled Theme
1","default":"#4B7930","baseColor":"#4B7930","baseFont":"-apple-
system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif"},"themeState":{"base-color":{"default":"#0094CE","value":"#0094CE","edited":false},"page-
titlebar-backgroundColor":{"value":"#0094CE","edited":false},"page-
backgroundColor":{"value":"#fafafa","edited":false},"page-sidebar-
backgroundColor":{"value":"#ffffff","edited":false},"group-
textColor":{"value":"#1bbfff","edited":false},"group-
borderColor":{"value":"#ffffff","edited":false},"group-
backgroundColor":{"value":"#ffffff","edited":false},"widget-
textColor":{"value":"#111111","edited":false},"widget-
backgroundColor":{"value":"#0094ce","edited":false},"widget-
borderColor":{"value":"#ffffff","edited":false},"base-font":{"value":"-apple-
system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif"}},angularTheme":{"primary":"indigo","accents":"blue","warn":"red","background":"grey"}},
site":{"name":"Node-RED
Dashboard","hideToolbar":false,"allowSwipe":false,"lockMenu":false,"allowTempTheme":true,"dateFormat":"DD/MM/YYYY","sizes":{"sx":48,"sy":48,"gx":6,"gy":6,"cx":6,"cy":6,"px":0,"py":0}
}},{id":"bfba4656.e918d8","type":"ui_group","z":"","name":"Light

```

```

Value", "tab": "248e193f.1584f6", "disp": true, "width": "12", "collapse": false}, {"id": "32309db9.fac42",
"type": "ui_group", "z": "", "name": "Temperature /
Humidity", "tab": "248e193f.1584f6", "disp": true, "width": "12", "collapse": false}, {"id": "639213ac.dfbdd3c",
"type": "ui_group", "z": "", "name": "Temperatuur
Node", "tab": "9de499dc.508098", "order": 1, "disp": true, "width": "12"}, {"id": "9de499dc.508098", "type": "ui_group", "z": "", "name": "Hal", "icon": "dashboard", "order": 11}, {"id": "390da98f.bdac16", "type": "ui_group", "z": "", "name": "hidden_group", "tab": "e860f299.2ac07", "disp": false, "width": "6", "collapse": false}, {"id": "e860f299.2ac07", "type": "ui_group", "z": "", "name": "Zooland
Sys", "icon": "home", "order": 1, "disabled": false, "hidden": false}, {"id": "7013c743.8dd5e8", "type": "ui_group", "z": "", "name": "hidden_group", "tab": "ee1f1aec.eaa708", "disp": false, "width": "6", "collapse": false}, {"id": "ee1f1aec.eaa708", "type": "ui_group", "z": "", "name": "Zooland
Sys", "icon": "home", "order": 1, "disabled": false, "hidden": false}, {"id": "e1cb02ff.ad55d", "type": "ui_group", "z": "", "name": "Default", "tab": "248e193f.1584f6", "disp": true, "width": "6", "collapse": false}, {"id": "5a943cab.25b294", "type": "ui_group", "z": "", "name": "Home", "icon": "dashboard", "disabled": false, "hidden": false}, {"id": "876e6c78.dab0b", "type": "ui_group", "z": "", "name": "Bulb", "tab": "248e193f.1584f6", "disp": true, "width": "7", "collapse": false, "disabled": false, "hidden": false}, {"id": "a65e5cf7.a2679", "type": "ui_group", "z": "", "name": "Alarm
System", "tab": "248e193f.1584f6", "disp": true, "width": "6", "collapse": false}, {"id": "92338966.751f28", "type": "ui_group", "z": "", "name": "Door
Locks", "tab": "248e193f.1584f6", "disp": true, "width": "6", "collapse": false}, {"id": "d7eb55c7.354928", "type": "mqtt-
broker", "z": "", "name": "", "broker": "gzslu0.messaging.internetofthings.ibmcloud.com", "port": "1883", "clientId": "", "usetls": false, "compatmode": true, "keepalive": "60", "cleansession": true, "birthTopic": "", "birthQos": "0", "birthPayload": "", "closeTopic": "", "closeQos": "0", "closePayload": "", "willTopic": "", "willQos": "0", "willPayload": ""}, {"id": "ba5ff9ff.53af08", "type": "mqtt-
broker", "z": "", "name": "", "broker": "192.168.72.152", "port": "1883", "clientId": "bulb-iot-
device", "usetls": false, "compatmode": true, "keepalive": "60", "cleansession": true, "birthTopic": "", "birthQos": "0", "birthPayload": "", "closeTopic": "", "closeQos": "0", "closePayload": "", "willTopic": "", "willQos": "0", "willPayload": ""}, {"id": "eec8cb07.09dac8", "type": "mqtt-
broker", "z": "", "name": "", "broker": "192.168.1.99", "port": "1883", "clientId": "", "usetls": false, "compatmode": true, "keepalive": "60", "cleansession": true, "birthTopic": "", "birthQos": "0", "birthPayload": "", "closeTopic": "", "closeQos": "0", "closePayload": "", "willTopic": "", "willQos": "0", "willPayload": ""}, {"id": "bfd7f5d6.c202b8", "type": "cloudant", "z": "", "host": "myaccountname.cloudant.com", "name": "My
Cloudant account"}, {"id": "7e37485e.d28508", "type": "twilio-
api", "z": "", "sid": "TWILIO_ACC_SID", "from": "TWILIO's_PHONE_NUMBER", "name": "bharath
babuu"}, {"id": "a9531ed1.be344", "type": "twilio-
api", "z": "", "sid": "TWILIO_ACC_SID", "from": "TWILIO's_PHONE_NUMBER", "name": "bharath
babuu"}, {"id": "9263468a.7c93e8", "type": "twilio-
api", "z": "", "sid": "TWILIO_ACC_SID", "from": "TWILIO's_PHONE_NUMBER", "name": "bharath
babuu"}, {"id": "4f806cea.10d1a4", "type": "twilio-
api", "z": "", "sid": "TWILIO_ACC_SID", "from": "TWILIO's_PHONE_NUMBER", "name": "bharath
babuu"}, {"id": "3f9cbbbc.5c061c4", "type": "mongodb", "z": "", "hostname": "127.0.0.1", "port": "27017", "db": "", "name": ""}, {"id": "fe06251c.378e38", "type": "wiotp-
credentials", "z": "2d231251.1597be", "name": "", "org": "2gxe4k", "devType": "mypi", "devId": "luffypi"}, {"id": "7929c571.ed4cec", "type": "wiotp-
credentials", "z": "2d231251.1597be", "name": "", "org": "2gxe4k", "devType": "mypi", "devId": "luffypi"}, {"id": "ee5d314.85fc0d", "type": "wiotp-

```



```

credentials", "z": "2d231251.1597be", "name": "", "org": "2gxe4k", "devType": "mypi", "devId": "luffypi"},
{"id": "b8f8fd9e.b0a73", "type": "wiotp-
credentials", "z": "2d231251.1597be", "name": "", "org": "2gxe4k", "devType": "mypi", "devId": "luffypi"},
{"id": "3e77d543.c1882a", "type": "ibmiot
in", "z": "deb0d57.1c46528", "authentication": "boundService", "apiKey": "", "inputType": "evt", "deviceI
d": "", "applicationId": "", "deviceType": "+", "eventType": "+", "commandType": "", "format": "json", "na
me": "IBM IoT App
In", "service": "registered", "allDevices": false, "allApplications": false, "allDeviceTypes": true, "allEvents"
: true, "allCommands": false, "allFormats": false, "x": 100, "y": 400, "wires": [{"ae0082ac.51ff8", "c0c482df.
3f3b8"}]], {"id": "ae0082ac.51ff8", "type": "function", "z": "deb0d57.1c46528", "name": "temp", "func": "
return
{payload: msg.payload.d.temp};", "outputs": 1, "x": 290, "y": 400, "wires": [{"ff6ad0d9.00953"}]], {"id": "ff
6ad0d9.00953", "type": "switch", "z": "deb0d57.1c46528", "name": "temp
thresh", "property": "payload", "rules": [{"t": "lte", "v": 40, "v2": null}, {"t": "gt", "v": 40, "v2": null}], "checkal
l": "true", "outputs": 2, "x": 450, "y": 400, "wires": [{"80621eff.7f9de"}, {"8e1706a.f71e8f8"}]], {"id": "5dad
02b7.a252fc", "type": "debug", "z": "deb0d57.1c46528", "name": "cpu
status", "active": true, "complete": "false", "x": 790, "y": 400, "wires": []}, {"id": "c0c482df.3f3b8", "type": "
debug", "z": "deb0d57.1c46528", "name": "device
data", "active": true, "console": "false", "complete": "true", "x": 310, "y": 480, "wires": []}, {"id": "80621eff.
7f9de", "type": "template", "z": "deb0d57.1c46528", "name": "safe", "template": "Temperature
({{payload}}) within safe
limits", "x": 610, "y": 380, "wires": [{"5dad02b7.a252fc"}]], {"id": "8e1706a.f71e8f8", "type": "template", "
z": "deb0d57.1c46528", "name": "danger", "template": "Temperature ({{payload}})
critical", "x": 620, "y": 420, "wires": [{"5dad02b7.a252fc"}]], {"id": "cbe1a0b7.cd877", "type": "ibmiot
out", "z": "deb0d57.1c46528", "authentication": "boundService", "apiKey": "", "outputType": "evt", "devi
celd": "LivingRoomThermo1", "deviceType": "thermostat", "eventCommandType": "update", "format":
"json", "data": "temp:10", "name": "Send to IBM IoT
Platform", "service": "registered", "x": 570, "y": 120, "wires": []}, {"id": "5917a925.6a3c08", "type": "inject"
, "z": "deb0d57.1c46528", "name": "Send
Data", "topic": "", "payload": "true", "payloadType": "bool", "repeat": "", "crontab": "", "once": false, "x": 1
00, "y": 120, "wires": [{"6b4a591c.014b18"}]], {"id": "6b4a591c.014b18", "type": "function", "z": "deb0d5
7.1c46528", "name": "Device payload", "func": "// Thermostat's location:\nvar longitude1 = -
98.49;\nvar latitude1 = 29.42;\n\n// Array of pseudo random temperatures\nvar temp1 =
[15,17,18.5,20,21.5,23,24,22.2,19,18];\n\n// Array of pseudo random relative humidities\nvar
humidity1 = [50,55,61,68,65,60,53,49,45,47];\n\n// Counter to select from array.\nvar counter1 =
context.get('counter1') || 0;\nncounter1 = counter1+1;\nif(counter1 > 9) counter1 =
0;\ncontext.set('counter1',counter1);\n\n// Create MQTT message in JSON\nmsg = {\n payload:
JSON.stringify(\n {\n d: {\n \"temp\" : temp1[counter1],\n \"humidity\" :
humidity1[counter1],\n \"location\" : {\n \"longitude\" : longitude1,\n
\"latitude\" : latitude1\n },\n }\n }\n }\n );\nreturn
msg;\n", "outputs": 1, "noerr": 0, "x": 320, "y": 120, "wires": [{"cbe1a0b7.cd877", "805c97ee.3ed9e8"}]], {
"id": "805c97ee.3ed9e8", "type": "debug", "z": "deb0d57.1c46528", "name": "Debug output
payload", "active": false, "console": "false", "complete": "payload", "x": 560, "y": 180, "wires": []}, {"id": "86
df0b6c.af90c8", "type": "comment", "z": "deb0d57.1c46528", "name": "Device
Simulator", "info": "Sends simulated device sensor data to IBM Watson IoT Plaform.\n\nCan be
configured to send on click or on an automatic interval.\n\n\n#Prerequisite\nOutput node device
type and device ID need to match a device that it registered in a running IBM Watson IoT Platform

```



```

service.\n\n# Watson IoT Platform docs\n[Connecting
devices](https://www.bluemix.net/docs/services/IoT/iotplatform_task.html)","x":100,"y":40,"wires
":[]},{id:"141b7c7.ad42a84","type":"comment","z":"deb0d57.1c46528","name":"1. Configure
target","info":"","x":550,"y":80,"wires":[]},{id:"c2dd8ed5.7dd7f","type":"comment","z":"deb0d57
.1c46528","name":"2. Click to send data","info":"To automatically send data:\n1. Change *Repeat*
to interval.\n2. Click Deploy
button.\n","x":110,"y":160,"wires":[]},{id:"7926c7b2.86d938","type":"comment","z":"deb0d57.1c
46528","name":"Temperature
Monitor","info":"","x":110,"y":300,"wires":[]},{id:"188a5e87.e775a1","type":"comment","z":"deb
0d57.1c46528","name":"Configure
source","info":"","x":100,"y":360,"wires":[]},{id:"9fad9344.bf6b7","type":"ibmiot
in","z":"f452e733.427168","authentication":"boundService","apiKey":"","inputType":"evt","logicaI
nterface":"","ruleId":"","deviceId":"gwid-p1804375","applicationId":"","deviceType":"gw-
p1804375","eventType":"speedtest-
upload","commandType":"","format":"String","name":"Raspberry Pi A's SpeedTest
Upload","service":"registered","allDevices":"","allApplications":"","allDeviceTypes":"","allLogicalInt
erfaces":"","allEvents":"","allCommands":"","allFormats":"","qos":"1","x":160,"y":100,"wires":[["bf
241b3b.946da8","48c26096.c32f5"]],{id:"1d308c5b.727ab4","type":"debug","z":"f452e733.4271
68","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"payload",
"targetType":"msg","x":550,"y":20,"wires":[]},{id:"19d6c337.7d63fd","type":"ibmiot
in","z":"2d231251.1597be","authentication":"boundService","apiKey":"","inputType":"evt","logicaI
nterface":"","ruleId":"","deviceId":"gwid-p1828555","applicationId":"","deviceType":"gw-
p1828555","eventType":"light","commandType":"","format":"json","name":"Get light value from
Raspberry Pi
B","service":"registered","allDevices":"","allApplications":"","allDeviceTypes":"","allLogicalInterface
s":"","allEvents":false,"allCommands":"","allFormats":"","qos":0,"x":160,"y":60,"wires":[["f33ddbef.
c3f008"]],{id:"f33ddbef.c3f008","type":"function","z":"2d231251.1597be","name":"Send On/off
Command","func":"light = parseInt(msg.payload.d.light)\nif ((light)<300)\n msg.payload = {'led':
1};\nelse\n msg.payload = {'led': 0};\n\nreturn
msg;\n","outputs":1,"noerr":0,"x":420,"y":60,"wires":[["5ca5f96d.4083f8"]],{id:"5ca5f96d.4083f
8","type":"json","z":"2d231251.1597be","name":"","property":"payload","action":"","pretty":false,
"x":590,"y":60,"wires":[["976b9e72.506ab","5da3792d.7d5468"]],{id:"976b9e72.506ab","type":"
ibmiot
out","z":"2d231251.1597be","authentication":"boundService","apiKey":"","outputType":"cmd","de
vicId":"gw-p1828555","deviceType":"gw-
p1828555","eventCommandType":"led","format":"json","data":"","qos":0,"name":"Send signal to
Raspberry Pi
B","service":"registered","x":790,"y":80,"wires":[]},{id:"5da3792d.7d5468","type":"debug","z":"2
d231251.1597be","name":"","active":false,"tosidebar":true,"console":false,"tostatus":false,"compl
ete":"payload","targetType":"msg","x":730,"y":40,"wires":[]},{id:"e0c0b654.2fa838","type":"debu
g","z":"f452e733.427168","name":"","active":true,"tosidebar":true,"console":false,"tostatus":false,
"complete":"payload","targetType":"msg","x":590,"y":280,"wires":[]},{id:"c24d74fe.9b7c98","typ
e":"ibmiot
in","z":"f452e733.427168","authentication":"boundService","apiKey":"","inputType":"evt","logicaI
nterface":"","ruleId":"","deviceId":"gwid-p1804375","applicationId":"","deviceType":"gw-
p1804375","eventType":"speedtest-
download","commandType":"","format":"String","name":"Raspberry Pi A's SpeedTest

```

```

Download", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": "", "allLogical
nterfaces": "", "allEvents": "", "allCommands": "", "allFormats": "", "qos": "1", "x": 170, "y": 360, "wires": [{"
6a3fe62f.92dcb8", "bdfea489.109e78"}], {"id": "bf241b3b.946da8", "type": "function", "z": "f452e733.
427168", "name": "upload value", "func": "var upload = msg.payload;\n\nmsg.payload =
Math.ceil(upload) + \" Megabits Per Second\";\n\nreturn
msg;", "outputs": 1, "noerr": 0, "x": 390, "y": 40, "wires": [{"1d308c5b.727ab4", "5810684b.9a61b8"}], {"i
d": "5810684b.9a61b8", "type": "ui_gauge", "z": "f452e733.427168", "name": "", "group": "c5f2b6c0.6b
2b48", "order": 0, "width": 6, "height": 6, "gtype": "gage", "title": "Upload", "label": "Mbps", "format": "
{{value}}", "min": 0, "max": 100, "colors": ["#d00000", "#e6e600", "#00c100"], "seg1": "", "seg2": "", "x":
540, "y": 60, "wires": []}, {"id": "5005836f.13019c", "type": "ui_gauge", "z": "f452e733.427168", "name": "
", "group": "c5f2b6c0.6b2b48", "order": 1, "width": 6, "height": 6, "gtype": "gage", "title": "Download"
, "label": "Mbps", "format": ">{{value}}", "min": 0, "max": 100, "colors": ["#d50000", "#e6e600", "#00d00
0"], "seg1": "", "seg2": "", "x": 580, "y": 320, "wires": []}, {"id": "ac9cab49.65ec38", "type": "ibmiot
in", "z": "2d231251.1597be", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logical
nterface": "", "ruleId": "", "deviceId": "gwid-p1828555", "applicationId": "", "deviceType": "gw-
p1828555", "eventType": "light", "commandType": "", "format": "json", "name": "Get light value from
Raspberry Pi
B", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": "", "allLogicalInterface
s": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 160, "y": 160, "wires": [{"879fd4f
6.856588"}], {"id": "879fd4f6.856588", "type": "function", "z": "2d231251.1597be", "name": "light
value", "func": "light = parseInt(msg.payload.d.light)\n\nmsg.payload = light\n\nreturn
light)\n\nreturn
msg;\n", "outputs": 1, "noerr": 0, "x": 380, "y": 160, "wires": [{"c1299d4c.7dad7"}], {"id": "e0a91197.744e
", "type": "ui_chart", "z": "2d231251.1597be", "name": "", "group": "bfba4656.e918d8", "order": 2, "width":
12, "height": 6, "label": "chart", "chartType": "line", "legend": "false", "xformat": "auto", "interpolat
e": "linear", "nodata": "", "dot": false, "ymin": "", "ymax": "", "removeOlder": 1, "removeOlderPoints": "",
removeOlderUnit": "3600", "cutout": 0, "useOneColor": false, "colors": ["#1f77b4", "#aec7e8", "#ff7f0e",
"#2ca02c", "#98df8a", "#d62728", "#ff9896", "#9467bd", "#c5b0d5"], "useOldStyle": false, "outputs": 1, "
x": 670, "y": 140, "wires": []}, {"id": "c1299d4c.7dad7", "type": "json", "z": "2d231251.1597be", "name": "
", "property": "payload", "action": "", "pretty": false, "x": 550, "y": 160, "wires": [{"e0a91197.744e", "96799
d14.b7503"}], {"id": "8e29f55f.c4a8e8", "type": "ibmiot
in", "z": "2d231251.1597be", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logical
nterface": "", "ruleId": "", "deviceId": "gwid-p1828555", "applicationId": "", "deviceType": "gw-
p1828555", "eventType": "temperature", "commandType": "", "format": "String", "name": "Get Temp
value from Raspberry Pi
B", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": "", "allLogicalInterface
s": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 160, "y": 280, "wires": [{"434bc4d
6.4aa99c"}], {"id": "a7a4dfd1.a17be", "type": "ibmiot
in", "z": "2d231251.1597be", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logical
nterface": "", "ruleId": "", "deviceId": "gwid-p1828555", "applicationId": "", "deviceType": "gw-
p1828555", "eventType": "humidity", "commandType": "", "format": "String", "name": "Get Humidity
value from Raspberry Pi
B", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": "", "allLogicalInterface
s": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 170, "y": 420, "wires": [{"68023c5
.d8151c4"}], {"id": "434bc4d6.4aa99c", "type": "function", "z": "2d231251.1597be", "name": "temp
value", "func": "var temp = msg.payload;\n\nmsg.payload= temp\n\nreturn
msg;", "outputs": 1, "noerr": 0, "x": 410, "y": 280, "wires": [{"28f28cdb.499fc4", "6d3bcf9b.59283", "fd542

```

```

381.dfd]]],{"id":"68023c5.d8151c4","type":"function","z":"2d231251.1597be","name":"hum
value","func":"var hum = msg.payload;\nmsg.payload=hum\nnglobal.set('hum', hum)\nreturn
msg;","outputs":1,"noerr":0,"x":410,"y":420,"wires":[["88aa214e.2888a","3124cfaa.39828","e10b5
46a.803b68"]]],{"id":"28f28cdb.499fc4","type":"ui_gauge","z":"2d231251.1597be","name":"","grou
p":"32309db9.facf42","order":0,"width":6,"height":6,"gtype":"gage","title":"Temperature","lab
el":"°C","format":"{{value}}","min":0,"max":50,"colors":["#00b500","#e6e600","#ca3838"],"seg1"
:"","seg2":"","x":570,"y":240,"wires":[]},{id:"88aa214e.2888a","type":"ui_gauge","z":"2d231251.1
597be","name":"","group":"32309db9.facf42","order":2,"width":6,"height":6,"gtype":"gage","ti
tle":"Humidity","label":"%", "format":"{{value}}","min":0,"max":50,"colors":["#00b500","#e6e600
","#ca3838"],"seg1":"","seg2":"","x":560,"y":380,"wires":[]},{id:"6d3bcf9b.59283","type":"debug"
,"z":"2d231251.1597be","name":"","active":false,"tosidebar":true,"console":false,"tostatus":false,"
complete":"payload","targetType":"msg","x":570,"y":280,"wires":[]},{id:"3124cfaa.39828","type":
"debug","z":"2d231251.1597be","name":"","active":false,"tosidebar":true,"console":false,"tostatus
":false,"complete":"payload","targetType":"msg","x":570,"y":420,"wires":[]},{id:"f4b0a628.0cae7
8","type":"ui_template","z":"2d231251.1597be","group":"7013c743.8dd5e8","name":"Clock
Toolbar","order":2,"width":0,"height":0,"format":"<script id='\"titleScript\"'
type='\"text/javascript\"'>\n\n$(function() {\n  if($('.md-toolbar-tools').length != 0){\n
loadClock();\n  }else setTimeout(loadClock, 500)\n});\n\nfunction loadClock(){\n
$('#clock').remove();\n  var toolbar = $('.md-toolbar-tools');\n  \n  var div = $('<div/>');\n  var p
= $('<p/ id='\"clock\"'>');\n  \n  div.append(p);\n  div[0].style.margin = '5px 5px 5px auto';\n
toolbar.append(div);\n\n  function displayTitle(lh) {\n    p.text(lh);\n  }\n  \n  function
upTime() {\n    var d = new Date();\n    p.text(d.toLocaleString());\n  }\n\n  if(document.clockInterval){\n    clearInterval(document.clockInterval);\n
document.clockInterval = null;\n  }\n  \n  document.clockInterval =
setInterval(upTime,1000);\n}\n\n</script>","storeOutMessages":false,"fwdInMessages":false,"tem
plateScope":"global","x":340,"y":500,"wires":[]],{"id":"48c26096.c32f5","type":"function","z":"f45
2e733.427168","name":"input upload speed to cloudant","func":"var upload =
msg.payload;\nreturn
msg;","outputs":1,"noerr":0,"x":450,"y":160,"wires":[["f6a56695.b95698","8be4306b.7aee9"]]],{"id
":"f6a56695.b95698","type":"cloudant out","z":"f452e733.427168","name":"store upload
value","cloudant":"","database":"upload","service":"sp-p1804375-ca2-002-
cloudantNoSQLDB","payonly":true,"operation":"insert","x":690,"y":120,"wires":[]},{id:"8be4306b
.7aee9","type":"debug","z":"f452e733.427168","name":"","active":true,"tosidebar":true,"console":
false,"tostatus":false,"complete":"payload","targetType":"msg","x":670,"y":160,"wires":[]},{id:"6a
3fe62f.92dcb8","type":"function","z":"f452e733.427168","name":"input download speed to
cloudant","func":"var download = msg.payload;\nreturn
msg;","outputs":1,"noerr":0,"x":480,"y":420,"wires":[["14d511eb.08999e","296fbeaf.e17c72"]]],{"i
d":"14d511eb.08999e","type":"cloudant out","z":"f452e733.427168","name":"store download
value","cloudant":"","database":"download","service":"sp-p1804375-ca2-002-
cloudantNoSQLDB","payonly":true,"operation":"insert","x":740,"y":380,"wires":[]},{id:"296fbeaf.
e17c72","type":"debug","z":"f452e733.427168","name":"","active":true,"tosidebar":true,"console"
:false,"tostatus":false,"complete":"false","x":710,"y":420,"wires":[]},{id:"fd542381.dfd","type":"cl
oudant out","z":"2d231251.1597be","name":"","cloudant":"","database":"temp","service":"sp-
p1804375-ca2-002-
cloudantNoSQLDB","payonly":true,"operation":"insert","x":550,"y":320,"wires":[]},{id:"e10b546a.
803b68","type":"cloudant
out","z":"2d231251.1597be","name":"","cloudant":"","database":"hum","service":"sp-p1804375-

```

```

ca2-002-
cloudantNoSQLDB","payonly":true,"operation":"insert","x":550,"y":460,"wires":[{}],{"id":"96799d14
.b7503","type":"cloudant
out","z":"2d231251.1597be","name":"","cloudant":"","database":"light","service":"sp-p1804375-
ca2-002-
cloudantNoSQLDB","payonly":true,"operation":"insert","x":670,"y":180,"wires":[{}],{"id":"492b3e7d
.6a6df","type":"ui_button","z":"3af73f5a.cc44e","name":"","group":"a65e5cf7.a2679","order":1,"w
idth":0,"height":0,"passthru":false,"label":"Alarm
On","tooltip":"","color":"","bgcolor":"","icon":"","payload":"1","payloadType":"num","topic":"butto
nOn","x":80,"y":40,"wires":[["1015b79f.7ee0d8"]],{"id":"1015b79f.7ee0d8","type":"ibmiot
out","z":"3af73f5a.cc44e","authentication":"boundService","apiKey":"","outputType":"cmd","devic
eld":"gwid-p1843059","deviceType":"gw-
p1843059","eventCommandType":"buttonOn","format":"json","data":{"},"qos":0,"name":"Send
signal to Raspberry Pi C to turn on
alarm","service":"registered","x":360,"y":40,"wires":[{}],{"id":"58a6fa03.d817f4","type":"ui_button
","z":"3af73f5a.cc44e","name":"","group":"a65e5cf7.a2679","order":2,"width":0,"height":0,"passthr
u":false,"label":"Alarm
Off","tooltip":"","color":"","bgcolor":"","icon":"","payload":"0","payloadType":"num","topic":"butt
onOff","x":80,"y":80,"wires":[["5e71262e.262ec8"]],{"id":"5e71262e.262ec8","type":"ibmiot
out","z":"3af73f5a.cc44e","authentication":"boundService","apiKey":"","outputType":"cmd","devic
eld":"gwid-p1843059","deviceType":"gw-
p1843059","eventCommandType":"buttonOff","format":"json","data":{"},"qos":0,"name":"Send
signal to Raspberry Pi C to turn off
alarm","service":"registered","x":360,"y":80,"wires":[{}],{"id":"d76abfa3.a3572","type":"ui_text","z":
"3af73f5a.cc44e","group":"a65e5cf7.a2679","order":3,"width":0,"height":0,"name":"Display Alarm
Status","label":"","format":"{{msg.payload}}","layout":"col-
center","x":780,"y":160,"wires":[{}],{"id":"b609687e.6f6128","type":"ibmiot
in","z":"3af73f5a.cc44e","authentication":"boundService","apiKey":"","inputType":"evt","logicalInt
erface":"","ruleId":"","deviceId":"gwid-p1843059","applicationId":"","deviceType":"gw-
p1843059","eventType":"alarmon","commandType":"","format":"json","name":"Retrieve alarm
status from Raspberry Pi
C","service":"registered","allDevices":"","allApplications":"","allDeviceTypes":"","allLogicalInterface
s":"","allEvents":"","allCommands":"","allFormats":false,"qos":0,"x":180,"y":140,"wires":[["bf758f
bc.6d5c6"]],{"id":"bf758fbc.6d5c6","type":"function","z":"3af73f5a.cc44e","name":"Parse in alarm
status","func":"msg.payload = 'Alarm Turned On'\nreturn
msg;\n","outputs":1,"noerr":0,"x":520,"y":140,"wires":[["d76abfa3.a3572"]],{"id":"f5345bf8.9c3cf
8","type":"ui_button","z":"3af73f5a.cc44e","name":"","group":"92338966.751f28","order":1,"widt
h":0,"height":0,"passthru":false,"label":"Add
Tag","tooltip":"","color":"","bgcolor":"","icon":"","payload":"true","payloadType":"bool","topic":"A
ddTag","x":80,"y":260,"wires":[["5354fc32.d6c5d4"]],{"id":"5354fc32.d6c5d4","type":"ibmiot
out","z":"3af73f5a.cc44e","authentication":"boundService","apiKey":"","outputType":"cmd","devic
eld":"gwid-p1843059","deviceType":"gw-
p1843059","eventCommandType":"AddTag","format":"json","data":{"},"qos":0,"name":"Send
data to Raspberry Pi C to add
tag","service":"registered","x":320,"y":260,"wires":[{}],{"id":"30c7252e.1edc5a","type":"ui_button",
"z":"3af73f5a.cc44e","name":"","group":"92338966.751f28","order":2,"width":0,"height":0,"passth
ru":false,"label":"Delete

```



```

Tag", "tooltip": "", "color": "", "bgcolor": "", "icon": "", "payload": "true", "payloadType": "bool", "topic": "DelTag", "x": 570, "y": 260, "wires": [{"id": "5c286680.1af4d8", "type": "ibmiot
out", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "outputType": "cmd", "devic
eld": "gwid-p1843059", "deviceType": "gw-
p1843059", "eventCommandType": "DelTag", "format": "json", "data": {}, "qos": 0, "name": "Send data
to Raspberry Pi C to delete
tag", "service": "registered", "x": 820, "y": 260, "wires": [], {"id": "701daa3a.75a064", "type": "ibmiot
in", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logicalInt
erface": "", "ruleId": "", "deviceId": "gwid-p1843059", "applicationId": "", "deviceType": "gw-
p1843059", "eventType": "card", "commandType": "", "format": "", "name": "Retrieve the status of door
locks from Raspberry Pi C
", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": false, "allLogicalInterfac
es": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 210, "y": 420, "wires": [{"93bb7c
e.2d0c08"}], {"id": "77d7aeb8.4d123", "type": "ui_text", "z": "3af73f5a.cc44e", "group": "92338966.751
f28", "order": 6, "width": 0, "height": 0, "name": "Display the access status and tag
ID", "label": "", "format": "{{msg.payload}}", "layout": "row-
spread", "x": 890, "y": 440, "wires": [], {"id": "7355c4e9.cc316c", "type": "ibmiot
in", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logicalInt
erface": "", "ruleId": "", "deviceId": "gwid-p1843059", "applicationId": "", "deviceType": "gw-
p1843059", "eventType": "alarmoff", "commandType": "", "format": "json", "name": "Retrieve alarm
status from Raspberry Pi
C", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": "", "allLogicalInterface
s": "", "allEvents": "", "allCommands": "", "allFormats": false, "qos": 0, "x": 180, "y": 180, "wires": [{"9cf52
731.51a938"}], {"id": "9cf52731.51a938", "type": "function", "z": "3af73f5a.cc44e", "name": "Parse in
alarm status", "func": "msg.payload = 'Alarm Turned Off'\nreturn
msg;\n", "outputs": 1, "noerr": 0, "x": 520, "y": 180, "wires": [{"d76abfa3.a3572"}], {"id": "93bb7ce.2d0c0
8", "type": "function", "z": "3af73f5a.cc44e", "name": "Parse in value when a card is
tapped", "func": "msg.payload = msg.payload.d.value;\nreturn
msg;", "outputs": 1, "noerr": 0, "x": 570, "y": 420, "wires": [{"77d7aeb8.4d123", "a62eee4f.3788f"}], {"id":
"92354610.6502d8", "type": "ui_switch", "z": "f452e733.427168", "name": "Bulb", "label": "", "tooltip":
", "group": "876e6c78.dab0b", "order": 0, "width": 3, "height": 1, "passthru": true, "decouple": "false",
"topic": "", "style": "", "onvalue": 1, "onvalueType": "num", "onicon": "", "oncolor": "", "offvalue": 0, "of
fvalueType": "num", "officon": "", "offcolor": "", "x": 70, "y": 540, "wires": [{"fa881b88.2f9f18", "cff3d9bd.
49bc18"}], {"id": "13753311.e3a9ad", "type": "debug", "z": "f452e733.427168", "name": "", "active": tru
e, "tosidebar": true, "console": false, "tostatus": false, "complete": "false", "x": 530, "y": 520, "wires": [], {"i
d": "a62eee4f.3788f", "type": "split", "z": "3af73f5a.cc44e", "name": "", "splt": " - UID of card is
", "spltType": "str", "arraySplt": 1, "arraySpltType": "len", "stream": false, "addname": "", "x": 790, "y": 400,
"wires": [{"b8e71d59.241bc"}], {"id": "b2a77810.475828", "type": "ibmiot
out", "z": "f452e733.427168", "authentication": "boundService", "apiKey": "", "outputType": "cmd", "de
viceld": "gwid-p1804375", "deviceType": "gw-
p1804375", "eventCommandType": "Bulb", "format": "json", "data": {}, "qos": 1, "name": "Sending to
Raspberry Pi
A", "service": "registered", "x": 580, "y": 480, "wires": [], {"id": "b8e71d59.241bc", "type": "cloudant
out", "z": "3af73f5a.cc44e", "name": "", "cloudant": "", "database": "access", "service": "sp-p1804375-
ca2-002-
cloudantNoSQLDB", "payonly": true, "operation": "insert", "x": 910, "y": 400, "wires": [], {"id": "84fb2b1d.
f19b58", "type": "ibmiot

```

```

in", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logicalInterface": "", "ruleId": "", "deviceId": "gwid-p1843059", "applicationId": "", "deviceType": "gw-p1843059", "eventType": "addcard", "commandType": "", "format": "", "name": "Retrieve add card status from Raspberry Pi C",
"service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": false, "allLogicalInterfaces": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 190, "y": 320, "wires": [{"5d088858.1202d8"}], {"id": "f2441d9c.be27c", "type": "ui_text", "z": "3af73f5a.cc44e", "group": "92338966.751f28", "order": 6, "width": 0, "height": 0, "name": "Display the adding and deleting card process", "label": "", "format": "{msg.payload}", "layout": "row-spread", "x": 870, "y": 340, "wires": []}, {"id": "5d088858.1202d8", "type": "function", "z": "3af73f5a.cc44e", "name": "Parse in value when card is added", "func": "msg.payload = msg.payload.d.value;\nreturn msg;", "outputs": 1, "noerr": 0, "x": 540, "y": 320, "wires": [{"f2441d9c.be27c"}], {"id": "690c7d8d.187364", "type": "ibmiot"},
in", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logicalInterface": "", "ruleId": "", "deviceId": "gwid-p1843059", "applicationId": "", "deviceType": "gw-p1843059", "eventType": "delcard", "commandType": "", "format": "", "name": "Retrieve delete card status from Raspberry Pi C",
"service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": false, "allLogicalInterfaces": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 200, "y": 360, "wires": [{"57916ac7.d37894"}], {"id": "57916ac7.d37894", "type": "function", "z": "3af73f5a.cc44e", "name": "Parse in value when card is deleted", "func": "msg.payload = msg.payload.d.value;\nreturn msg;", "outputs": 1, "noerr": 0, "x": 540, "y": 360, "wires": [{"f2441d9c.be27c"}], {"id": "fa881b88.2f9f18", "type": "function", "z": "f452e733.427168", "name": "on/off bulb", "func": "signal = msg.payload\nif (signal == 1)\n msg.payload = {'led': 1};\nelse\n msg.payload = {'led': 0};\n\nreturn msg;", "outputs": 1, "noerr": 0, "x": 210, "y": 520, "wires": [{"3118d5d.0e43b2a"}], {"id": "3118d5d.0e43b2a", "type": "json", "z": "f452e733.427168", "name": "", "property": "payload", "action": "", "pretty": false, "x": 390, "y": 520, "wires": [{"b2a77810.475828"}, {"13753311.e3a9ad"}], {"id": "bdfea489.109e78", "type": "function", "z": "f452e733.427168", "name": "download value", "func": "var download = msg.payload;\n\nmsg.payload = Math.ceil(download) + \" Megabits Per Second\";\n\nreturn msg;", "outputs": 1, "noerr": 0, "x": 420, "y": 300, "wires": [{"e0c0b654.2fa838"}, {"5005836f.13019c"}], {"id": "2bf8652b.022eda", "type": "function", "z": "3af73f5a.cc44e", "name": "Parse wifi speed using global.get", "func": "var download = global.get('downloadval')\n\nvar upload = global.get('uploadval')\n\nmsg.payload = {}\n\nmsg.payload.chatId = 634903049\n\nmsg.payload.type = 'message'\n\nmsg.payload.content = \"The download speed is: \" + Math.ceil(download) + \" Megabits per second\" + \" and upload speed is: \" + Math.ceil(upload) + \" Megabits per second\";\n\nreturn msg;", "outputs": 1, "noerr": 0, "x": 600, "y": 480, "wires": [{"610fb1ee.b166d"}], {"id": "610fb1ee.b166d", "type": "ibmiot"},
out", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "outputType": "cmd", "deviceId": "gwid-p1843059", "deviceType": "gw-p1843059", "eventCommandType": "wifi", "format": "json", "data": "{}", "qos": 0, "name": "Send wifi speed to Raspberry Pi C",
"service": "registered", "x": 900, "y": 480, "wires": []}, {"id": "686c699.dbe7a98", "type": "ibmiot"},
in", "z": "3af73f5a.cc44e", "authentication": "boundService", "apiKey": "", "inputType": "evt", "logicalInterface": "", "ruleId": "", "deviceId": "gwid-p1843059", "applicationId": "", "deviceType": "gw-p1843059", "eventType": "wifisend", "commandType": "", "format": "", "name": "Retrieve the /wifi

```


command from Raspberry Pi C's

```
Telegram", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTypes": false, "allLogicalInterfaces": "", "allEvents": false, "allCommands": "", "allFormats": "", "qos": 0, "x": 230, "y": 480, "wires":
[["2bf8652b.022eda"]]], {"id": "cff3d9bd.49bc18", "type": "function", "z": "f452e733.427168", "name": "Setting On Off Text", "func": "signal = msg.payload\nif (signal == 1)\n  msg.payload = 'On';\nelse\n  msg.payload = 'Off';\n\nreturn\nmsg;", "outputs": 1, "noerr": 0, "x": 230, "y": 560, "wires": [["67eb3e90.37889"]]], {"id": "67eb3e90.37889", "type": "ui_text", "z": "f452e733.427168", "group": "876e6c78.dab0b", "order": 3, "width": 2, "height": 1, "name": "On/Off Text Beside Bulb", "label": "", "format": "{{msg.payload}}", "layout": "row-spread", "x": 450, "y": 560, "wires": []}}
```

-- End of CA2 Step-by-step tutorial --