



1.1 Crear la base de datos



1.2 Crear la tabla carreras




The screenshot shows a SQL IDE interface. The main editor displays the following SQL code:

```
1 CREATE TABLE carreras (  
2     id INT PRIMARY KEY,  
3     nombre_carrera VARCHAR(50),  
4     duracion TINYINT,  
5     departamento VARCHAR(50)  
6 );  
7
```

Below the editor is an "Output" window with a dropdown menu set to "Action Output". It contains a table with the following data:

#	Time	Action	Message
✓ 1	19:56:12	CREATE DATABASE gestionacademica	1 row(s) affected
✓ 2	19:56:12	USE gestionacademica	0 row(s) affected
✓ 3	20:03:04	CREATE TABLE carreras (id INT PRIMARY KEY, nombre_carrera VARC...	0 row(s) affected

1.3 Crear la tabla alumnos




The screenshot shows a database management tool interface. The top section displays SQL code for creating a table named 'alumnos'. The code is as follows:

```
1 CREATE TABLE alumnos (
2     id INT PRIMARY KEY,
3     nombre VARCHAR(50),
4     apellido VARCHAR(50),
5     edad TINYINT,
6     id_carrera INT,
7     FOREIGN KEY (id_carrera) REFERENCES carreras(id)
8 );
9
```

The bottom section shows the 'Output' window with a table of execution results:

#	Time	Action	Message
✓ 1	19:56:12	CREATE DATABASE gestionacademica	1 row(s) affected
✓ 2	19:56:12	USE gestionacademica	0 row(s) affected
✓ 3	20:03:04	CREATE TABLE carreras (id INT PRIMARY KEY, nombre_carrera VARC...	0 row(s) affected
✓ 4	20:03:49	CREATE TABLE alumnos (id INT PRIMARY KEY, nombre VARCHAR(50)...	0 row(s) affected

1.4 Crear la tabla asignaturas



The screenshot shows a database management interface. The top section contains a SQL query to create a table named 'asignaturas'. The query is as follows:

```
1 CREATE TABLE asignaturas (  
2     id INT PRIMARY KEY,  
3     nombre_asignatura VARCHAR(50),  
4     creditos TINYINT,  
5     id_carrera INT,  
6     FOREIGN KEY (id_carrera) REFERENCES carreras(id)  
7 );  
8
```

The bottom section shows the 'Output' window with a table of execution results:

#	Time	Action	Message
✓ 1	19:56:12	CREATE DATABASE gestionacademica	1 row(s) affected
✓ 2	19:56:12	USE gestionacademica	0 row(s) affected
✓ 3	20:03:04	CREATE TABLE carreras (id INT PRIMARY KEY, nombre_camera VARC...	0 row(s) affected
✓ 4	20:03:49	CREATE TABLE alumnos (id INT PRIMARY KEY, nombre VARCHAR(50)...	0 row(s) affected
✓ 5	20:04:41	CREATE TABLE asignaturas (id INT PRIMARY KEY, nombre_asignatura ...	0 row(s) affected

2.1 Insertar en la tabla carreras

Limit to 1000 rows

```

1 • INSERT INTO carreras (id,nombre_carrera,duracion,departamento) VALUES
2   (1,'CIENCIA DE DATOS', '5', 'SISTEMAS');
3

```

Output

Action Output

#	Time	Action	Message
✓ 1	19:56:12	CREATE DATABASE gestionacademica	1 row(s) affected
✓ 2	19:56:12	USE gestionacademica	0 row(s) affected
✓ 3	20:03:04	CREATE TABLE carreras (id INT PRIMARY KEY, nombre_carrera VARC...	0 row(s) affected
✓ 4	20:03:49	CREATE TABLE alumnos (id INT PRIMARY KEY, nombre VARCHAR(50)...	0 row(s) affected
✓ 5	20:04:41	CREATE TABLE asignaturas (id INT PRIMARY KEY, nombre_asignatura ...	0 row(s) affected
✓ 6	20:05:55	INSERT INTO carreras (id,nombre_carrera,duracion,departamento) VALUES (1...	1 row(s) affected

Query 1

Limit to 1000 rows

```
1 • SELECT * FROM carreras;
```

2

Result Grid

	id	nombre_carrera	duracion	departamento
▶	1	CIENCIA DE DATOS	5	SISTEMAS
*	NULL	NULL	NULL	NULL

Filter Rows:

Edit: Wrap Cell Content

Result Grid

Form Editor

Field Types

carreras 1 x Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 2	19:56:12	USE gestionacademica	0 row(s) affected
✓ 3	20:03:04	CREATE TABLE carreras (id INT PRIMARY KEY, nombre_carrera VA...	0 row(s) affected
✓ 4	20:03:49	CREATE TABLE alumnos (id INT PRIMARY KEY, nombre VARCHAR(...	0 row(s) affected
✓ 5	20:04:41	CREATE TABLE asignaturas (id INT PRIMARY KEY, nombre_asignatu...	0 row(s) affected
✓ 6	20:05:55	INSERT INTO carreras (id,nombre_carrera,duracion,departamento) VALUES...	1 row(s) affected
✓ 7	20:06:56	SELECT * FROM carreras LIMIT 0, 1000	1 row(s) returned

Query 1 x

Limit to 1000 rows

```
1 • INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUES
2 (2,'ANALISIS DE DATOS', '3', 'SISTEMAS');
3
```

Output

Action Output

#	Time	Action	Message
✓ 3	20:03:04	CREATE TABLE carreras (id INT PRIMARY KEY, nombre_camera VA...	0 row(s) affected
✓ 4	20:03:49	CREATE TABLE alumnos (id INT PRIMARY KEY, nombre VARCHAR(...	0 row(s) affected
✓ 5	20:04:41	CREATE TABLE asignaturas (id INT PRIMARY KEY, nombre_asignatu...	0 row(s) affected
✓ 6	20:05:55	INSERT INTO carreras (id,nombre_camera,duracion,departamento) VALUES...	1 row(s) affected
✓ 7	20:06:56	SELECT * FROM carreras LIMIT 0, 1000	1 row(s) returned
✓ 8	20:07:35	INSERT INTO carreras (id,nombre_camera,duracion, departamento) VALUE...	1 row(s) affected

```
Query 1 x
Limit to 1000 rows
1 • INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUES
2   (3,'DISEÑO WEB', '3', 'ARTES Y DISEÑO');
3
```

Output

Action Output

#	Time	Action	Message
✓ 4	20:03:49	CREATE TABLE alumnos (id INT PRIMARY KEY, nombre VARCHAR(...	0 row(s) affected
✓ 5	20:04:41	CREATE TABLE asignaturas (id INT PRIMARY KEY, nombre_asignatu...	0 row(s) affected
✓ 6	20:05:55	INSERT INTO carreras (id,nombre_carrera,duracion,departamento) VALUES...	1 row(s) affected
✓ 7	20:06:56	SELECT * FROM carreras LIMIT 0, 1000	1 row(s) returned
✓ 8	20:07:35	INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUE...	1 row(s) affected
✓ 9	20:08:21	INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUE...	1 row(s) affected

Query 1 x

Limit to 1000 rows

1 • `SELECT * FROM carreras;`

Result Grid

	id	nombre_carrera	duracion	departamento
▶	1	CIENCIA DE DATOS	5	SISTEMAS
	2	ANALISIS DE DATOS	3	SISTEMAS
	3	DISEÑO WEB	3	ARTES Y DISEÑO
*	NULL	NULL	NULL	NULL

carreras 2 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 5	20:04:41	CREATE TABLE asignaturas (id INT PRIMARY KEY, nombre_asignatu...	0 row(s) affected
✓ 6	20:05:55	INSERT INTO carreras (id,nombre_carrera,duracion,departamento) VALUES...	1 row(s) affected
✓ 7	20:06:56	SELECT * FROM carreras LIMIT 0, 1000	1 row(s) returned
✓ 8	20:07:35	INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUE...	1 row(s) affected
✓ 9	20:08:21	INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUE...	1 row(s) affected
✓ 10	20:08:57	SELECT * FROM carreras LIMIT 0, 1000	3 row(s) returned

2.2 Insertar en la tabla alumnos

Query 1 x

Limit to 1000 rows

```

1  INSERT INTO alumnos SET id = 101, nombre="Juan", apellido="Soto",
2  edad = 25, id_carrera = 1;
3

```

Output

Action Output

#	Time	Action	Message
✓ 6	20:05:55	INSERT INTO carreras (id,nombre_carrera,duracion,departamento) VALUES...	1 row(s) affected
✓ 7	20:06:56	SELECT * FROM carreras LIMIT 0, 1000	1 row(s) returned
✓ 8	20:07:35	INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUE...	1 row(s) affected
✓ 9	20:08:21	INSERT INTO carreras (id,nombre_carrera,duracion, departamento) VALUE...	1 row(s) affected
✓ 10	20:08:57	SELECT * FROM carreras LIMIT 0, 1000	3 row(s) returned
✓ 11	20:09:47	INSERT INTO alumnos SET id = 101, nombre="Juan", apellido="Soto", eda...	1 row(s) affected

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM alumnos;
```

2

Result Grid

	id	nombre	apellido	edad	id_carrera
▶	101	Juan	Soto	25	1
*	NULL	NULL	NULL	NULL	NULL

alumnos 3 x

Output

Action Output

#	Time	Action	Message
7	20:06:56	SELECT * FROM camaras LIMIT 0, 1000	1 row(s) returned
8	20:07:35	INSERT INTO camaras (id,nombre_camera,duracion, departamento) VALUE...	1 row(s) affected
9	20:08:21	INSERT INTO camaras (id,nombre_camera,duracion, departamento) VALUE...	1 row(s) affected
10	20:08:57	SELECT * FROM camaras LIMIT 0, 1000	3 row(s) returned
11	20:09:47	INSERT INTO alumnos SET id = 101, nombre="Juan", apellido="Soto", eda...	1 row(s) affected
12	20:10:29	SELECT * FROM alumnos LIMIT 0, 1000	1 row(s) returned

Query 1

```

1 • INSERT INTO alumnos SET id = 102, nombre = "Gabriela", apellido = "Ruiz", edad = 35 ,
2   id_carrera = 2;
3 • INSERT INTO alumnos SET id = 103, nombre = "Diego", apellido = "Lopez", edad = 29 ,
4   id_carrera = 3;
5 • INSERT INTO alumnos SET id = 104, nombre = "Mariela", apellido = "Puertas", edad = 19 ,
6   id_carrera = 1;
7

```

Output

Action Output

#	Time	Action	Message
✓ 10	20:08:57	SELECT * FROM carreras LIMIT 0, 1000	3 row(s) returned
✓ 11	20:09:47	INSERT INTO alumnos SET id = 101, nombre="Juan", apellido="Soto", eda...	1 row(s) affected
✓ 12	20:10:29	SELECT * FROM alumnos LIMIT 0, 1000	1 row(s) returned
✓ 13	20:11:29	INSERT INTO alumnos SET id = 102, nombre = "Gabriela", apellido = "Ruiz"...	1 row(s) affected
✓ 14	20:11:29	INSERT INTO alumnos SET id = 103, nombre = "Diego", apellido = "Lopez",...	1 row(s) affected
✓ 15	20:11:29	INSERT INTO alumnos SET id = 104, nombre = "Mariela", apellido = "Puerta...	1 row(s) affected

Query 1 x

1 • SELECT * FROM alumnos;
2

Limit to 1000 rows

Result Grid

id	nombre	apellido	edad	id_carrera
101	Juan	Soto	25	1
102	Gabriela	Ruiz	35	2
103	Diego	Lopez	29	3
104	Mariela	Puertas	19	1
NULL	NULL	NULL	NULL	NULL

alumnos 4 x

Output

Action Output

#	Time	Action	Message
✓ 11	20:09:47	INSERT INTO alumnos SET id = 101,nombre="Juan", apellido="Soto", eda...	1 row(s) affected
✓ 12	20:10:29	SELECT * FROM alumnos LIMIT 0, 1000	1 row(s) returned
✓ 13	20:11:29	INSERT INTO alumnos SET id = 102,nombre = "Gabriela", apellido = "Ruiz"...	1 row(s) affected
✓ 14	20:11:29	INSERT INTO alumnos SET id = 103,nombre = "Diego", apellido = "Lopez",	1 row(s) affected
✓ 15	20:11:29	INSERT INTO alumnos SET id = 104,nombre = "Mariela", apellido = "Puerta...	1 row(s) affected
✓ 16	20:12:00	SELECT * FROM alumnos LIMIT 0, 1000	4 row(s) returned

2.3 Insertar en tabla asignaturas

Query 1 x

Limit to 1000 rows

```
1 • INSERT INTO asignaturas (id, nombre_asignatura, creditos, id_carrera) VALUES
2   (1, 'Matemática I', 8, 1),
3   (2, 'Estadística', 10, 1),
4   (3, 'Diseño UX', 12, 3),
5   (4, 'Programación I', 8, 2);
6
```

Output

Action Output

#	Time	Action	Message
✓ 12	20:10:29	SELECT * FROM alumnos LIMIT 0, 1000	1 row(s) returned
✓ 13	20:11:29	INSERT INTO alumnos SET id = 102, nombre = "Gabriela", apellido = "Ruiz"...	1 row(s) affected
✓ 14	20:11:29	INSERT INTO alumnos SET id = 103, nombre = "Diego", apellido = "Lopez",...	1 row(s) affected
✓ 15	20:11:29	INSERT INTO alumnos SET id = 104, nombre = "Mariela", apellido = "Puerta...	1 row(s) affected
✓ 16	20:12:00	SELECT * FROM alumnos LIMIT 0, 1000	4 row(s) returned
✓ 17	20:14:35	INSERT INTO asignaturas (id, nombre_asignatura, creditos, id_carrera) VAL...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0

Query 1 x

1 • SELECT * FROM asignaturas;
2

Result Grid

	id	nombre_asignatura	creditos	id_carrera
▶	1	Matemática I	8	1
	2	Estadística	10	1
	3	Diseño UX	12	3
	4	Programación I	8	2
•	NULL	NULL	NULL	NULL

asignaturas 5 x

Output

Action Output

#	Time	Action	Message
✓	13 20:11:29	INSERT INTO alumnos SET id = 102, nombre = "Gabriela", apellido = "Ruiz"...	1 row(s) affected
✓	14 20:11:29	INSERT INTO alumnos SET id = 103, nombre = "Diego", apellido = "Lopez",...	1 row(s) affected
✓	15 20:11:29	INSERT INTO alumnos SET id = 104, nombre = "Mariela", apellido = "Puerta..."	1 row(s) affected
✓	16 20:12:00	SELECT * FROM alumnos LIMIT 0, 1000	4 row(s) returned
✓	17 20:14:35	INSERT INTO asignaturas (id, nombre_asignatura, creditos, id_carrera) VAL...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
✓	18 20:15:01	SELECT * FROM asignaturas LIMIT 0, 1000	4 row(s) returned

3.1 Actualizar una sola columna en alumnos

Query 1 x

Limit to 1000 rows

1 • SE...
2

Execute the selected portion of the script or everything, if there is no selection

Result Grid

	id	nombre	apellido	edad	id_carrera
▶	101	Juan	Soto	25	1
•	NULL	NULL	NULL	NULL	NULL

alumnos 6 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 14	20:11:29	INSERT INTO alumnos SET id = 103, nombre = "Diego", apellido = "Lopez",...	1 row(s) affected
✓ 15	20:11:29	INSERT INTO alumnos SET id = 104, nombre = "Mariela", apellido = "Puerta...	1 row(s) affected
✓ 16	20:12:00	SELECT * FROM alumnos LIMIT 0, 1000	4 row(s) returned
✓ 17	20:14:35	INSERT INTO asignaturas (id, nombre_asignatura, credits, id_carrera) VAL...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
✓ 18	20:15:01	SELECT * FROM asignaturas LIMIT 0, 1000	4 row(s) returned
✓ 19	20:15:56	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned

Query 1 x

Limit to 1000 rows

```
1 • UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101;
2
```

Output

Action Output

#	Time	Action	Message
✓ 15	20:11:29	INSERT INTO alumnos SET id = 104, nombre = "Mariela", apellido = "Puerta...	1 row(s) affected
✓ 16	20:12:00	SELECT * FROM alumnos LIMIT 0, 1000	4 row(s) returned
✓ 17	20:14:35	INSERT INTO asignaturas (id, nombre_asignatura, credits, id_carrera) VAL...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
✓ 18	20:15:01	SELECT * FROM asignaturas LIMIT 0, 1000	4 row(s) returned
✓ 19	20:15:56	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 20	20:16:21	UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM alumnos WHERE id = 101;
```

2

Result Grid

	id	nombre	apellido	edad	id_carrera
▶	101	Juan José	Soto	25	1
*	NULL	NULL	NULL	NULL	NULL

alumnos 7 x

Output

Action Output

#	Time	Action	Message
✓ 16	20:12:00	SELECT * FROM alumnos LIMIT 0, 1000	4 row(s) returned
✓ 17	20:14:35	INSERT INTO asignaturas (id, nombre_asignatura, credits, id_carrera) VAL...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
✓ 18	20:15:01	SELECT * FROM asignaturas LIMIT 0, 1000	4 row(s) returned
✓ 19	20:15:56	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 20	20:16:21	UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 21	20:17:46	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned

3.2 Actualizar múltiples columnas en asignaturas

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM asignaturas WHERE id = 3;
2 |
```

Result Grid

	id	nombre_asignatura	creditos	id_carrera
▶	3	Diseño UX	12	3
*	NULL	NULL	NULL	NULL

asignaturas 8 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 17	20:14:35	INSERT INTO asignaturas (id, nombre_asignatura, creditos, id_carrera) VAL...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
✓ 18	20:15:01	SELECT * FROM asignaturas LIMIT 0, 1000	4 row(s) returned
✓ 19	20:15:56	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 20	20:16:21	UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 21	20:17:46	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 22	20:18:37	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned

Query 1 x

Limit to 1000 rows

```
1 • UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credits = 12 WHERE id = 3;
2 |
```

Output

Action Output

#	Time	Action	Message
✓ 18	20:15:01	SELECT * FROM asignaturas LIMIT 0, 1000	4 row(s) returned
✓ 19	20:15:56	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 20	20:16:21	UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 21	20:17:46	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 22	20:18:37	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 23	20:18:58	UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credit...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM asignaturas WHERE id = 3;
```

2

Result Grid

id	nombre_asignatura	creditos	id_carrera
3	BASE DE DATOS I	12	3
NULL	NULL	NULL	NULL

asignaturas 9 x

Apply Revert Cor

Output

Action Output

#	Time	Action	Message
✓ 19	20:15:56	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 20	20:16:21	UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 21	20:17:46	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 22	20:18:37	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 23	20:18:58	UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credit...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 24	20:19:18	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned

4.1 Eliminar un registro específico

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM alumnos WHERE id = 103;
```

Result Grid

id	nombre	apellido	edad	id_carrera
103	Diego	Lopez	29	3
* NULL	NULL	NULL	NULL	NULL

alumnos 10 x

Output

Action Output

#	Time	Action	Message
✓ 20	20:16:21	UPDATE alumnos SET nombre = 'Juan José' WHERE id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 21	20:17:46	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 22	20:18:37	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 23	20:18:58	UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credit...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 24	20:19:18	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 25	20:20:45	SELECT * FROM alumnos WHERE id = 103 LIMIT 0, 1000	1 row(s) returned

Query 1 x

Limit to 1000 rows

```
1 • DELETE FROM alumnos WHERE id = 103;  
2
```

Output

Action Output

#	Time	Action	Message
✓ 21	20:17:46	SELECT * FROM alumnos WHERE id = 101 LIMIT 0, 1000	1 row(s) returned
✓ 22	20:18:37	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 23	20:18:58	UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credit...	1 row(s) affected Rows matched: 1 Changed: 1 Warning
✓ 24	20:19:18	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 25	20:20:45	SELECT * FROM alumnos WHERE id = 103 LIMIT 0, 1000	1 row(s) returned
✓ 26	20:21:55	DELETE FROM alumnos WHERE id = 103	1 row(s) affected

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM alumnos;
```

2

Result Grid

id	nombre	apellido	edad	id_carrera
101	Juan José	Soto	25	1
102	Gabriela	Ruiz	35	2
104	Mariela	Puertas	19	1
NULL	NULL	NULL	NULL	NULL

alumnos 11 x

Output

Action Output

#	Time	Action	Message
22	20:18:37	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
23	20:18:58	UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credit...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
24	20:19:18	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
25	20:20:45	SELECT * FROM alumnos WHERE id = 103 LIMIT 0, 1000	1 row(s) returned
26	20:21:55	DELETE FROM alumnos WHERE id = 103	1 row(s) affected
27	20:22:42	SELECT * FROM alumnos LIMIT 0, 1000	3 row(s) returned

4.2 Eliminar múltiples registros con condición

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM asignaturas WHERE id_carrera = 1 AND credits = 8;
2
```

Result Grid

	id	nombre_asignatura	credits	id_carrera
▶	1	Matemática I	8	1
*	NULL	NULL	NULL	NULL

asignaturas 12 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 23	20:18:58	UPDATE asignaturas SET nombre_asignatura = 'BASE DE DATOS I', credit...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings:
✓ 24	20:19:18	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 25	20:20:45	SELECT * FROM alumnos WHERE id = 103 LIMIT 0, 1000	1 row(s) returned
✓ 26	20:21:55	DELETE FROM alumnos WHERE id = 103	1 row(s) affected
✓ 27	20:22:42	SELECT * FROM alumnos LIMIT 0, 1000	3 row(s) returned
✓ 28	20:24:50	SELECT * FROM asignaturas WHERE id_carrera = 1 AND credits = 8 LIM...	1 row(s) returned

Query 1 x

Limit to 1000 rows

```
1 • DELETE FROM asignaturas WHERE id_carrera = 1 AND credits = 8;  
2 |
```

Output

Action Output

#	Time	Action	Message
✓ 24	20:19:18	SELECT * FROM asignaturas WHERE id = 3 LIMIT 0, 1000	1 row(s) returned
✓ 25	20:20:45	SELECT * FROM alumnos WHERE id = 103 LIMIT 0, 1000	1 row(s) returned
✓ 26	20:21:55	DELETE FROM alumnos WHERE id = 103	1 row(s) affected
✓ 27	20:22:42	SELECT * FROM alumnos LIMIT 0, 1000	3 row(s) returned
✓ 28	20:24:50	SELECT * FROM asignaturas WHERE id_carrera = 1 AND credits = 8 LIM...	1 row(s) returned
✓ 29	20:25:44	DELETE FROM asignaturas WHERE id_carrera = 1 AND credits = 8	1 row(s) affected

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM asignaturas;
2
```

Result Grid

	id	nombre_asignatura	creditos	id_carrera
2		Estadística	10	1
3		BASE DE DATOS I	12	3
4		Programación I	8	2
*	NULL	NULL	NULL	8

asignaturas 13 x

Output

Action Output

#	Time	Action	Message
✓ 25	20:20:45	SELECT * FROM alumnos WHERE id = 103 LIMIT 0, 1000	1 row(s) returned
✓ 26	20:21:55	DELETE FROM alumnos WHERE id = 103	1 row(s) affected
✓ 27	20:22:42	SELECT * FROM alumnos LIMIT 0, 1000	3 row(s) returned
✓ 28	20:24:50	SELECT * FROM asignaturas WHERE id_carrera = 1 AND creditos = 8 LIM...	1 row(s) returned
✓ 29	20:25:44	DELETE FROM asignaturas WHERE id_carrera = 1 AND creditos = 8	1 row(s) affected
✓ 30	20:26:03	SELECT * FROM asignaturas LIMIT 0, 1000	3 row(s) returned

4.3 Eliminar todos los registros de una tabla

Query 1 x

Limit to 1000 rows

```
1 SELECT * FROM alumnos;
```

2

Result Grid

id	nombre	apellido	edad	id_carrera
101	Juan José	Soto	25	1
102	Gabriela	Ruiz	35	2
104	Mariela	Puertas	19	1
NULL	NULL	NULL	NULL	NULL

alumnos 14 x

Output

Action Output

#	Time	Action	Message
✓ 26	20:21:55	DELETE FROM alumnos WHERE id = 103	1 row(s) affected
✓ 27	20:22:42	SELECT * FROM alumnos LIMIT 0, 1000	3 row(s) returned
✓ 28	20:24:50	SELECT * FROM asignaturas WHERE id_carrera = 1 AND credits = 8 LIM...	1 row(s) returned
✓ 29	20:25:44	DELETE FROM asignaturas WHERE id_carrera = 1 AND credits = 8	1 row(s) affected
✓ 30	20:26:03	SELECT * FROM asignaturas LIMIT 0, 1000	3 row(s) returned
✓ 31	20:37:15	SELECT * FROM alumnos LIMIT 0, 1000	3 row(s) returned

Query 1 x

Limit to 1000 rows

```
1 • DELETE FROM alumnos;  
2
```

Output:

Action Output

#	Time	Action	Message
✗ 1	20:45:05	DELETE FROM alumnos	Error Code: 1046. No database sel
✓ 2	20:45:59	USE gestionacademica	0 row(s) affected
✓ 3	20:45:59	DELETE FROM alumnos	3 row(s) affected
✓ 4	20:46:07	SELECT * FROM alumnos LIMIT 0, 1000	0 row(s) returned
✓ 5	20:53:10	DELETE FROM alumnos	0 row(s) affected

5.1 Mostrar todos los alumnos de una carrera específica

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM alumnos WHERE id_carrera = 3;
2
```

Result Grid

	id	nombre	apellido	edad	id_carrera
*	NULL	NULL	NULL	NULL	NULL

alumnos 2 x

Apply Revert

Output

Action Output

#	Time	Action	Message
❌ 1	20:45:05	DELETE FROM alumnos	Error Code: 1046. No database s
✅ 2	20:45:59	USE gestionacademica	0 row(s) affected
✅ 3	20:45:59	DELETE FROM alumnos	3 row(s) affected
✅ 4	20:46:07	SELECT * FROM alumnos LIMIT 0, 1000	0 row(s) returned
✅ 5	20:53:10	DELETE FROM alumnos	0 row(s) affected
✅ 6	20:56:39	SELECT * FROM alumnos WHERE id_carrera = 3 L...	0 row(s) returned

5.2 Asignaturas con más de 5 créditos

Query 1 x

SQLA

Limit to 1000 rows

```
1 • SELECT * FROM asignaturas WHERE credits > 5;
2
```

Result Grid

	id	nombre_asignatura	credits	id_carrera
▶	2	Estadística	10	1
	3	BASE DE DATOS I	12	3
	4	Programación I	8	2
*	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

asignaturas 3 x

Apply Revert Conti

Output

Action Output

#	Time	Action	Message
✓ 2	20:45:59	USE gestionacademica	0 row(s) affected
✓ 3	20:45:59	DELETE FROM alumnos	3 row(s) affected
✓ 4	20:46:07	SELECT * FROM alumnos LIMIT 0, 1000	0 row(s) returned
✓ 5	20:53:10	DELETE FROM alumnos	0 row(s) affected
✓ 6	20:56:39	SELECT * FROM alumnos WHERE id_camera = 3...	0 row(s) returned
✓ 7	20:57:27	SELECT * FROM asignaturas WHERE credits > ...	3 row(s) returned

5.3 Alumnos menores de 21 años

Query 1 x

Limit to 1000 rows

```
1 SELECT * FROM alumnos WHERE edad < 21;
```

2 Execute the selected portion of the script or everything, if there is no selection

Result Grid

	id	nombre	apellido	edad	id_carrera
*	NULL	NULL	NULL	NULL	NULL

Filter Rows:

Edit: Export/Import

Result Grid

Form Editor

Field Types

alumnos 4 x

Apply Revert

Output

Action Output

#	Time	Action	Message
3	20:45:59	DELETE FROM alumnos	3 row(s) affected
4	20:46:07	SELECT * FROM alumnos LIMIT 0, 1000	0 row(s) returned
5	20:53:10	DELETE FROM alumnos	0 row(s) affected
6	20:56:39	SELECT * FROM alumnos WHERE id_carrera = 3...	0 row(s) returned
7	20:57:27	SELECT * FROM asignaturas WHERE creditos > ...	3 row(s) returned
8	20:57:59	SELECT * FROM alumnos WHERE edad < 21 LI...	0 row(s) returned

5.4 Carreras del departamento SISTEMAS

Query 1 x

Limit to 1000 rows

```
1 SELECT * FROM carreras WHERE departamento = 'SISTEMAS';
2
```

Result Grid

	id	nombre_carrera	duracion	departamento
▶	1	CIENCIA DE DATOS	5	SISTEMAS
	2	ANALISIS DE DATOS	3	SISTEMAS
*	NULL	NULL	NULL	NULL

carreras 5 x

Output

Action Output

#	Time	Action	Message
✓ 4	20:46:07	SELECT * FROM alumnos LIMIT 0, 1000	0 row(s) returned
✓ 5	20:53:10	DELETE FROM alumnos	0 row(s) affected
✓ 6	20:56:39	SELECT * FROM alumnos WHERE id_carrera = 3...	0 row(s) returned
✓ 7	20:57:27	SELECT * FROM asignaturas WHERE credits > ...	3 row(s) returned
✓ 8	20:57:59	SELECT * FROM alumnos WHERE edad < 21 LI...	0 row(s) returned
✓ 9	20:58:39	SELECT * FROM carreras WHERE departamento...	2 row(s) returned

5.5 Asignaturas con id_carrera = 1 y créditos >= 8

Query 1 x

Limit to 1000 rows

```
1 SELECT * FROM asignaturas WHERE id_carrera = 1 AND credits >= 8
2
```

Result Grid

	id	nombre_asignatura	credits	id_carrera
▶	2	Estadística	10	1
*	NULL	NULL	NULL	NULL

asignaturas 6 x

Apply Revert Context

Output

Action Output

#	Time	Action	Message
✓ 5	20:53:10	DELETE FROM alumnos	0 row(s) affected
✓ 6	20:56:39	SELECT * FROM alumnos WHERE id_carrera = 3...	0 row(s) returned
✓ 7	20:57:27	SELECT * FROM asignaturas WHERE credits > ...	3 row(s) returned
✓ 8	20:57:59	SELECT * FROM alumnos WHERE edad < 21 LI...	0 row(s) returned
✓ 9	20:58:39	SELECT * FROM carreras WHERE departamento...	2 row(s) returned
✓ 10	20:59:13	SELECT * FROM asignaturas WHERE id_carrera ...	1 row(s) returned

5.6 Alumnos cuyo apellido sea 'Lopez'

Query 1 x

Limit to 1000 rows

```
1 • SELECT * FROM alumnos WHERE apellido = 'Lopez';
```

2

Result Grid

	id	nombre	apellido	edad	id_carrera
*	NULL	NULL	NULL	NULL	NULL

Filter Rows:

Edit: Export/Import

Result Grid

Form Editor

Field Types

alumnos 7 x

Apply Revert

Output

Action Output

	#	Time	Action	Message
✓	6	20:56:39	SELECT * FROM alumnos WHERE id_carrera = 3...	0 row(s) returned
✓	7	20:57:27	SELECT * FROM asignaturas WHERE credits > ...	3 row(s) returned
✓	8	20:57:59	SELECT * FROM alumnos WHERE edad < 21 LI...	0 row(s) returned
✓	9	20:58:39	SELECT * FROM carreras WHERE departamento...	2 row(s) returned
✓	10	20:59:13	SELECT * FROM asignaturas WHERE id_carrera ...	1 row(s) returned
✓	11	20:59:45	SELECT * FROM alumnos WHERE apellido = 'Lo...	0 row(s) returned

5.7 Carreras de 5 años o del departamento 'ARTES Y DISEÑO'

Query 1 x

Limit to 1000 rows

```
1 SELECT * FROM carreras WHERE duracion = 5 OR departamento = 'AR'
2
```

Execute the selected portion of the script or everything, if there is no selection

Result Grid

	id	nombre_carrera	duracion	departamento
▶	1	CIENCIA DE DATOS	5	SISTEMAS
	3	DISEÑO WEB	3	ARTES Y DISEÑO
*	NULL	NULL	NULL	NULL

Form Editor

Field Types

carreras 8 x

Apply Revert Con

Output

Action Output

#	Time	Action	Message
✓ 7	20:57:27	SELECT * FROM asignaturas WHERE credits > ...	3 row(s) returned
✓ 8	20:57:59	SELECT * FROM alumnos WHERE edad < 21 LI...	0 row(s) returned
✓ 9	20:58:39	SELECT * FROM carreras WHERE departamento...	2 row(s) returned
✓ 10	20:59:13	SELECT * FROM asignaturas WHERE id_carrera ...	1 row(s) returned
✓ 11	20:59:45	SELECT * FROM alumnos WHERE apellido = 'Lo...	0 row(s) returned
✓ 12	21:00:22	SELECT * FROM carreras WHERE duracion = 5 ...	2 row(s) returned