REPAIR_LEDGER — Case Bundle v0.2

Milestone

Case Bundle v0.2 is the first Case Bundle version that combines action, evidence, and reasoning case records into one bundle. Case Bundle v0.1.1 packaged a Sentinel action case only. v0.2 unifies three already-verified Histor-lite case records — Sentinel action, Aletheia evidence, ODIN reasoning — into a single portable, self-checked Project Witness bundle, preserving each record byte-for-byte and proving structural integrity without ever asserting truth.

Design decisions

- **Verify-before-bundle.** Each input case is verified in its own real producer format before anything is copied. The Sentinel case uses Histor-lite v0.1.2's 3-token `checksums.txt` (`<key> <digest>`

`<name>`, including a `source_run` line for a file outside the case folder, which is format-checked but skipped for in-folder hashing). The Aletheia and ODIN importer cases use 2-token `<digest> <name>` files. Each verifier knows its own producer's real names and format.

- **Byte-for-byte preservation.** Subcase records are copied verbatim with `shutil.copyfile`; a test asserts every packaged file is byte-identical to its source. The bundle never rewrites or re-canonicalises a subcase file.
- **Shared case_id is mandatory.** Build refuses unless all three records carry one `case_id` (`FAILED_CASE_ID_MISMATCH`); verify re-confirms all three subcase summaries match `manifest.case_id`.
- **Internal + bundle-level integrity, both checked.** verify recomputes the 14 bundle-level hashes AND re-runs each subcase's own internal checksum file. A tamper that is hidden by resyncing the bundle checksums is still caught by the subcase's internal checksums (covered by tests 35–37).

- **CONTRADICTION_DETECTED is packageable.** Both `CONSISTENT` and `CONTRADICTION_DETECTED` ODIN cases bundle and verify; only `INVALID_INPUT` is refused, at build and again at verify.
- **Field-mapping, documented not invented.** The frozen Sentinel case uses `import_status` / `sentinel_replay_verdict`; the manifest maps these to `sentinel.case_status` / `sentinel.action_status` rather than renaming the preserved subcase fields. Recorded in README and versions.py.
- **Authoritative freeze gate = explicit command list** (`RELEASE_COMMANDS.md`) plus the static `verify_release_manifest.py` (imports only ast/os/sys, no spawn call sites, AST-checked by test 48). No subprocess orchestrator is in the gate; the default suite uses in-process fakes / synthesized case folders.

Repairs

R1 — truth-scan false positive against the bundle's own disclaimers

- **Found:** the very first real end-to-end build self-verify failed with `TRUTH_CLAIM`: "contains 'are true'". The forbidden-token list included the bare substrings `"are true"` and `"is authentic"`, which collide with the manifest's own honest `known_limitations` ("It does not prove evidence contents **are true**", "It does not prove ODIN claims **are true**"). The scan was flagging the disclaimer that *denies* the truth claim.
- **Fix:** narrowed `FORBIDDEN_TRUTH_TOKENS` to affirmative, predicate-style forms only (e.g. `evidence_is_true`, `claims_are_true`, `file.authentic`, `source.trusted`, `proves reality`, `proven_true`) and removed the bare phrases that appear inside legitimate negated disclaimers. Added a `DISCLAIMER_FRAGMENTS` list and made `scan_truth()` strip those known disclaimer sentences before scanning. Injected affirmative truth claims in the manifest and in replay reports are still caught (tests 43–44); the honest disclaimers pass (test in test_validation: `scan_truth allows disclaimers`).

- **Lesson (recurring across the stack):** an honesty scanner must not collide with the honest text it is meant to protect. Scan for affirmative claims, and strip the known negated-disclaimer sentences first.

Test self-correction — truth scan ordering vs internal checksums

- While writing test 44 (truth claim in a replay report), the first version edited the ODIN replay and resynced only the *bundle* checksums; verify then failed at the earlier `INTERNAL_ODIN_CHECKSUM_MISMATCH` rule (15–17) before reaching the truth scan (24). Corrected the test to also resync the ODIN subcase's internal checksums, so the injected truth claim is what verify objects to. This confirmed the rule ordering is sound: internal integrity is checked before the semantic truth scan.

Real end-to-end integration (documented, not part of the freeze gate)

Built from the **real frozen** upstream chain: a Sentinel `PASS_STRICT` case
(Histor-lite v0.1.2, derived `case_id = case_83cd1ba75eddfa05`), a matching
Aletheia evidence case (`VERIFIED_PRESENT`), and a matching ODIN reasoning case
sharing that `case_id`. `build` produced `BUNDLED_VERIFIED_CASE`; `verify` passed;
every subcase file was byte-identical to its source. A second run with a real
`CONTRADICTION_DETECTED` ODIN case also built and verified successfully —
confirming a structural contradiction is a valid packageable outcome.