Test results — Evidence Reasoning Demo v0.1

The demo drives the local chain (Aletheia -> Bridge -> ODIN) from one evidence file to a verified demo report. Standard library only. It proves the chain executes and verifies — never that the evidence contents are true. All commands below were run from a **clean extraction** of `evidence_reasoning_demo_v01.zip`.

Authoritative freeze gate — each command passes individually (clean extraction)

The freeze gate is the explicit list of individual commands (see RELEASE_COMMANDS.md) plus the static manifest check. No wrapper orchestrator is in
the gate; the default unit suite uses an in-process fake component runner, so the gate spawns no subprocesses.

Command	Result
`python3 -m compileall -q .`	PASS
`python3 -m unittest discover -s tests -v`	PASS — 68 tests, ~0.24s
`python3 -O -m unittest discover -s tests -v`	PASS — 68 tests
`python3 selfcheck.py`	PASS — 8/8 gates
`python3 -O selfcheck.py`	PASS — 8/8 gates
`python3 -W error::ResourceWarning -m unittest discover -s tests`	PASS
`sha256sum -c evidence_reasoning_demo_v01.sha256`	OK
`python3 verify_release_manifest.py`	PASS — 9/9 static checks, **no subprocesses**

Required behaviours (all covered)

#	Required test	Where
1	Valid IDs accepted	`test_validation.py::test_1_valid_ids_accepted`

#	Required test	Where
2	Unsafe case ID refused	`::test_2_unsafe_case_id_refused`
3	Unsafe evidence ID refused	`::test_3_unsafe_evidence_id_refused`
4	Missing evidence file refused	`::test_4_missing_evidence_file_refused`
5	Directory evidence source refused	`::test_5_directory_evidence_source_refused`
6	Symlink evidence source refused	`::test_6_symlink_evidence_source_refused`
7	Missing Aletheia root refused	`test_runner.py::test_7_missing_aletheia_root_refused`
8	Missing Bridge root refused	`::test_8_missing_bridge_root_refused`
9	Missing ODIN root refused	`::test_9_missing_odin_root_refused`
10	Non-empty output dir refused	`::test_10_nonempty_output_dir_refused`
11	Aletheia bundle failure stops later	`::test_11_aletheia_bundle_failure_stops_later`
12	Aletheia verify failure stops later	`::test_12_aletheia_verify_failure_stops_later`
13	Bridge convert failure stops ODIN	`::test_13_bridge_convert_failure_stops_odin`
14	Bridge verify failure stops ODIN	`::test_14_bridge_verify_failure_stops_odin`
15	ODIN reason failure stops verify	`::test_15_odin_reason_failure_stops_verify`
16	ODIN verify failure -> failed status	`::test_16_odin_verify_failure_produces_failed_status`
17	Successful run writes all files	`::test_17_successful_run_writes_all_files`

#	Required test	Where
18	demo_report.json canonical	`test_report.py::test_18_report_is_canonical`
19	demo_steps.json canonical	`test_steps.py::test_19_steps_canonical_and_determinis`
20	demo_checksums.txt written	`test_checksums.py::test_20_format_roundtrip` + runner w
21	Verify valid demo output succeeds	`test_verify.py::test_21_verify_valid_output_succeeds`
22	Mutated demo_report.json fails	`::test_22_mutated_demo_report_fails`
23	Mutated demo_steps.json fails	`::test_23_mutated_demo_steps_fails`
24	Mutated Aletheia manifest hash fails	`::test_24_mutated_aletheia_manifest_hash_fails`
25	Mutated Bridge report hash fails	`::test_25_mutated_bridge_report_hash_fails`
26	Mutated ODIN reasoning report hash fails	`::test_26_mutated_odin_report_hash_fails`
27	Missing checksums fails	`::test_27_missing_checksums_fails`
28	Duplicate checksum key fails	`::test_28_duplicate_checksum_key_fails`
29	Unknown checksum key fails	`::test_29_unknown_checksum_key_fails`
30	Unknown extra top-level file fails	`::test_30_unknown_extra_top_level_file_fails`
31	Case ID mismatch fails	`::test_31_case_id_mismatch_fails`
32	Evidence ID mismatch fails	`::test_32_evidence_id_mismatch_fails`

#	Required test	Where
33	Truth-like generated claim fails	`::test_33_truth_like_generated_claim_fails`
34	Non-CONSISTENT ODIN status fails	`::test_34_non_consistent_odin_status_fails`
35	Non-DEMO_COMPLETED status fails	`::test_35_non_completed_demo_status_fails`
36	`python -O` unchanged behaviour	full suite + selfcheck pass identically under `-O`
37	Selfcheck passes	`test_selfcheck.py::test_37_selfcheck_passes_in_proces`
38	No bare runtime asserts	`test_no_bare_asserts.py::test_38_no_bare_asserts_in_r`
39	manifest verifier passes, no subprocesses	`test_no_bare_asserts.py::test_39_manifest_verifier_pr`

Additional coverage: CLI-level exit codes (0 success, 2 validation/path error, 1 step failure) with an injected fake runner; report/steps field and status checks; all six steps in fixed order; failure marks FAILED then SKIPPED_AFTER_FAILURE; upstream truth-claim rejected at verify; missing subfolder fails; missing run dir fails; checksums uppercase-digest and blank-line handling.

Manual integration smoke test (NOT part of the freeze gate)

Against the real frozen Aletheia v0.1, Bridge v0.1, and ODIN v0.1: a real evidence file produced `demo_status = DEMO_COMPLETED`, `aletheia_status = VERIFIED_PRESENT`, `bridge_status = CONVERTED`, `odin_reasoning_status = CONSISTENT`, `generated_claims = evidence.present, evidence.integrity_verified`, all three component outputs preserved in their subfolders, and `demo.py verify` passed.

Scope

local evidence file -> Aletheia bundle -> Bridge claims -> ODIN reasoning -> verified demo report. Nothing else. Not connected to Companion or Coordinator. No new features beyond the spec.