## System Specification



## **EnOcean Equipment Profiles**

#### **REVISION HISTORY**

Ver.	Editor	Change	Date
2.6.8	NM	Last xml edition of the EEP-Specification	Dec 31, 2017

Copyright © EnOcean Alliance Inc. (2019). All rights reserved.

The information within this document is the property of the EnOcean Alliance and its use and disclosure are restricted. Elements of the EnOcean Alliance specifications may also be subject to third party intellectual property rights, including without limitation, patent, copyright or trademark rights (such a third party may or may not be a member of the EnOcean Alliance.)

The EnOcean Alliance is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights. This document and the information contained herein are provided on an "as is" basis and the EnOcean Alliance disclaims all warranties express or implied, including but not limited to

- (1) any warranty that the use of the information herein will not infringe any rights of third parties (including any intellectual property rights, patent, copyright or trademark rights, or
- (2) any implied warranties of merchantability, fitness for a particular purpose, title or non-infringement.

In no event will the EnOcean Alliance be liable for any loss of profits, loss of business, loss of use of data, interruption of business, or for any other direct, indirect, special or exemplary, incidental, punitive or consequential damages of any kind, in contract or in tort, in connection with this document or the information contained herein, even if advised of the possibility of such loss or damage. All Company, brand and product names may be trademarks that are the sole property of their respective owners.

The above notice and this paragraph must be included on all copies of this document that are made.

The EnOcean Alliance "EnOcean Equipment Profiles definitions" are available free of charge to companies, individuals and institutions for all non-commercial purposes (including educational research, technical evaluation and development of non-commercial tools or documentation.)

This specification includes intellectual property ("IPR") of the EnOcean Alliance and joint intellectual properties ("joint IPR") with contributing member companies. No part of this

EnOcean Equipment Profiles Page 1/3

# enocean°alliance No Wires. No Batteries. No Limits.

## **System Specification**

specification may be used in development of a product or service for sale without being a participant or promoter member of the EnOcean Alliance and/or joint owner of the appropriate joint IPR.

These errata may not have been subjected to an Intellectual Property review, and as such, may contain undeclared Necessary Claims.

EnOcean Alliance Inc. 2400 Camino Ramon, Suite 375 San Ramon, CA 94583 USA Graham Martin Chairman & CEO EnOcean Alliance

EnOcean Equipment Profiles





## A5-14: Multi-Func Sensor

RORG	A5	4BS Telegram
FUNC	14	Multi-Func Sensor
ТҮРЕ	08	Dual-door-contact with States Open/Closed and Locked/Unlocked, Supply voltage monitor and Vibration detection

## Submitter: EiMSIG eine Marke der EFP GmbH

#### Description

Door-sensor with the door-states open/closed and sensor for the door-lock with states locked/unlocked. Additional supply-voltage-monitor and vibration-sensor for glass-breakage detection.

### Data exchange

Direction: unidirectional Addressing: broadcast

Communication trigger: event- & time-triggered

Communication interval: N/A

Trigger event: timer and change on state

Tx delay: N/A Rx timeout: -

Teach-in

Teach-in method: 4BS teach-in

#### Security

Encryption supported: yes Security level format: -

Offset	Size	Bitrange	Data	ShortCut	Description	Valid Range	Scale	Unit		
0	8	DB3.7DB3.0	Supply voltage	svc	Supply voltage / super cap. (linear)	0250	05.0	٧		
8	20	DB2.7DB0.4	Not Used (= 0)							
28	1	DB0.3	LRN Bit	LRNB	LRN Bit	Enum:  0: Teach-in telegram  1: Data telegram				
29	1	DB0.2	Door Contact	DCT		Enum: 0b0: Door Closed 0b1: Door Open				
30	1	DB0.1	Lock Contact	LCT		Enum:  0b0: Door Locked  0b1: Door Unlocked				
31	1	DB0.0	Vibration	VIB		Enum:  0b0: No vibration detected  0b1: Vibration detected		ted		

EnOcean Equipment Profiles Page 3/3