

# Using the DiaSpec design language and compiler to develop robotics systems

Damien Cassou<sup>1</sup>   Serge Stinckwich<sup>2</sup>   Pierrick Koch<sup>3</sup>

<sup>1</sup>Software Architecture Group, HPI  
University of Postdam, Germany

<sup>2</sup>UMMISCO, UMI 209  
IRD/IFI/Vietnam National University

<sup>3</sup>CNRS, UMR 6072 GREYC  
F-14032 Caen, France

2nd International Workshop on Domain-Specific Languages  
and models for ROBotic systems

# Outline

- 1 Motivation
  - The Basic Problem That We Studied
  - Previous Work
- 2 Our Results/Contribution
  - Main Results
  - Basic Ideas for Proofs/Implementation

# Outline

- 1 Motivation
  - The Basic Problem That We Studied
  - Previous Work
- 2 Our Results/Contribution
  - Main Results
  - Basic Ideas for Proofs/Implementation

# Make Titles Informative. Use Uppercase Letters.

Subtitles are optional.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Outline

- 1 Motivation
  - The Basic Problem That We Studied
  - Previous Work
- 2 Our Results/Contribution
  - Main Results
  - Basic Ideas for Proofs/Implementation

# Make Titles Informative.

# Make Titles Informative.

# Outline

- 1 Motivation
  - The Basic Problem That We Studied
  - Previous Work
- 2 Our Results/Contribution
  - Main Results
  - Basic Ideas for Proofs/Implementation

# Make Titles Informative.

# Make Titles Informative.



# Make Titles Informative.

# Outline

- 1 Motivation
  - The Basic Problem That We Studied
  - Previous Work
- 2 Our Results/Contribution
  - Main Results
  - Basic Ideas for Proofs/Implementation

# Make Titles Informative.

# Make Titles Informative.

# Make Titles Informative.

# Summary

- The **first main message** of your talk in one or two lines.
- The **second main message** of your talk in one or two lines.
- Perhaps a **third message**, but not more than that.
- Outlook
  - Something you haven't solved.
  - Something else you haven't solved.

# For Further Reading I



A. Author.

*Handbook of Everything.*

Some Press, 1990.



S. Someone.

On this and that.

*Journal of This and That*, 2(1):50–100, 2000.