

Fichier Pinloc (contraintes des TP d'Elec-Numérique)

1) TP 2/3: Question 4,

Additionneur (AfficheAdd4.XDC)

```
1  set_property PACKAGE_PIN J17 [get_ports AN0]
2  set_property IOSTANDARD LVCMOS33 [get_ports AN0]
3  set_property PACKAGE_PIN J15 [get_ports a[0]]
4  set_property IOSTANDARD LVCMOS33 [get_ports a[0]]
5  set_property PACKAGE_PIN L16 [get_ports a[1]]
6  set_property IOSTANDARD LVCMOS33 [get_ports a[1]]
7  set_property PACKAGE_PIN M13 [get_ports a[2]]
8  set_property IOSTANDARD LVCMOS33 [get_ports a[2]]
9  set_property PACKAGE_PIN R15 [get_ports a[3]]
10 set_property IOSTANDARD LVCMOS33 [get_ports a[3]]
11 set_property PACKAGE_PIN R17 [get_ports b[0]]
12 set_property IOSTANDARD LVCMOS33 [get_ports b[0]]
13 set_property PACKAGE_PIN T18 [get_ports b[1]]
14 set_property IOSTANDARD LVCMOS33 [get_ports b[1]]
15 set_property PACKAGE_PIN U18 [get_ports b[2]]
16 set_property IOSTANDARD LVCMOS33 [get_ports b[2]]
17 set_property PACKAGE_PIN R13 [get_ports b[3]]
18 set_property IOSTANDARD LVCMOS33 [get_ports b[3]]
19 set_property PACKAGE_PIN T10 [get_ports CA]
20 set_property IOSTANDARD LVCMOS33 [get_ports CA]
21 set_property PACKAGE_PIN R10 [get_ports CB]
22 set_property IOSTANDARD LVCMOS33 [get_ports CB]
23 set_property PACKAGE_PIN K16 [get_ports CC]
24 set_property IOSTANDARD LVCMOS33 [get_ports CC]
25 set_property PACKAGE_PIN K13 [get_ports CD]
26 set_property IOSTANDARD LVCMOS33 [get_ports CD]
27 set_property PACKAGE_PIN P15 [get_ports CE]
28 set_property IOSTANDARD LVCMOS33 [get_ports CE]
29 set_property PACKAGE_PIN T11 [get_ports CF]
30 set_property IOSTANDARD LVCMOS33 [get_ports CF]
31 set_property PACKAGE_PIN L18 [get_ports CG]
32 set_property IOSTANDARD LVCMOS33 [get_ports CG]
33 set_property PACKAGE_PIN H15 [get_ports DP]
34 set_property IOSTANDARD LVCMOS33 [get_ports DP]
```


2) TP 2/3: Question 7,

Additionneur_Soustracteur(AfficheAddSous.XDC)

```
1 set_property PACKAGE_PIN J17 [get_ports AN0]
2 set_property IOSTANDARD LVCMOS33 [get_ports AN0]
3 set_property PACKAGE_PIN J15 [get_ports a[0]]
4 set_property IOSTANDARD LVCMOS33 [get_ports a[0]]
5 set_property PACKAGE_PIN L16 [get_ports a[1]]
6 set_property IOSTANDARD LVCMOS33 [get_ports a[1]]
7 set_property PACKAGE_PIN M13 [get_ports a[2]]
8 set_property IOSTANDARD LVCMOS33 [get_ports a[2]]
9 set_property PACKAGE_PIN R15 [get_ports a[3]]
10 set_property IOSTANDARD LVCMOS33 [get_ports a[3]]
11 set_property PACKAGE_PIN R17 [get_ports b[0]]
12 set_property IOSTANDARD LVCMOS33 [get_ports b[0]]
13 set_property PACKAGE_PIN T18L16 [get_ports b[1]]
14 set_property IOSTANDARD LVCMOS33 [get_ports b[1]]
15 set_property PACKAGE_PIN U18 [get_ports b[2]]
16 set_property IOSTANDARD LVCMOS33 [get_ports b[2]]
17 set_property PACKAGE_PIN R13 [get_ports b[3]]
18 set_property IOSTANDARD LVCMOS33 [get_ports b[3]]
19 set_property PACKAGE_PIN T10 [get_ports CA]
20 set_property IOSTANDARD LVCMOS33 [get_ports CA]
21 set_property PACKAGE_PIN R10 [get_ports CB]
22 set_property IOSTANDARD LVCMOS33 [get_ports CB]
23 set_property PACKAGE_PIN K16 [get_ports CC]
24 set_property IOSTANDARD LVCMOS33 [get_ports CC]
25 set_property PACKAGE_PIN K13 [get_ports CD]
26 set_property IOSTANDARD LVCMOS33 [get_ports CD]
27 set_property PACKAGE_PIN P15 [get_ports CE]
28 set_property IOSTANDARD LVCMOS33 [get_ports CE]
29 set_property PACKAGE_PIN T11 [get_ports CF]
30 set_property IOSTANDARD LVCMOS33 [get_ports CF]
31 set_property PACKAGE_PIN L18 [get_ports CG]
32 set_property IOSTANDARD LVCMOS33 [get_ports CG]
33 set_property PACKAGE_PIN H15 [get_ports DP]
34 set_property IOSTANDARD LVCMOS33 [get_ports DP]
35 set_property PACKAGE_PIN T8 [get_ports addsous]
36 set_property IOSTANDARD LVCMOS33 [get_ports addsous]
37
```

3) TP 4: Question 3,

Lecture ADXL(LectureADXL_pinloc.XDC)

```
1  set_property PACKAGE_PIN L16 [get_ports Sel1]
2  set_property IOSTANDARD LVCMOS33 [get_ports Sel1]
3  set_property PACKAGE_PIN J15 [get_ports Sel0]
4  set_property IOSTANDARD LVCMOS33 [get_ports Sel0]
5  set_property PACKAGE_PIN F14 [get_ports MOSI_lec]
6  set_property IOSTANDARD LVCMOS33 [get_ports MOSI_lec]
7  set_property PACKAGE_PIN E15 [get_ports MISO_lec]
8  set_property IOSTANDARD LVCMOS33 [get_ports MISO_lec]
9  set_property PACKAGE_PIN V10 [get_ports Rest_lec]
10 set_property IOSTANDARD LVCMOS33 [get_ports Rest_lec]
11 set_property PACKAGE_PIN F15 [get_ports SCLK_lec]
12 set_property IOSTANDARD LVCMOS33 [get_ports SCLK_lec]
13 set_property PACKAGE_PIN D15 [get_ports SS_lec]
14 set_property IOSTANDARD LVCMOS33 [get_ports SS_lec]
15 set_property PACKAGE_PIN E3 [get_ports SYSCLK_lec]
16 set_property IOSTANDARD LVCMOS33 [get_ports SYSCLK_lec]
17 set_property PACKAGE_PIN H17 [get_ports leds[0]]
18 set_property IOSTANDARD LVCMOS33 [get_ports leds[0]]
19 set_property PACKAGE_PIN K15 [get_ports leds[1]]
20 set_property IOSTANDARD LVCMOS33 [get_ports leds[1]]
21 set_property PACKAGE_PIN J13 [get_ports leds[2]]
22 set_property IOSTANDARD LVCMOS33 [get_ports leds[2]]
23 set_property PACKAGE_PIN N14 [get_ports leds[3]]
24 set_property IOSTANDARD LVCMOS33 [get_ports leds[3]]
25 set_property PACKAGE_PIN R18 [get_ports leds[4]]
26 set_property IOSTANDARD LVCMOS33 [get_ports leds[4]]
27 set_property PACKAGE_PIN V17 [get_ports leds[5]]
28 set_property IOSTANDARD LVCMOS33 [get_ports leds[5]]
29 set_property PACKAGE_PIN U17 [get_ports leds[6]]
30 set_property IOSTANDARD LVCMOS33 [get_ports leds[6]]
31 set_property PACKAGE_PIN U16 [get_ports leds[7]]
32 set_property IOSTANDARD LVCMOS33 [get_ports leds[7]]
```


4) TP 5: Question 8,

Detection (detection_pinloc.XDC)

```
1  set_property PACKAGE_PIN F14 [get_ports mosi]
2  set_property IOSTANDARD LVCMOS33 [get_ports mosi]
3  set_property PACKAGE_PIN E15 [get_ports miso]
4  set_property IOSTANDARD LVCMOS33 [get_ports miso]
5  set_property PACKAGE_PIN D15 [get_ports ss]
6  set_property IOSTANDARD LVCMOS33 [get_ports ss]
7  set_property PACKAGE_PIN F15 [get_ports sclck]
8  set_property IOSTANDARD LVCMOS33 [get_ports sclck]
9  set_property PACKAGE_PIN E3 [get_ports sysclk]
10 set_property IOSTANDARD LVCMOS33 [get_ports sysclk]
11 set_property PACKAGE_PIN J15 [get_ports reset]
12 set_property IOSTANDARD LVCMOS33 [get_ports reset]
13 set_property PACKAGE_PIN H17 [get_ports chute]
14 set_property IOSTANDARD LVCMOS33 [get_ports chute]
15 set_property PACKAGE_PIN V14 [get_ports V[11]]
16 set_property IOSTANDARD LVCMOS33 [get_ports V[11]]
17 set_property PACKAGE_PIN V15 [get_ports V[10]]
18 set_property IOSTANDARD LVCMOS33 [get_ports V[10]]
19 set_property PACKAGE_PIN T16 [get_ports V[9]]
20 set_property IOSTANDARD LVCMOS33 [get_ports V[9]]
21 set_property PACKAGE_PIN U14 [get_ports V[8]]
22 set_property IOSTANDARD LVCMOS33 [get_ports V[8]]
23 set_property PACKAGE_PIN T15 [get_ports V[7]]
24 set_property IOSTANDARD LVCMOS33 [get_ports V[7]]
25 set_property PACKAGE_PIN V16 [get_ports V[6]]
26 set_property IOSTANDARD LVCMOS33 [get_ports V[6]]
27 set_property PACKAGE_PIN U16 [get_ports V[5]]
28 set_property IOSTANDARD LVCMOS33 [get_ports V[5]]
29 set_property PACKAGE_PIN U17 [get_ports V[4]]
30 set_property IOSTANDARD LVCMOS33 [get_ports V[4]]
31 set_property PACKAGE_PIN V17 [get_ports V[3]]
32 set_property IOSTANDARD LVCMOS33 [get_ports V[3]]
33 set_property PACKAGE_PIN R18 [get_ports V[2]]
34 set_property IOSTANDARD LVCMOS33 [get_ports V[2]]
35 set_property PACKAGE_PIN N14 [get_ports V[1]]
36 set_property IOSTANDARD LVCMOS33 [get_ports V[1]]
37 set_property PACKAGE_PIN J13 [get_ports V[0]]
38 set_property IOSTANDARD LVCMOS33 [get_ports V[0]]
```

Ammoury Dayan, Thomadje Ilona, TP Numérique
Electronique, BI (Maj,EEA-Min,Mécanique)