

/home/herik/CPPWebFramework
/CPPWebFramework/cwf/cstlcompilerfor.h

```
graph BT; A["/home/herik/CPPWebFramework  
/CPPWebFramework/cwf/cstlcompilerfor.h"] --> B["/home/herik/CPPWebFramework  
/CPPWebFramework/cwf/cstlcompiler.cpp"]; A --> C["/home/herik/CPPWebFramework  
/CPPWebFramework/cwf/cstlcompilerfor.cpp"];
```

The diagram illustrates a file dependency structure. At the top is a grey rectangular box containing the path to a header file: /home/herik/CPPWebFramework/CPPWebFramework/cwf/cstlcompilerfor.h. Below this box are two white rectangular boxes. The left box contains the path to a source file: /home/herik/CPPWebFramework/CPPWebFramework/cwf/cstlcompiler.cpp. The right box contains the path to another source file: /home/herik/CPPWebFramework/CPPWebFramework/cwf/cstlcompilerfor.cpp. Two blue arrows point from the bottom of the left and right boxes towards the bottom of the top box, indicating that both source files include or depend on the header file.

/home/herik/CPPWebFramework
/CPPWebFramework/cwf/cstlcompiler.cpp

/home/herik/CPPWebFramework
/CPPWebFramework/cwf/cstlcompilerfor.cpp