

```

@allah657:/var/opt/station/Firmware und Scripts $ python test-bh1750.py
error reading light level: [Errno 5] Input/output error
@allah657:/var/opt/station/Firmware und Scripts $ python test-bme280.py
error reading BME280 sensor: Address 00 invalid!
@allah657:/var/opt/station/Firmware und Scripts $ python test-mq135.py
error reading CO2 concentration: [Errno 5] Input/output error
@allah657:/var/opt/station/Firmware und Scripts $ python test-mq135.py
error reading CO2 concentration: [Errno 5] Input/output error
@allah657:/var/opt/station/Firmware und Scripts $ python test-bme280.py
error reading BME280 sensor: Address 00 invalid!

```

I asked the teacher and my classmate and they told me to go to bme280 and go to lib.py and change the chipID

```

__version__ = "1.0.0"

CHIP_ID = 0x58
I2C_ADDRESS_GND = 0x76
I2C_ADDRESS_VCC = 0x77

```

and then i went to each script and changed the address for each sensor

```

ADDRESS = 0x23 # TODO: Change this

```

```

ADDRESS = 0x76 # TODO: Change this

```

```

ADDRESS = 0x48 # TODO: Change this

```

and now it works

```

a@allah657:/opt/station $ sudo python test-bme280.py
Temperature: 23.33586245943443 °C
Pressure: 756.8653484411739 hPa
Humidity: 0.0 %
a@allah657:/opt/station $ sudo python test-bh1750.py
Light Level: 0.0 lux
a@allah657:/opt/station $ sudo python test-
test-bh1750.py test-bme280.py test-mq135.py
a@allah657:/opt/station $ sudo python test-mq135.py
CO2 concentration: 3883 ppm
a@allah657:/opt/station $ sudo reboot
a@allah657:/opt/station $ client_loop: send disconnect: Connection reset
PS C:\Users\allah657\LTDEMDOMAIN>

```

But then the measurements were not showing on the website so my friend told me to change the autostart file so i did

```
maciej@raspberrypi-stama314: ~  
File Edit Tabs Help  
GNU nano 8.4 .config/labwc/autostart  
#!/bin/sh  
  
# Create temp folder  
mkdir -p /tmp/station  
  
# Start your python script  
sudo sh -c "python3 /opt/station/measure.py > /tmp/station/result.csv" &  
  
# Start docker container  
sudo docker start php  
#Wait for service to start  
sleep 5  
  
# Start measurement script using virtual environment  
cd /opt/station  
source venv/bin/activate  
#sudo python3 measure.py &  
  
#Wait for container to start  
sleep 10  
  
# Launch Chromium in kiosk mode  
chromium --kiosk http://localhost:8080
```

It still didnt work so i tried to run the measurment.py and gave me a bunch of errors but i saw toml in one of these errors and figured it was a qoatation problem, so i did qoates between the IP and the path

```
[destination]  
ip = "10.12.2.26"  
path = "/receiver.php"
```

And it worked .

To send the data to the database, i made a php file called receiver.php

```

<?php
// receiver.php
require_once 'config/db.php';

// Check if this is a POST request from the Pi
if ($_SERVER['REQUEST_METHOD'] === 'POST') {

    // Get the data from the Pi
    $serial = $conn->real_escape_string($_POST['station_serial']);
    $temp = $conn->real_escape_string($_POST['temperature']);
    $hum = $conn->real_escape_string($_POST['humidity']);
    $press = $conn->real_escape_string($_POST['pressure']);
    $light = $conn->real_escape_string($_POST['light']);
    $gas = $conn->real_escape_string($_POST['gas']);
    $time = $conn->real_escape_string($_POST['timestamp']);

    // Insert into the database
    $sql = "INSERT INTO measurement (temperature, humidity, pressure, light, gas, timestamp, fk_station_records)
        VALUES ('$temp', '$hum', '$press', '$light', '$gas', '$time', '$serial')";

    if ($conn->query($sql)) {
        echo "Success";
    } else {
        http_response_code(500);
        echo "Error: " . $conn->error;
    }
}
?>

```

And in the toml file i made it send the data to that php , I had some permmission problems with mysql but in the end it worked out and I am not able to send data to the database