


Configuration:

<i>ConfigType</i>	TestConfig
<i>RadioType</i>	yuval
<i>TesterName</i>	
<i>TestReason</i>	
<i>TestDescription</i>	
<i>SelectedDevice</i>	6405c3d2c6586ec15fdbcdf1
<i>TimeStamp</i>	6-3-2023 12:43:37.366
<i>SuitesToRun</i>	['/tests/dlep/DLEP-1.tdf', '/tests/dlep/DLEP-2.tdf', '/tests/snm



## Tests:

### /tests/dlep/DLEP-1.tdf


---

**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A FAILING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INT  
**result:** Fail

**type:** DLEP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST also  
**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass

**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INT  
**result:** Pass

**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A FAILING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INT  
**result:** Fail




**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A FAILING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INT  
**result:** Fail

**type:** DLEP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST also  
**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass


**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INT  
**result:** Pass

**type:** DLEP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST also  
**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass

**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INT



result:	Pass
type:	DLEP
location:	/tests/dlep/DLEP-1.tdf
name:	ITS A PASSING TEST also
test:	EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result:	Pass
type:	SNMP
location:	/tests/dlep/DLEP-1.tdf
name:	ITS A PASSING TEST
test:	EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE SETTABLE OF_TYPE INT
result:	Pass
type:	DLEP
location:	/tests/dlep/DLEP-1.tdf
name:	ITS A PASSING TEST also
test:	EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result:	Pass
type:	SNMP
location:	/tests/dlep/DLEP-1.tdf
name:	ITS A PASSING TEST
test:	EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE SETTABLE OF_TYPE INT
result:	Pass
type:	DLEP




```
location:      /tests/dlep/DLEP-1.tdf
name:          ITS A PASSING TEST also
test:          EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result:        Pass

type:          SNMP
location:      /tests/dlep/DLEP-1.tdf
name:          ITS A PASSING TEST
test:          EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE SETTABLE OF_TYPE INT
result:        Pass

type:          DLEP
location:      /tests/dlep/DLEP-1.tdf
name:          ITS A PASSING TEST also
test:          EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result:        Pass

type:          SNMP
location:      /tests/dlep/DLEP-1.tdf
name:          ITS A PASSING TEST
test:          EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE SETTABLE OF_TYPE INT
result:        Pass

type:          DLEP
location:      /tests/dlep/DLEP-1.tdf
name:          ITS A PASSING TEST also
test:          EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result:        Pass
```



**type:** SNMP  
**location:** /tests/dlep/DLEP-1.tdf  
**name:** ITS A PASSING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INT  
**result:** Pass

## **/tests/dlep/DLEP-2.tdf**


---

**type:** DLEP  
**location:** /tests/dlep/DLEP-2.tdf  
**name:** Just another example for yuval's brain  
**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass

**type:** DLEP  
**location:** /tests/dlep/DLEP-2.tdf  
**name:** Just another example for yuval's brain  
**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass

**type:** SNMP  
**location:** /tests/dlep/DLEP-2.tdf  
**name:** An extremely simple snmp test  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INT  
**result:** Pass

**type:** DLEP  
**location:** /tests/dlep/DLEP-2.tdf  
**name:** Just another example for yuval's brain



**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass

**type:** DLEP  
**location:** /tests/dlep/DLEP-2.tdf  
**name:** Just another example for yuval's brain  
**test:** EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"  
**result:** Pass


**type:** SNMP  
**location:** /tests/dlep/DLEP-2.tdf  
**name:** HO MY GOD, SO SIMPLE TEST, IT'S OVERWHELMING  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INT  
**result:** Fail

## **/tests/snmp/SNMP-1.tdf**

---

**type:** SNMP  
**location:** /tests/snmp/SNMP-1.tdf  
**name:** ITS A FAILING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INT  
**result:** Fail

**type:** SNMP  
**location:** /tests/snmp/SNMP-1.tdf  
**name:** ITS A FAILING TEST  
**test:** EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INT  
**result:** Fail



```
type: DLEP
location: /tests/snmp/SNMP-1.tdf
name: ITS A PASSING TEST also
test: EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result: Pass


type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A PASSING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE SETTABLE OF_TYPE INT
result: Pass

type: DLEP
location: /tests/snmp/SNMP-1.tdf
name: ITS A PASSING TEST also
test: EXPECT SIGNAL "Peer_Offer" TO_INCLUDE DATA_ITEM "Peer_Type"
result: Pass

type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A PASSING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE SETTABLE OF_TYPE INT
result: Pass

type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A FAILING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
```





result:	Fail
type:	SNMP
location:	/tests/snmp/SNMP-1.tdf
name:	ITS A FAILING TEST
test:	EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result:	Fail
type:	SNMP
location:	/tests/snmp/SNMP-1.tdf
name:	ITS A FAILING TEST
test:	EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result:	Fail
type:	SNMP
location:	/tests/snmp/SNMP-1.tdf
name:	ITS A FAILING TEST
test:	EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result:	Fail
type:	SNMP
location:	/tests/snmp/SNMP-1.tdf
name:	ITS A FAILING TEST
test:	EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result:	Fail
type:	SNMP



```
location: /tests/snmp/SNMP-1.tdf
name: ITS A FAILING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result: Fail

type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A FAILING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result: Fail

type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A FAILING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result: Fail

type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A FAILING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result: Fail

type: SNMP
location: /tests/snmp/SNMP-1.tdf
name: ITS A FAILING TEST
test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO_BE READONLY OF_TYPE INT
result: Fail
```