

# Configuration:

ConfigType TestConfig

RadioType dan

*TesterName* 

TestReason

TestDescription

SelectedDevice 6405e4b8a4a8f891583fb168

TimeStamp 6-3-2023 15:3:55.628

SuitesToRun ['/tests/dlep/DLEP-1.tdf', '/tests/dlep/DLEP-2.tdf', '/tests/snm



#### Tests:

# /tests/dlep/DLEP-1.tdf

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail



type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH VALUE "=93"

result: Fail

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST



test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass



type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: DLEP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"



result: Pass

type: SNMP

location: /tests/dlep/DLEP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass



## /tests/dlep/DLEP-2.tdf

type: DLEP

location: /tests/dlep/DLEP-2.tdf

name: Just another example for yuval's brain

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: DLEP

location: /tests/dlep/DLEP-2.tdf

name: Just another example for yuval's brain

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-2.tdf

name: An extremely simple snmp test

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: DLEP

location: /tests/dlep/DLEP-2.tdf

name: Just another example for yuval's brain

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: DLEP



location: /tests/dlep/DLEP-2.tdf

name: Just another example for yuval's brain

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/dlep/DLEP-2.tdf

name: HO MY GOD, SO SIMPLE TEST, IT'S OVERWHELMING

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail



## /tests/snmp/SNMP-1.tdf

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: DLEP

location: /tests/snmp/SNMP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass



type: DLEP

location: /tests/snmp/SNMP-1.tdf

name: ITS A PASSING TEST also

test: EXPECT SIGNAL "Peer\_Offer" TO\_INCLUDE DATA\_ITEM "Peer\_Type"

result: Pass

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A PASSING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE SETTABLE OF\_TYPE INTEGER

result: Pass

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf



name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf



name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH\_VALUE "=93"

result: Fail

type: SNMP

location: /tests/snmp/SNMP-1.tdf

name: ITS A FAILING TEST

test: EXPECT OID "1.3.6.1.4.1.8073.1.1.4.0" TO\_BE READONLY OF\_TYPE INTEGER

WITH VALUE "=93"

result: Fail