

# Introduction to Python

## General Introduction, Basic Data Types, Functions

Christopher Barker

UW Continuing Education / Isilon

June 20, 2012

# Table of Contents

- 1 Intro to the Class
- 2 What is Python?
- 3 Values, Expressions, and Types
- 4 Functions
- 5 Wrap Up

# Instructors

Christopher Barker: [PythonCHB@gmail.com](mailto:PythonCHB@gmail.com)

Dan Rutz: [danrutz@hotmail.com](mailto:danrutz@hotmail.com)

# Chris' History

## First computer:

- Commodore Pet – 8k RAM
  - Basic

## High School:

- PDP 11 – paper printer terminal 200baud modem
  - Basic

# Chris' History

## First computer:

- Commodore Pet – 8k RAM
  - Basic

## High School:

- PDP 11 – paper printer terminal 200baud modem
  - Basic

## College:

- Pascal: VAX/VMS 750
- Scheme: Unix VAX 780

# Chris' History

## First computer:

- Commodore Pet – 8k RAM
  - Basic

## High School:

- PDP 11 – paper printer terminal 200baud modem
  - Basic

## College:

- Pascal: VAX/VMS 750
- Scheme: Unix VAX 780

Then a long Break: Theater Arts Major, Scenery, Lighting...

# Chris' History

## Back to School: PhD Engineering

- DOS / Windows 3.1
  - FORTRAN
  - MATLAB
  - Discovered Linux (RedHat 2.0)

# Chris' History

## Back to School: PhD Engineering

- DOS / Windows 3.1
  - FORTRAN
  - MATLAB
  - Discovered Linux (RedHat 2.0)

## Now:

- Oceanographer for NOAA
- Oil Spill Modeling
- Software Development



## Chris' History

### Back to School: PhD Engineering

- DOS / Windows 3.1
  - FORTRAN
  - MATLAB
  - Discovered Linux (RedHat 2.0)

### Now:

- Oceanographer for NOAA
- Oil Spill Modeling
- Software Development

Gave TCL a try.....

## Chris' History

### Back to School: PhD Engineering

- DOS / Windows 3.1
  - FORTRAN
  - MATLAB
  - Discovered Linux (RedHat 2.0)

### Now:

- Oceanographer for NOAA
- Oil Spill Modeling
- Software Development

Gave TCL a try.....

Gave Perl a try.....

# Chris' History

## Discovered Python in 1998

- It could do what Perl could do,
  - what TCL could do, what MATLAB could do,
- But I liked it – it fit my brain

## My Python use now:

- Lots of text file crunching
- Lots of data processing scripts
- Automation of downloading, processing data
- Desktop GUIs (wxPython)
- computational code
- wrapping C/C++ code
- web apps (Pylons, Pyramid)
- GIS processing
- Ask me about "BILS"

# Who are you?

## A bit about you:

- name
- What do you do at Isilon?
- programing background (languages)

# Class Structure

## github project

<https://github.com/PythonCHB/PythonIntroClass>

### Syllabus:

[github.com/PythonCHB/PythonIntroClass/wiki/Syllabus](https://github.com/PythonCHB/PythonIntroClass/wiki/Syllabus)

### Code, etc:

#### git:

<https://github.com/PythonCHB/PythonIntroClass.git>

#### svn:

`svn co https://github.com/PythonCHB/PythonIntroClass`

# Class Structure

## Class Time

- Some lecture
- Lots of demos
- Lots of hand-on practice
- Interrupt me with questions – please!

## Homework

- Assigned at each class
- Due Sunday night
- I'll review at the next class

# Lightning Talks

## Lightning talks

- 5 minutes (including setup) - no kidding!
- Every student will give one
- Purposes: introduce yourself, share interests, also show Python applications
- Any topic you like, that is related to Python – according to you!

# What is Python?

- Dynamic
- Object oriented
- Byte-compiled
- interpreted
- ....



# Python Ecosystem

Used for:

- CS education (this course!)
- Application scripting (GIS, GNU Radio, Blender...)
- Systems administration and "glue"
- Web applications (Django etc. etc. etc.)
- Scientific/technical computing (a la MATLAB, Mathematica, also BioPython etc. ..)
- Software tools (automated software testing, distributed version control, ...)
- Research (natural language, graph theory, distributed computing, ...)

An unusually large number of niches – versatile

# Python Ecosystem

Used by:

- Beginners
- Professional software developers, computer system administrators, ...
- Professionals OTHER THAN computer specialists: biologists, urban planners, ....

An unusually large number of types of users – versatile

You can be productive in Python WITHOUT full-time immersion!

# Python Features

## Gets many things right:

- Readable – looks nice, makes sense
- No ideology about best way to program – object-oriented programming, functional, etc.
- No platform preference – Windows, Mac, Linux, ...
- Easy to connect to other languages – C, Fortran - essential for science/math
- Large standard library
- Even larger network of external packages
- Countless conveniences, large and small, make it pleasant to work with

# Python Features

## Features:

- Unlike C, C++, C#, Java ... More like Ruby, Lisp, Perl, Matlab, Mathematica ...
- Dynamic - no type declarations
  - programs are shorter
  - programs are more flexible
  - less code means fewer bugs
- Interpreted - no separate compile, build steps - programming process is simpler

# Python Versions

## Python 2.\*

“Classic” Python – evolved from original

## Python 3.\* (“py3k”)

Updated version – removed the “warts” allowed to break code (but really not all that different). Not all that well adopted yet – many packages not supported.

This class uses Python 2.7 not Python 3

# Implementations

- Jython (JVM)
- Iron Python (.NET)
- PyPy – Python written in Python (actually RPy...)

We will use CPython 2.7 from [python.org](http://python.org) for this course.

## A Tiny Bit of History

Invented/developed by Guido van Rossum in 1989 – first version was written on a Mac. Time of origin similar to TCL and Perl.

Date	Version
Dec 1989	started
Feb 1991	0.9.0
Jan 1994	1.0.0
Apr 1999	1.5.2
Sept 2006	2.5
Dec 2008	3.0
Jul 2010	2.7

GvR at Google – still the BDFL



Code swarm for Python history: <http://vimeo.com/1093745>

# What's a Dynamic language

Strong, Dynamic typing.

- Type checking and dispatch happen at run-time

$$X = A+B$$



# What's a Dynamic language

Strong, Dynamic typing.

- Type checking and dispatch happen at run-time

$X = A+B$

- What is A?
- What is B?
- What does is mean to add them?

# What's a Dynamic language

Strong, Dynamic typing.

- Type checking and dispatch happen at run-time

$X = A+B$

- What is A?
- What is B?
- What does is mean to add them?
- A and B can change at any time before this process

# Using Python

All you need for Python:

- A good programmer's text editor
  - Good Python mode
  - Particularly indentation!
- The command line to run code
- The interactive shell
  - regular interpreter
  - IPython is an excellent enhancement  
<http://ipython.org/>

There are lots of Editors, IDEs, etc.:  
maybe you'll find one you like.

# Running Python Code

- At an interpreter prompt:

```
$ python  
>>> print 'Hello, world!'  
Hello, world!
```

# Running Python Modules

## Running Modules

- a file that contains Python code, filename ends with `.py`
- ❶ `$ python hello.py` – must be in current working directory
- ❷ `$ python -m hello` – any module on PYTHONPATH anywhere on the system
- ❸ `$ ./hello.py` – put `#!/usr/env/python` at top of module (Unix)
- ❹ `$ python -i hello.py` – import module, remain in interactive session
- ❺ `>>> import hello` – at the python prompt – importing a module executes its contents
- ❻ In `[79]: run hello.py` – at the IPython prompt – running a module brings the names into the interactive namespace

# Documentation

python.org docs:

<http://docs.python.org/index.html>

Particularly the library reference:

<http://docs.python.org/library/index.html>

(The tutorial is pretty good, too)

# PEPs

<http://www.python.org/dev/peps/>

PEP 1 PEP Purpose and Guidelines

PEP 8 Style Guide for Python Code

PEP 20 the Zen of Python

# pydoc

Suite of tools for processing “docstrings”

And an online source at the interpreter:

```
>>> from pydoc import help
```

```
>>> help(int)
```

Help on class int in module \_\_builtin\_\_:

```
class int(object)
```

```
| int(x[, base]) -> integer
```

```
|
```

```
| Convert a string or number to an integer, if possible.
```

```
...
```

or: `$ pydoc`

(but I prefer IPython's ?)



# Documentation

google

But be careful!

Lots of great info out there!

Most of it is opinionated and out of date.  
(might still be correct, though!)

# Lab

## Getting everyone on-line and at a command line.

- Log in
- Do a git or SVN checkout of the project
- Start up the Python interpreter:

```
$ python ( ctrl+D to exit )
```

- Run hello.py
- Create a file in your editor and save it
- Start up IPython

```
$ ipython ( also ctrl+D to exit )
```

- Run hello.py in IPython
- use ? in IPython on anything...

if you have time:

<http://learnpythonthehardway.org/book/ex1.html>

# Values, expressions, and types

Values (data) vs. variables (names with values)

- Values are pieces of unnamed data: 42, 'Hello, world',
- In Python, all values are objects  
Try `dir(42)` - lots going on behind the curtain! (demo)
- Every value belongs to a type: integer, float, str, ... (demo)
- An expression is made up of values and operators, is evaluated to produce a value – `2 + 2`, etc.
- Python interpreter can be used as a calculator to evaluate expressions (demo)
- Integer vs. float arithmetic (demo)
- Type errors - checked at run time only (demo)
- Type conversions (demo)

# Variables

Variables are names for values - objects

- Variables don't have a type; values do – this is where the dynamic comes from

```
>>> type(42)
<type 'int'>
>>> type(3.14)
<type 'float'>
>>> a = 42
>>> b = 3.14
>>> type(a)
<type 'int'>
>>> a = b
>>> type(a)
<type 'float'>
```

# Assignment

Assignment is really name binding:

Attaching a name to a value

A value can have many names (or none!)

= assigns

== checks equality

is checks identity

id() queries identity

(demo)

# Assignment

## Multiple Assignment

```
a, b = 1, 2
```

# Operator Precedence

Operator Precedence determines what evaluates first:

$4+3*5 \neq (4+3)*5$  – Use parentheses !

Precedence of common operators:

Arithmetic

`**`

`+x`, `-x`

`*`, `/`, `%`

`+`, `-`

Comparisons:

`<`, `<=`, `>`, `>=`, `!=`, `==`

Boolean operators:

`or`, `and`, `not`

Membership and Identity:

`in`, `not in`, `is`, `is not`

# string literals

```
'a string'
```

```
"also a string"
```

```
"a string with an apostrophe: isn't it cool?"
```

```
' a string with an embedded "quote" '
```

```
""" a multi-line
```

```
string
```

```
all in one
```

```
"""
```

```
"a string with an \n escaped character"
```

```
r'a "raw" string the \n comes through as a \n'
```



## key words

A bunch:

and	del	from	not	while
as	elif	global	or	with
assert	else	if	pass	yield
break	except	import	print	
class	exec	in	raise	
continue	finally	is	return	
def	for	lambda	try	

# and the built-ins..

Try this:

```
>>> dir(__builtins__)
```

# LAB

From LPTHW

<http://learnpythonthehardway.org/book/ex3.html>

<http://learnpythonthehardway.org/book/ex4.html>

<http://learnpythonthehardway.org/book/ex5.html>  
(and 6 – 8 if you get bored...)

# Functions

## Minimal Function

```
def <name>():  
    <statement>
```

# Functions

## Minimal Function

```
def <name>():  
    <statement>
```

## Pass Statement

```
def <name>():  
    pass
```

# Functions

## Minimal Function

```
def <name>():  
    <statement>
```

## Pass Statement

```
def <name>():  
    pass
```

def is a statement:

- it is executed
- it creates a local variable

# Lightning Talks

function defs must be executed before the functions can be called

# Lightning Talks

function defs must be executed before the functions can be called

functions call functions this makes a stack that's all a trace back is



# Stack

```
def exceptional():  
    print "I am exceptional!"  
    print 1/0  
def passive():  
    pass  
def doer():  
    passive()  
    exceptional()
```

# Stack

```
I am exceptional!
```

```
Traceback (most recent call last):
```

```
  File "functions.py", line 15, in <module>  
    doer()
```

```
  File "functions.py", line 12, in doer  
    exceptional()
```

```
  File "functions.py", line 5, in exceptional  
    print 1/0
```

```
ZeroDivisionError: integer division or modulo by zero
```

# Lightning Talks

Assign times for lightning talks

Let's use Python for that!

## Wrap Up

Assignment – Due midnight, Sun, June 24.

Think Python: Chapters (1), 2, 3, 4, 5, 6, 7, 8

Pick something you'd like to automate that Python may be able to do. Write out a description of the problem

Coding is the only way to learn to code. Do a CodingBat exercise every day.

- visit <http://codingbat.com>
- sign up for an account
- goto prefs page
- Share To: PythonCHB@gmailcom

Do two exercises from CodingBat: Warmup-1