

# GraphQL


November 2018

# GraphQL or APIs done right

November 2018

Danielo **JEAN-LOUIS**  
Front-end developer

# Current workflow of an API



# Current workflow of an API

- Front-end asks for a resource
- Backend analyse the request
- Backend queries the db
- DB returns the data
- Backend returns the resource

**Works well but...**

**...what's happen  
if the response is too complex ?**



**At Facebook,  
they have (I guess) User Stories like this one**

**As a user I want to know if one of my  $n+2$  friend likes french fries and only this**



**Me**



**Friend**



**Friend of  
friend of  
friend**

**{ }**

**{ { } }**

**{ { { } } }**

GET /users/me

```
{  
  "user": {  
    [...]  
    friends: [1, 2, 3, 4...]  
  }  
}
```

GET /users/me

```
{  
  "user": {  
    [...]  
    friends: [1, 2, 3, 4...]  
  }  
}
```

**Oh wait, I need my friends' friends**

GET /users/me

GET /users/23

```
{  
  "user": {  
    [...]  
    friends: [1, 2, 3, 4...]  
  }  
}
```

GET /users/me

GET /users/23

```
{  
  "user": {  
    [...]  
    friends: [1, 2, 3, 4...]  
  }  
}
```

**Oh wait, I need my friends' friends' friends**

**For  $n+2$  level friend's info, I need to do, at least, **three** requests**



**And there's more problems!**

# Problems

- Bunch of useless keys returned\*
- Use bandwidth intensively
- Multiple queries
- Can lead to complex queries
- Multiple endpoints (One for each CRUD part)

\* Yeah, we can pass has parameters which ones I need, but... no

**Change request !**

**The product owner doesn't want  
this feature anymore**

**But what about the old version of the app?**

**I can't remove the key  
“love\_french\_fries”.\***

\* Yeah, we can create a new version of the API, but... no

**What about new developers and  
API's documentation ?**

**I forgot to create a swagger file.**



**Facebook devs had to handle this  
often, too often**

**So they created GraphQL**

# GraphQL

Developed by Facebook

Used internally since 2012

Open sourced in July 2015

Exists for almost all backend languages

## Sources

<https://graphql.org/learn/queries/>

# GraphQL

No new server type

# GraphQL

No new server type


No new programming language


**Just a data query language for your  
APIs**

**You get only what you want, what  
you need**

# Workflow with GraphQL







**Let's summary our main problems  
with the old way**

# Main problems with the old way

- Over-fetching (useless keys)
- Documentation
- Multiple queries

# Over-fetching

```
1 {  
2   graphqlHub  
3   reddit {  
4     subreddit(name: "graphql") {  
5       title  
6     }  
7   }  
8 }  
9
```

```
{  
  "data": {  
    "graphqlHub": "Use GraphQLHub to explore popular APIs with GraphQL! Created by Clay Allsopp @  
    "reddit": {  
      "subreddit": {  
        "title": "GraphQL"  
      }  
    }  
  }  
}
```

**Over-fetching**

# ~~Over-fetching~~\*

\* It also fixes the issue with the API versioning

# Documentation

GraphQL need a data schema in order to work and to create the documentation **automatically**



# Documentation

< RedditSubreddit **RedditLink** ×

A link posted to a subreddit

**FIELDS**

title: String!

fullnameld: String!

score: Int!

numComments: Int!

url: String!

author: RedditUser!

comments(depth: Int, limit: Int): [RedditComment]!

# Documentation

**~~Documentation~~**

# Multiple queries

- We provide a data schema to GraphQL

# Multiple queries

- We provide a data schema to GraphQL
- The data schema contains entities relationships

# Multiple queries

- We provide a data schema to GraphQL
- The data schema contains entities relationships
- And we get in **one query** everything we need

# Multiple queries

```
1 {  
2   graphqlHub  
3   reddit {  
4     subreddit(name: "graphql") {  
5       title  
6       hotListings(limit: 3) {  
7         title  
8         author {  
9           fullNameId  
10          username  
11        }  
12      }  
13    }  
14  }  
15 }  
16
```

```
{  
  "data": {  
    "graphqlHub": "Use GraphQLHub to explore popular APIs with GraphQL! Created by Clay Allsopp @c",  
    "reddit": {  
      "subreddit": {  
        "title": "GraphQL",  
        "hotListings": [  
          {  
            "title": "graphql-kotlin: Generate a GraphQL schema from Kotlin code",  
            "author": {  
              "fullNameId": "t2_9m25m",  
              "username": "smyrick"  
            }  
          },  
          {  
            "title": "This belongs here:",  
            "author": {  
              "fullNameId": "t2_e9vd8",  
              "username": "ISkiAtAlta"  
            }  
          },  
          {  
            "title": "altair-express-middleware- express middleware for mounting an instance of al",  
            "author": {  
              "fullNameId": "t2_qabe1",  
              "username": "imolorhe"  
            }  
          }  
        ]  
      }  
    }  
  }  
}
```

# Multiple queries



~~Multiple queries~~

**All of our problems are fixed**

# GraphQL other nice features

- fragment
- mutations (for RUD of CRUD)
- query aliases
- filters
- directives
- and more

## Sources

<https://graphql.org/learn/queries/>

**Demo**

# Who's using GraphQL?

- Facebook
- GitHub
- Pinterest
- Allocine
- Shopify

...

## Sources

<https://graphql.org/users/>

# Who's using GraphQL?

- Facebook
- GitHub
- Pinterest
- Allocine
- Shopify
- ...
- You?

## Sources

<https://graphql.org/users/>

# Who's using GraphQL?

- Facebook
- GitHub
- Pinterest
- Allocine
- Shopify
- ...
- You?
- Your backend developers?

## Sources

<https://graphql.org/users/>

# Summary / conclusion

- GraphQL is not a new programming language
- It allows to “get only what you want” from backen
- Fixes frequent problems with “classic API”





**Questions ?**



# More resources

- Presentation + examples:

<https://github.com/DanYellow/presentations/tree/master/graphql>

- GraphQL playgrounds:

<http://apis.guru/graphql-apis/> deez

- Official documentation:

<https://graphql.org/>