Impact of AI & ML in Gynecology

A Comprehensive Review of Artificial Intelligence and Machine Learning Applications in Women's Reproductive Healthcare

Diagnostic Imaging • Risk Prediction • Precision Medicine • Surgical AI • Ethics

Review Paper | 2025-2026

Table of Contents

1. Abstract
2. Introduction
3. Early Risk Prediction
   - 3.1 Predicting Cancer Risk
   - 3.2 Predicting Disease Recurrence
   - 3.3 Using Genetic & Lab Data
4. Clinical Diagnosis
   - 4.1 Cancer Detection
   - 4.2 Imaging Analysis
5. Personalized & Precision Medicine
   - 5.1 Predicting Treatment Response
   - 5.2 Choosing the Best Therapy
6. Treatment & Surgical Support
   - 6.1 Surgical Planning
   - 6.2 AI During Surgery
   - 6.3 Clinical Decision Support Tools
7. Ethics & Healthcare Integration
   - 7.1 Algorithm Reliability & Model Accuracy
   - 7.2 Data Privacy
   - 7.3 Bias & Fairness
8. Conclusion & Future Directions
9. References

1. Abstract


Artificial intelligence (AI) and machine learning (ML) are increasingly transforming gynecologic practice across the full clinical spectrum, from screening and early detection to intraoperative guidance and long-term outcome prediction. This review synthesizes current evidence on the application of AI/ML technologies in women's reproductive healthcare, covering five major domains: early risk prediction, clinical diagnosis, personalized and precision medicine, treatment and surgical support, and the ethical and healthcare integration challenges that accompany these innovations. While deep learning models and radiomics-based frameworks have demonstrated promising diagnostic performance in cervical, ovarian, and endometrial cancer imaging, persistent challenges around dataset limitations, algorithmic bias, clinical workflow integration, and regulatory readiness continue to temper the translational impact of these tools. This paper examines both the achievements and the remaining barriers, offering a roadmap for responsible and clinically meaningful integration of AI into gynecologic care.

Keywords: Artificial Intelligence, Machine Learning, Gynecology, Deep Learning, Cervical Cancer, Ovarian Cancer, Endometrial Cancer, Radiomics, Clinical Decision Support, Personalized Medicine, Surgical AI, Algorithmic Bias, Healthcare Ethics

2. Introduction

Artificial intelligence (AI) and machine learning (ML) are reshaping modern healthcare by enabling high-precision data analysis and decision-support across clinical specialties. In gynecology—the branch of medicine focused on women's reproductive health—these technologies are gaining traction as tools that can improve diagnostic accuracy, reduce variability, and support clinical decision making. Traditional workflows in gynecologic imaging depend heavily on subjective interpretation by clinicians, which can be influenced by experience, fatigue, and inter-observer differences. In contrast, AI and ML algorithms can analyze large volumes of imaging and clinical data to identify patterns that may be difficult for humans to discern, offering the potential to enhance early detection and streamline diagnostic pathways [1], [2].

Figure 1. *Taxonomy of AI & ML Applications in Gynecology*



In practical terms, AI-assisted imaging has shown promise across a range of gynecological conditions. Deep learning and radiomics frameworks have been developed to differentiate between benign and malignant tumors, characterize lesions, and support automated segmentation on ultrasound and MRI scans,

particularly in cervical, ovarian, and endometrial cancer imaging. Several studies report that convolutional neural networks (CNNs) and deep radiomics nomograms can achieve high accuracy when distinguishing normal from pathological tissue, even in complex pelvic imaging datasets [3]. Systematic reviews also show that AI-based ultrasound models can outperform traditional machine learning techniques in identifying malignant masses, although the diversity and size of available datasets remain limited [4].

Despite these promising developments, important challenges remain. One of the most persistent issues is the dependence on relatively small and retrospective datasets, often collected from single centers, which limits the ability of models to generalize across diverse patient populations. Many studies highlight methodological heterogeneity, inconsistent reporting standards, and limited integration into clinical workflows [3]. Furthermore, few studies rigorously examine algorithmic bias or demographic representation, both of which are critical for developing equitable diagnostic tools.

Beyond static imaging, AI's potential in intraoperative guidance remains underexplored. For instance, the use of fluorescence-guided surgery (FgS) to assist sentinel lymph node mapping is clinically established, but validated AI methods for interpreting real-time fluorescence signals during gynecologic procedures are still scarce. Shafi et al. [5] highlight this translational gap, noting that direct application of AI to intraoperative fluorescence interpretation is not yet mature in gynecologic oncology. Addressing technical bottlenecks such as model interpretability, real-time integration, and user trust will be essential to extend AI's benefits from diagnostics into operative support.

Table 1: *Overview of Key AI/ML Application Domains in Gynecology*

Domain	Core Applications	Key Challenges
Early Risk Prediction	Cancer risk scoring, HPV-based models, recurrence prediction	Retrospective data, limited prospective validation
Clinical Diagnosis	Tumor classification, imaging segmentation, colposcopy AI	Dataset diversity, methodological heterogeneity
Precision Medicine	Treatment response prediction, therapy optimization	Multi-omics integration complexity, cost
Surgical Support	Intraoperative guidance, robotic-assisted surgery	Real-time latency, regulatory approval
Ethics & Integration	Bias auditing, data privacy, clinical workflow fit	Regulatory frameworks, trust, accountability

3. Early Risk Prediction

One of the most important uses of artificial intelligence in gynecology is early risk prediction. Machine learning algorithms seek to identify women at higher risk at an earlier stage of the disease rather than detecting it only after symptoms manifest. Preventive measures, individualized monitoring, and more focused screening initiatives are all supported by this strategy.

AI-based risk stratification models have been created in gynecologic oncology to combine genomic data, laboratory results, and clinical characteristics to categorize patients into various risk groups. ML algorithms frequently show greater prediction accuracy when compared to traditional statistical methods because they are more adept at handling complicated and nonlinear interactions within huge datasets [6].

3.1 Predicting Cancer Risk

The creation of multicenter machine learning models for predicting the risk of cervical cancer using HPV genotyping data is a compelling example. These models' high diagnostic accuracy and external validation across sizable patient groups imply that AI-assisted technologies may improve the effectiveness of cervical screening by more accurately identifying high-risk patients [7]. Similar approaches have been applied to ovarian cancer, where ensemble classifiers combining clinical markers, CA-125 levels, and imaging features have shown area under the curve (AUC) values exceeding 0.90 in multiple validation cohorts, outperforming single-marker screening strategies.

> **Key Insight:** Multicenter ML models for cervical cancer risk prediction using HPV genotyping have demonstrated high diagnostic accuracy with successful external validation, suggesting potential to improve screening program effectiveness significantly [7].

3.2 Predicting Disease Recurrence

AI has also been used to evaluate endometrial cancer prognoses. Machine learning algorithms have been employed to estimate recurrence risk based on clinical and pathological parameters, facilitating more customized follow-up plans [8]. Recurrence prediction models incorporating tumor grade, stage, lymphovascular space invasion, and molecular subtype have demonstrated superior discrimination compared to conventional clinicopathological risk grouping systems. These tools may enable clinicians to tailor surveillance intensity and adjuvant therapy recommendations based on individualized risk profiles.

3.3 Using Genetic & Lab Data

A growing body of research explores the integration of multi-omics data—including genomic, transcriptomic, proteomic, and metabolomic profiles—into AI-driven risk prediction frameworks. Deep learning models trained on gene expression panels have been shown to stratify patients with high-grade serous ovarian carcinoma into distinct prognostic groups more effectively than histological grading alone. The integration of routine laboratory markers such as complete blood count ratios, inflammatory indices, and hormonal profiles further enriches these predictive frameworks.

Even with encouraging results, the majority of prediction models are based on retrospective data and need additional prospective validation before being widely used in clinical settings. Problems with process integration, interpretability, and generalizability remain important challenges.


4. Clinical Diagnosis

Clinical diagnosis represents one of the most mature application areas for AI in gynecology. AI-powered diagnostic tools aim to augment the clinician's ability to detect, classify, and characterize gynecologic pathologies with greater speed and consistency than manual interpretation alone.

4.1 Cancer Detection

Deep learning methods, particularly convolutional neural networks (CNNs), have been extensively applied to cervical cancer screening, where they analyze digitized colposcopy images and cytology slides to classify cervical intraepithelial neoplasia (CIN) grades with high sensitivity and specificity [3]. These systems can process hundreds of images per hour, offering a scalable solution for resource-limited settings. In ovarian cancer diagnosis, radiomics-based models that extract quantitative texture, shape, and intensity features from ultrasound and MRI images have demonstrated the ability to distinguish benign from malignant adnexal masses with performance comparable to experienced radiologists [4]. Endometrial cancer detection has similarly benefited from ML classifiers trained on hysteroscopic images.

Figure 3. *Reported AI Diagnostic Performance (AUC) by Cancer Type and Method*



Clinical Significance: AI-based colposcopy and cytology analysis systems can process hundreds of images per hour, offering scalable screening solutions for settings where expert pathologists are limited—a critical advantage for global cervical cancer elimination efforts.

4.2 Imaging Analysis

Beyond binary classification, AI models are increasingly used for segmentation tasks that delineate anatomical structures and tumor boundaries in gynecologic imaging. Automated segmentation of cervical tumors on MRI enables precise volumetric measurements that correlate with treatment response and prognosis. U-Net architectures and their variants have become the standard backbone for medical image segmentation, achieving Dice similarity coefficients above 0.85 in well-curated datasets [3].

Deep radiomics nomograms combine handcrafted and deep features to generate comprehensive imaging biomarkers for tumor characterization. In pelvic MRI, these nomograms have been used to predict lymph node metastasis in cervical cancer, deep myometrial invasion in endometrial cancer, and chemotherapy response in ovarian cancer. The integration of multi-parametric imaging data—including diffusion-weighted imaging (DWI), dynamic contrast-enhanced (DCE) sequences, and T2-weighted images—enhances model performance by capturing complementary biological information.

Table 2: *Reported AI Diagnostic Performance in Gynecologic Cancer Imaging*

Cancer Type	AI Method	Imaging	Reported AUC
Cervical	CNN/ResNet	Colposcopy	0.87 – 0.95
Ovarian	Radiomics + SVM	Ultrasound	0.85 – 0.93
Ovarian	Deep Radiomics	MRI	0.88 – 0.96
Endometrial	Random Forest	MRI	0.82 – 0.91
Endometrial	CNN	Hysteroscopy	0.84 – 0.92

5. Personalized & Precision Medicine

The convergence of AI with multi-omics profiling and high-resolution clinical data is enabling a shift from one-size-fits-all treatment paradigms toward personalized and precision medicine in gynecologic care. AI systems can integrate heterogeneous data sources—genomic mutations, gene expression profiles, imaging features, and clinical parameters—to generate individualized treatment recommendations.

5.1 Predicting Treatment Response

Machine learning models have been developed to predict individual patient responses to chemotherapy, radiation therapy, and immunotherapy in gynecologic oncology. In ovarian cancer, models trained on pre-treatment imaging features and molecular biomarkers have demonstrated the ability to predict platinum sensitivity, potentially enabling clinicians to identify patients unlikely to respond to standard first-line regimens and redirect them toward alternative therapies earlier.


Similarly, in cervical cancer, AI-based radiomic signatures extracted from pre-treatment MRI have shown promise in predicting response to concurrent chemoradiation therapy (CCRT). These models can capture spatial heterogeneity within tumors that correlates with treatment resistance mechanisms, offering a non-invasive complement to biopsy-based molecular profiling.

5.2 Choosing the Best Therapy

Beyond predicting response to a given therapy, AI systems are increasingly being designed to support comparative therapy selection—recommending the optimal treatment strategy from among multiple available options based on a patient's unique clinical and molecular profile. Multi-task learning frameworks that simultaneously predict outcomes for several treatment modalities can present clinicians with a ranked set of therapeutic options alongside estimated probabilities of response, progression-free survival, and toxicity.

Knowledge graph-based approaches are also emerging, linking patient data to curated treatment-outcome databases to identify analogous cases and recommend therapies based on historical patterns. In endometrial cancer, molecular classification systems (e.g., TCGA-based subtypes) combined with ML classifiers can guide decisions about adjuvant therapy intensity, balancing oncologic efficacy against quality of life.

Figure 2. *AI-Powered Gynecologic Clinical Workflow Pipeline*


AI-Powered Gynecologic Clinical Workflow
Data Acquisition
Pre-processing
AI/ML Analysis
Clinical Decision
Outcome Monitoring
Imaging, EHR, Genomic, Lab
Normalization, Augmentation
CNN, Radiomics, NLP, Ensemble
Risk Score, Diagnosis, Rx
Follow-up, Recurrence
Continuous Learning & Feedback Loop
Cross-Cutting Requirements
Validation
Bias Audit
Privacy
Regulation

6. Treatment & Surgical Support

AI technologies are beginning to extend beyond diagnostics and treatment planning into the operating room itself, supporting surgeons with enhanced visualization, real-time decision aids, and intelligent robotic platforms.

6.1 Surgical Planning


Pre-operative AI applications include automated 3D reconstruction of pelvic anatomy from cross-sectional imaging, enabling surgeons to visualize tumor extent, vascular relationships, and planned resection margins before entering the operating room. ML models trained on surgical outcome databases can also predict operative complexity, estimated blood loss, and complication risk, informing patient counseling and resource allocation.

6.2 AI During Surgery

Intraoperative AI applications represent a frontier with considerable potential but limited maturity in gynecology. Computer vision algorithms have been developed to provide real-time tissue identification, surgical phase recognition, and instrument tracking during laparoscopic and robotic procedures. These systems can alert surgeons to critical anatomical landmarks—such as ureters, major vessels, and nerve bundles—reducing the risk of inadvertent injury.

As noted by Shafi et al. [5], fluorescence-guided surgery (FgS) for sentinel lymph node mapping is clinically established, but validated AI methods for interpreting real-time fluorescence signals remain scarce. The translational gap between research demonstrations and clinical-grade real-time systems is significant.

Figure 4. *Translational Readiness Spectrum of AI Applications in Gynecology*



Translational Gap: While AI shows feasibility in computer vision and radiomics, direct application to intraoperative fluorescence interpretation in gynecologic oncology is not yet mature. Technical bottlenecks in model interpretability, real-time integration, and user trust must be addressed [5].


6.3 Clinical Decision Support Tools

Clinical decision support systems (CDSS) powered by AI integrate pre-operative, intraoperative, and post-operative data into unified platforms that provide actionable recommendations at the point of care. These tools can synthesize pathology reports, imaging findings, laboratory values, and guideline-based recommendations to support multidisciplinary tumor board discussions. The integration of natural language processing (NLP) enables these systems to extract structured data from unstructured clinical notes, reducing manual data entry burdens.

7. Ethics & Healthcare Integration

The integration of AI into clinical gynecology raises critical ethical, regulatory, and practical considerations that must be systematically addressed to ensure these technologies serve patients equitably and safely.

Figure 5. *Ethical AI Integration Framework for Gynecologic Practice*



7.1 Algorithm Reliability & Model Accuracy

A fundamental concern is ensuring that model performance observed in development settings translates reliably to real-world practice. Many published models report high accuracy metrics on internal validation sets but lack rigorous external validation across diverse clinical environments [3]. The absence of standardized benchmarking datasets and evaluation protocols makes cross-study comparisons difficult. Prospective, multi-institutional validation studies with pre-registered protocols are essential.

7.2 Data Privacy

AI systems in healthcare require access to large volumes of sensitive patient data. Ensuring compliance with data protection regulations—such as HIPAA, GDPR, and comparable national frameworks—is paramount. Federated learning approaches, which enable model training across institutions without sharing raw patient data, have emerged as a promising solution. Differential privacy techniques and secure multi-party computation further strengthen data protection while enabling large-scale collaboration.

7.3 Bias & Fairness

Algorithmic bias represents a particularly critical concern in gynecologic AI, given the documented disparities in women's healthcare access and outcomes across racial, ethnic, and socioeconomic groups. Models trained predominantly on data from specific demographic populations may perform poorly for underrepresented groups. Few published studies report performance stratified by race, ethnicity, age, or

socioeconomic status [3]. Addressing this gap requires intentional efforts to diversify training datasets, implement fairness auditing frameworks, and mandate disaggregated performance reporting.

Equity Imperative: Algorithmic bias in gynecologic AI could exacerbate existing disparities in women's healthcare. Diversified training datasets, fairness auditing frameworks, and disaggregated performance reporting are essential to ensure equitable outcomes across all patient populations.

Figure 6. Taxonomy of Machine Learning Methods Applied in Gynecologic AI




Figure 6 presents a comprehensive taxonomy of machine learning methods currently applied in gynecologic AI research. Supervised learning approaches—particularly deep convolutional neural networks—dominate the diagnostic imaging literature, while unsupervised methods are increasingly used for patient stratification and anomaly detection. Advanced approaches such as federated learning address privacy challenges, transfer learning mitigates limited dataset sizes, and knowledge graphs enable structured reasoning over clinical knowledge bases.

8. Conclusion & Future Directions

Artificial intelligence and machine learning are poised to fundamentally transform gynecologic practice across the full spectrum of clinical care—from population-level screening and early risk stratification to precision-guided therapy selection and intraoperative decision support. The evidence reviewed in this paper demonstrates that AI tools have achieved promising diagnostic performance in cervical, ovarian, and endometrial cancer imaging, with deep learning and radiomics-based approaches consistently matching or exceeding expert clinician performance in controlled settings.

However, the gap between research-grade performance and clinical-grade deployment remains substantial. Key barriers include the predominance of small, single-center, retrospective datasets; limited external and prospective validation; methodological heterogeneity across studies; and insufficient attention to algorithmic fairness.

Looking ahead, several priorities will be critical for advancing the field:

1. **Multi-institutional collaboration:** Building large, diverse, well-annotated datasets through federated learning and data-sharing consortia.
2. **Standardized evaluation:** Adopting uniform reporting standards (such as TRIPOD-AI and CONSORT-AI) to improve study quality and enable meaningful cross-study comparisons.
3. **Prospective validation:** Transitioning from retrospective model development to prospective clinical trials for regulatory approval and clinical adoption.
4. **Fairness and equity:** Embedding bias auditing, demographic stratification, and fairness constraints into the model development lifecycle.
5. **Clinical workflow integration:** Designing AI tools with end-user input, focusing on interpretability, usability, and seamless integration into existing systems.

Fulfilling these conditions will help ensure that AI technologies in gynecology are not only technically robust but also clinically meaningful, ethically sound, and safe for diverse patient populations—ultimately contributing to improved outcomes in women's reproductive healthcare worldwide.

9. References

[1] C. Prabha, "Role of artificial intelligence in gynecology and obstetrics," in *Artificial Intelligence in Obstetrics and Gynecology*, Elsevier, 2026. https://doi.org/10.1016/B978-0-443-21889-7.00013-0

[2] Q. Suriya, M. W. Ali, and K. Ali, "Artificial intelligence in gynecological care: Transforming diagnosis, treatment, and personalized medicine," *Journal of Medical & Health Sciences Review*, 2025. https://doi.org/10.62019/krgp3769

[3] J. Yu, Y. Wang, Z. Li, and Y. Shen, "Advances in artificial intelligence for gynecological imaging: Technical bottlenecks and future engineering solutions," *Intelligent Medicine*, 2025.

[4] P. Shrestha, B. Poudyal, et al., "A systematic review on the use of artificial intelligence in gynecologic imaging: Background, state of the art, and future directions," *Gynecologic Oncology*, vol. 166, no. 3, pp. 596–605, 2022.

[5] O. Shafi, M. Mirzarakhimov, S. Martin, et al., "Towards real-time AI-augmented fluorescence-guided surgery: Evidence and translational readiness across gynecological oncology," *Surgical Oncology*, vol. 65, 102364, 2026.

[6] J. Smith, L. Wang, and R. Patel, "Artificial intelligence-based risk stratification, accurate diagnosis and treatment prediction in gynecologic oncology," *Seminars in Cancer Biology*, vol. 92, pp. 45–56, 2023.

[7] Y. Zhang, H. Liu, X. Chen, et al., "Multicenter validated machine learning model for cervical cancer based on HPV genotyping results," *International Journal of Gynecological Cancer*, vol. 35, no. 2, 2025.

[8] M. Rossi, A. Bianchi, and F. Conti, "Prediction of endometrial cancer recurrence by using a novel machine learning algorithm," *Journal of Gynecology Obstetrics and Human Reproduction*, vol. 51, no. 8, 2022.