```
C. 7 Uters > Maltin 7 Chelline 7 (Listed Malfelt ) Howyropet 3 apps 3 Instinution 3. ◆ modelupy 7 (Listed Parks)
              18 tlass thubum(remisis/memis)
13 nees = memis.Churfisim(mag.langth=180)
20 age = models.forspecials()
21 address = counts.forspecials()
22 profile_picture = counts.forspecials()
23 profile_picture = counts.forspecials()
   0
                        def _str_(self):
return self.name
   0
                        Flow 18 class Amment/(manels.Popel):
                             city + models (thermis)s(mas_larger=100)
  10
                         nef _str_(self):
return celf-city
                        class Stommont(ensulations)
                           new = models.Churtisidinas_largtr=100)
age = models.letager(sid())
address; = models.terytoring=tals((deress), related_name="students")
profile_picture = models.terytoring=tals((uploss_th='images)*, blant=frue, nell=true)
                      def _str_(self):
return delf.name
              size ProfilePittors(molels.Note))

student - models.Ourthorn(tain(Unders, on_deleterodels.CAMCKOE)

taige - models.Desprisio(unload_to-'inages')
Francis BRAS ME COMME
                                                                                                                                                                                Parameter And Color Species (APA) CRES D Spring 2125-64 Nr. C.
C. 2 Users 2 dBalls 2 Chellifes 2 water 2 well finit 2 librarypropert 2 apps 2 localmodule 2 ◆ formup 2...
               t class differenters(forms.modiform):

in class forms

sodal = Address

fields = [fdity]
   0
                       0
                        place Address Principles and Princip
                        tless Perso
sodel - Address2
fields = ['city']
  ψ
                        class trudently representation of
                        tlass ferfileficture (free diselfers):

sodel = Prefileficture

flatds = [?stodent*, 'lsage']
Francis State Mt Comm
                                                                                                                                                                                Tolonia telli Gitt. Societa (III-E CRIT. G. Spine (2175) REIL (2
 N File felt Selection View Go Ray → 16 → 17 Selection Company Go Ray → 16 → 17 X
 D + 27 III -
       use Fidals | Coulons | Lad Size > Wesley | Stronger | App | App | Stronger | App 
  284 Mark 18
281 # 15st old students
                        def list_students(request))
    students = Student.objectp.all()
    return render(request, 'hookendule/list_students.tml', ('students')
   0
                                                                                                                                                                       Fighte Tooks
                                                                                                                                                           259
                                                                                                                                                                       def list_students(request):
    students = Mindents objects.ali()
    return render(request, 'Nonmemble/list_studentss.btml', ('students
                        Nef and student(request) |
                               if remark setted = FRET
form = District orn(request FRET, request FREE)
if form is_valid();
  0
                                                                                                                                                            242
                                                                                                                                                            243
              214
                                                                                                                                                                     def add_student2(request))
   (f request_rethed >= 'POST')
        fore = StudentSTorm(request_POST, request_FILES)
        if fare.is_relid()
                                     form.save()
return redirect("last_students")
                                                                                                                                                            244
245
               215
              216
217
  ů.
                              PERMI
                           form = timberform()
reform render(request, 'booksuble/add_violant.mbsl', ('form', form
                                                                                                                                                                             form.swe()
return suffract['list_studentsi')
else:
form = ltudent3fcm()
                        # Update a student | 258 | 252 | 252 | 253 | 254 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255
                         # update a student
                                                                                                                                                                             return render(request, 'buckendule/add_student2.html', ['form' fdr
                                                                                                                                                                      Hef opdate_studentl(request, Id):
                                                                                                                                                                            227
                                                                                                                                                           201
                                                                                                                                                                           Twenty to 200,000 Taxon C. Allina Colle 12 System 2 (22-44-14) (2
Prote O DIAO WE SOME
 © 2 Users > abide > Creditive > untial place > Welforb > Browgroped > spps > benkmedute > ◆ view.gv > ....
             253 [
             254 def undets_tindent!(request, if:)
255 etudent = gst_sbject_==_600(tindent0, Limid)
256 (/ Posiost method == Post :
257 fore = Indiminifaring request POst, request Files, instance-student)
258 (/ fore.is_valid):
   0
              259
                                              form save()
   0
                                     Form I Driefe
                                                               (Cirural Instancerstudent)
              262
                                return render/request, 'hooksadule/update_stadent2.html', ('form') form))
                         staff dallets student2(remove, 14):
                               student = gst_shjert_=_404(Stume=12, id=1d) student_delete()
  rĝi.
                               return resirent['list_students2')
              368
              257
                         def uploss profile pictore(request);
                              if request.method == 'PORT'
fore = NorfileFirst == (request.POST, request.FILES)
if fore.is_unlid()
               274
                                      form.idom()
return retirect('student_list')
                                        fore = ProfilePistorwione()
                                return render(request, 'booksminule/upload_picture.html', {\'form': form\}
             201
Prestor O GRAD WE Stores
                                                                                                                                                                         French 16242 DEN Spinick SID-8 CRE, CLYMAN SIZSWAN (F
```

```
    The fait beautine View Go Run → ← + Change
    Disord
    Disord

    □ F disaple2 M · • modelage M · • foreign M · • weege M · • what M · of foreign manual manual M · of passenger manual M · of 
                        C / Uses > Males > Creditive > Local plan > Welforb > Brevproped > upps > templates > brokenedule > <0 Regulations have a content of the cont
                                                         ca brefor(N ant 'add_stadent' %3")Add Stadents/ar
       0
                           10
                                                                    (% for student is students %)
                            12
                                                                                         ((student.ld))
Name: (( student name })
      ò
                                                                                        Age: {{ student:age }}
                                                                                        Address: {(stainst.eddress))
    南
                            19
                                                                                       Profile Picture:
(% of student profile picture %)
(log eror*(( student profile picture, ori ))* elte*Profile Picture* eletto*(180°)
(% elec %)
                                                                              (% (f elident proving picture applied (% pice %)

(% pice %)

No profile picture available.

(% ene(f %)
                             23
23
24
                             25
                                                                                       capitable;
on heaft (X unl 'unders_student' student id X)')Edit (A) |
on heaft (X unl 'milets_student' student id X)')Oblets (A)
                             28
                             29
30
31
                                                                               (3e)
(/34)
                                                                 (% empty %)
cprNo students evallable,*/p>
                                                                     (% mother %)
A Promo O BIAN WE DOWN
                                                                                                                                                                                                                                                                                                                                               These builder house the the deposits of

    No felt Selection New Go Ray - ← + C Selection To Discont
    □ Edisplet M • matelage M • foreign M • verify M • visit M · visi
                        C. Y. Ulars > Mally > Creditive > منطح المنظم > Welforb ) Brurypropid > appx > templates > tookmedule > + + Natural Paris
                        7 (Body)
5 (& href="(% art "and_stumest]" %)":Add St=fent(/a)
                                                               (% for student in students %)
       0
                             12
                                                                                          {(student.id))
Name: {{ student.mane }}
                             15
                                                                                          Age: (( student.age ))
     0
                                                                                           Address
                            18
                                                                                           (% for eddless in student addresses all %) ({ address city }), (% endfor %)
                            19
                            20
21
    巾
                                                                                          (% (f student profile_picture %)
- (bg sec*({ student profile_picture.orl })* slex*Frontle Ficture* slette*(mm*/s
(% size %)
                                                                                                      No profile picture evailable.
                                                                                           No preri
(% endif %)
                             28
                                                                               thes

ta bref- (% art 'sedate_student2' student is %2' Hills(/a) |

ta bref- (% art 'delete_student2' student is %3')Oelete(/a)
                             22
                                                                                critis
34 cp-No students available s/p-
                                                                                                                                                                                                                                                                                                                                             Therein to HEGGE Spread STORE THE Charge HIST CT
                                                                                                                                      A File Edit Selection View Go Flan --
    O III - II Signaturent Steel II - III addinamentaria III - III addinamentaria II - III addinamentaria II - III
                     C 2 Uters 2 (Babb 2 OneDrive 2 Latal place 2 Welfach 3 Braypropert 2 spps 2 templates 2 boxim C 2 Uters 2 (Babb 2 OneDrive 2 Latal place 3 Welfach 3 Braypropert 2 spps 3 templates 2 boxim S (100CTYPE (rest))
                          1 (100CTYPE html)
2 (html lange"er")
                                                                                                                                                                                                                                                                                              chest languages
                                         conta charget="UTF-8">
ctitle>Add Student=/Title>
                                                                                                                                                                                                                                                                                             inets charact="UTF-8">
ctitle:Add Student(/title)
       0
                                                                                                                                                                                                                                                                                              (/head)
(body)
(hi)Add Student (2)(/hi)
                                         (%) Add Student (2)
(% serf_token %)
{{    farm.ss_p }}
(stutus types substituent/form.deta')
(farm)
                                                                                                                                                                                                                                                                          8 | Ohjodd Student (2)\(\frac{1}{12}\)
9 | Fore sethed="DOS" entype="milipart/fore-data">
10 | ($ corf_mben h)
11 | ({ fore, m.j. j.})
12 | dotte= type="sundit">Add Student(/button)
14 | (/fore)
15 | (/fore)
     0
                            11
    rật.
                                             4/70823
Prestor O GRAD WE Stowed
                                                                                                                                                                                                                                                                          Towards W.W.Cold Statement PRES CREEK Plant WHAT C
  C / Uten > 8585 ) Decline > Local place / Welfiels / Bioryproper > upps / tempines / boxes / C / Uten > 8585 ) Decline / Local place / Welfiels / Bioryproper > upps / tempines / boxes
                        1 NOTYPE html:
2 sl lang="an">
                                                                                                                                                                                                                                                                                            KIDDOTTRE NEWS
                                                                                                                                                                                                                                                                                               Chead
                                        ceets d'urset="VIF-8">
ctitle:Edit Student://title:
      0
                                                                                                                                                                                                                                                                                             rtitle-Edit Students/title-
                                                                                               DST enctype="multipart/?ore-duta">
                                                                                                                                                                                                                                                                                                                                                                     enctype="multipart:Fire-data">
                                                                                                                                                                                                                                                                                                                   (N carf_Solve N)
(( form.eqp ))
thettom type="subsit":Save Changes(/buttom)
                                                         (% carf_tuber %)
(( form an_p ))
(button type="submit">Save Changes:/button
                                                                                                                                                                                                                                                                                                           4/Forms
                            13
    南
                                             (% (f student profile_picture %)
(NE)Current Profile Picture(s/NE)
                                                                                                                                                                                                                                                                                                         (% (f trusent profile_gitture %)
(%):Gurrent Profile Picture((%))
(leg_src="({ student_profile_picture.ert })" elt="Profile Picture))
                                                          sing arest[[ student profile_picture art ]]" alts"Profile Picture"
                                             (% end(f %)

ca brefs'(% unl 'list_students' %)'>deck to List(/a)
                                                                                                                                                                                                                                                                                                           ca brefy"(% unt 'list_students)' %}"/dack to List(/a)
                                                                                                                                                                                                                                                                                               - (NEXT
                                            tella
Protect O BRAD WE Storm
```

