




Automated SBHP Proposal Workflow

User Manual - Internal Guide



Jurassic Gas Field Development Studies Team



9-June-2026



**Shahad Al-Jasmi
Amine Taha**

Table of Contents



إحدى شركات مؤسسة البترول الكويتية
A Subsidiary of Kuwait Petroleum Corporation

- ✓ **Automated SBHP
Proposal Objectives**
- ✓ **SBHP Proposal
Requirments**
- ✓ **Step-by-Step Workflow**
- ✓ **General Guidlines**

Automated SBHP Proposal Objectives



Standardization

Standardize the format and structure of SBHP proposals across the team




Efficiency

Reduce manual work and time required to prepare SBHP proposals




Quality

Minimizing errors by sourcing all well data directly from a system database




SBHP Proposal Requirements

Before initiating your SBHP proposal, ensure the following sheets are available and up to date for your assigned wells.




Perforation table

confirm that the perforation interval data is available for your assigned well & reflects the current latest well status. This includes the top and bottom current open perfs (MDft). Accurate perforation data is essential to ensure the guage is positioned correctly within the open zones.



Deviation survey

Confirm that a deviation survey is available for the assigned well including MD, TVD & inclination angle. The deviation survey must reflect the latest well bore trajectory (check for any side tracks). This data is critical for accurate depth correction and conversion from MD to TVD for guage placement.



Well schematic

Confirm the well schematic is available and current for your assigned well. It is required to verify the completion type and identify current open perforations prior to SBHP job planning. Any updates resulting from recent workovers, plugbacks must be reflected before the proposal is submitted.



Step-by-Step Workflow

Running the automated proposal generated

④ Step 4

Once SBHP proposal is generated, double check on all displayed data to make sure it matches your assigned well and it will automatically be saved in the same folder as the SBHP generator (you can simply drag it to your personal folder)

Well					SA-0236				
SBHP proposal Date					10-Jun-26				
Perforation Interval	Interval	Top	Bottom						
	#1	14988	15072						
	#2	15086	15190						
	#3	15216	15296						
	#4	15256	15296						
Formation		MM							
Completion Type		3 1/2" tbg							
Inclination		0							

Stops	MD (ft)	TVD (ft)	Duration (min)	Reference
1	Lubricator		5	
2	2000	2000	5	
3	4000	4000	5	
4	6000	6000	5	
5	8000	8000	5	
6	10000	9999	5	
7	12000	11999	5	
8	14000	13260	5	
9	14500	13469	5	
10	15030	13471	5	Mid Perf
11	15256	13482	90	Mid Perf




General Guidelines

TVD diff threshhold

This is the threshold at which the stops are made with respect to TVD (if the threshold is 50 then any two stops with TVD distance less than 50 ft gets cancelled) you can play around this number depending on your proposal needs prior to clicking generate

[illegible]



Thank you



Jurrasic Gas Field Development Studies Team



9-June-2026



Shahad Al-Jasmi
Amine Taha