

Support document

No.25110589 (Last updated 15.11.2022)



Sarah Durham
CCF LTD
Unit 17
WATERSIDE ROAD, STOURTON
LEEDS
West Yorkshire LS10 1RW
A/c No. 10023834

Persimmon Homes

Persimmon House / York YO19 4FE

PCSM

Pelican Works / Leeds LS26 0RS

Project Start Date November 2022

Project End Date 31.12.2022

Agreement Start Date November 2022

Persimmon Yorkshire - PCSM

All Support is calculated against our current price list, with the duration based on the start and end dates shown above. All service premiums will be at standard terms unless otherwise shown.

Support number MUST be quoted when placing orders with Knauf Customer Services for support showing additional discounts off invoice & when claiming credits for support on proof of delivery.

Please check project support document and in the case of any query, please contact Customer Administrator at the Sittingbourne office.

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<u>UK: Machine Plasters</u>			
Airless Backing 21kg	Std. Terms	Nil	PC
Airless Finish 25kg	Std. Terms	Nil	PC
Airless Finish Light 16.5kg (Tub)	Std. Terms	Nil	PC
<u>UK: Plaster Acc</u>			
Betokontakt 20 kg	Std. Terms	Nil	PC
<u>UK: Std Wallboard</u>			
9.5 Wallboard 900	Std. Terms	Nil	M2
9.5 Wallboard 1200	Std. Terms	Nil	M2
12.5 Wallboard 900	Std. Terms	Nil	M2
12.5 Wallboard 1200	Std. Terms	Nil	M2
15 Wallboard 900	Std. Terms	Nil	M2
15 Wallboard 1200	Std. Terms	Nil	M2
<u>UK: Baseboard</u>			
9.5 Baseboard 900	Std. Terms	Nil	M2
<u>UK: Plank</u>			
19 Plank 600	Std. Terms	Nil	M2
<u>UK: Vapour Panel</u>			
12.5 Vapour Panel 900	Std. Terms	Nil	M2
12.5 Vapour Panel 1200	Std. Terms	Nil	M2
15 Vapour Panel 1200	Std. Terms	Nil	M2
<u>UK: Soundshield/Plus</u>			
12.5 Sound Panel 1200	Std. Terms	0.28	M2
12.5 Soundshield Plus 1200	Std. Terms	0.37	M2
15 Soundshield Plus 900	Std. Terms	0.00	M2
15 Soundshield Plus 1200	Std. Terms	0.44	M2

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<u>UK: Moisture Panel</u>			
12.5 Moisture Panel 1200	Std. Terms	0.22	M2
15.0 Moisture Panel 1200	Std. Terms	0.27	M2
<u>UK: Performance Plus</u>			
12.5 Performance Plus 1200	Std. Terms	0.56	M2
15.0 Performance Plus 1200	Std. Terms	0.67	M2
<u>UK: Fire Panel</u>			
12.5 Fire Panel 900	Std. Terms	Nil	M2
12.5 Fire Panel 1200	Std. Terms	Nil	M2
15 Fire Panel 1200	Std. Terms	Nil	M2
<u>UK: Coreboard</u>			
19 Core Board 600	Std. Terms	0.02	M2
<u>UK: Laminates</u>			
22 Thermal Laminate	Std. Terms	0.02	M2
30 Thermal Laminate	Std. Terms	0.03	M2
40 Thermal Laminate	Std. Terms	0.03	M2
50 Thermal Laminate	Std. Terms	0.03	M2
22 Thermal Vapour Panel	Std. Terms	0.03	M2
30 Thermal Vapour Panel	Std. Terms	0.03	M2
40 Thermal Vapour Panel	Std. Terms	0.03	M2
XPS Laminate Plus 27	Std. Terms	0.04	M2
XPS Laminate Plus 35	Std. Terms	0.05	M2
XPS Laminate Plus 40	Std. Terms	0.06	M2
XPS Laminate Plus 45	Std. Terms	0.06	M2
XPS Laminate Plus 55	Std. Terms	0.07	M2
35 PIR Laminate	Std. Terms	0.12	M2
50 PIR Laminate	Std. Terms	0.13	M2
65 PIR Laminate	Std. Terms	0.15	M2
75 PIR Laminate	Std. Terms	0.16	M2
<u>UK: Jointing Mats</u>			
Fill and Finish 30 Premium 5 kg	Std. Terms	0.00	PC
Fill and Finish 30 Premium 10 kg	Std. Terms	Nil	PC
Fill and Finish 60 Premium 5 kg	Std. Terms	0.00	PC
Fill and Finish 60 Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 20 kg	Std. Terms	Nil	PC
Joint Cement Premium	Std. Terms	Nil	PC
Uniflott 25 kg	Std. Terms	Nil	PC
Joint Tape	Std. Terms	Nil	PAC
<u>UK: Drywall Acc</u>			
Wallboard Primer	Std. Terms	Nil	PC
Uniflott Applicator Kit	Std. Terms	Nil	PC
Fibre Tape 90 m	Std. Terms	Nil	PC

Product Description	Off Invoice discount (for direct)	Pence of Support (for ex yard)	Unit of Measure
Drywall Angle Bead 2.4m	Std. Terms	Nil	M
Drywall Angle Bead 3.0 m	Std. Terms	Nil	M
Corner Flex Tape	Std. Terms	Nil	PAC
Drywall Edge Bead 12.5 mm	Std. Terms	Nil	M
Drywall Edge Bead 15 mm	Std. Terms	Nil	M
Movement Control Joint	Std. Terms	Nil	M
Sealant	Std. Terms	Nil	PC
Intumescent Acoustic Mastic Foil	Std. Terms	Nil	PC
Intumescent and Acoustic Mastic	Std. Terms	Nil	PC
<u>UK: Putty Pads</u>			
Putty Pads 170mm x 170mm	33.760%	0.43	PC
Putty Pads 230mm x 170mm	33.790%	0.80	PC
Deflection Head Fire Seal (20)	Std. Terms	2.46	PC
Deflection Head Fire Seal W6 (20)	Std. Terms	2.46	PC
Deflection Head Fire Seal W7 (20)	Std. Terms	2.46	PC
Deflection Head Fire Seal W9 (20)	Std. Terms	2.46	PC
Deflection Head Fire Seal WS (20)	Std. Terms	2.88	PC
<u>UK: Bonding Compound</u>			
Bonding Compound 25 kg	Std. Terms	Nil	PC
<u>UK: Drywall Fixings</u>			
Drywall Screws 25 mm	Std. Terms	Nil	PAC
Drywall Screws 32 mm	Std. Terms	Nil	PAC
Drywall Screws 38 mm	Std. Terms	Nil	PAC
Drywall Screws 42 mm	Std. Terms	Nil	PAC
Drywall Screws 50 mm	Std. Terms	Nil	PAC
Drywall Screws 60 mm	Std. Terms	Nil	PAC
Drywall Screws 75 mm	Std. Terms	Nil	PAC
Collated Drywall Screws 25mm	Std. Terms	Nil	PAC
Collated Drywall Screws 35mm	Std. Terms	Nil	PAC
Collated Drywall Screws 45mm	Std. Terms	Nil	PAC
Jackpoint Screws 25 mm	Std. Terms	Nil	PAC
Jackpoint Screws 35 mm	Std. Terms	Nil	PAC
Jackpoint Screws 42 mm	Std. Terms	Nil	PAC
Jackpoint Screws 55 mm	Std. Terms	Nil	PAC
Drywall Wood Screws 38 mm	Std. Terms	Nil	PAC
Drywall Wood Screws 42 mm	Std. Terms	Nil	PAC
Performance Plus Screws 25mm	Std. Terms	Nil	PAC
Performance Plus Screws 35mm	Std. Terms	Nil	PAC
Performance Plus Screws 45mm	Std. Terms	Nil	PAC
Collated Perf Plus Screws 25mm	Std. Terms	Nil	PAC
Collated Perf Plus Screws 35mm	Std. Terms	Nil	PAC
Collated Perf Plus Screws 45mm	Std. Terms	Nil	PAC
Wafer-Head Jackpoint Screw	Std. Terms	Nil	PAC

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
Nailable Plug 6/35 mm	Std. Terms	Nil	PAC
Nailable Plug 8/80 mm	Std. Terms	Nil	PAC
Nailable Plug 8/100 mm	Std. Terms	Nil	PAC
Wafer-Head Self Tapping 14mm	Std. Terms	Nil	PAC
Vidiwall Screws 3.9 x 30	Std. Terms	Nil	PAC
Vidiwall Screws 3.9 x 45	Std. Terms	Nil	PAC
<u>UK: C Stud & U Chnl</u>			
50mm C Stud 0.55g	Std. Terms	0.11	M
60mm C Stud 0.55g	Std. Terms	0.15	M
70mm C Stud 0.55g	Std. Terms	0.14	M
92mm C Stud 0.55g	Std. Terms	0.20	M
146mm C Stud 0.55g	Std. Terms	0.27	M
70mm C Stud 0.7g	Std. Terms	0.29	M
92mm C Stud 0.7g	Std. Terms	0.33	M
146mm C Stud 0.7g	Std. Terms	0.38	M
50mm Acoustic C Stud 0.6g	Std. Terms	0.18	M
70mm Acoustic C Stud 0.6g	Std. Terms	0.25	M
MW Stud	Std. Terms	0.38	M
52 U Channel 0.55g	Std. Terms	0.12	M
62 U Channel 0.55g	Std. Terms	0.14	M
72 U Channel 0.55g	Std. Terms	0.13	M
94 U Channel 0.55g	Std. Terms	0.18	M
148 U Channel 0.55g	Std. Terms	0.21	M
52 DF U Channel 0.6g	Std. Terms	0.22	M
72 DF U Channel 0.6g	Std. Terms	0.24	M
52 DF U Channel 0.7g	Std. Terms	0.34	M
62 DF U Channel 0.7g	Std. Terms	0.35	M
72 DF U Channel 0.7g	Std. Terms	0.37	M
94 DF U Channel 0.7g	Std. Terms	0.43	M
148 DF U Channel 0.7g	Std. Terms	0.49	M
UW Runner 100/40/06 4000	Std. Terms	0.29	M
20 U Channel Perimeter Support 0.55g	Std. Terms	0.09	M
<u>UK: I Stud</u>			
50mm I Stud 0.55g	Std. Terms	0.28	M
60mm I Stud 0.55g	Std. Terms	0.27	M
60mm I Stud 0.7g	Std. Terms	0.32	M
70mm I Stud 0.7g	Std. Terms	0.37	M
92mm I Stud 0.9g	Std. Terms	0.42	M
146mm I Stud 0.9g	Std. Terms	0.64	M
Staggered Stud Clip 60 mm	Std. Terms	3.15	PAC
Staggered Stud Clip 92 mm	Std. Terms	4.88	PAC
<u>UK: Ceiling&Wall Lin</u>			
C Channel	Std. Terms	0.15	M

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
Channel Intersection Connector	Std. Terms	6.42	PAC
C Channel Connector	Std. Terms	4.31	PAC
Universal Bracket	Std. Terms	7.08	PAC
Soffit Cleats	Std. Terms	1.30	PAC
Strap Hanger	Std. Terms	0.97	PC
Connecting Clips	Std. Terms	4.84	PAC
Ceiling Channel	Std. Terms	0.11	M
Perimeter Channel	Std. Terms	0.08	M
Primary Support Channel	Std. Terms	0.11	M
Nut And Bolt	Std. Terms	0.52	PAC
CD U Channel	Std. Terms	0.14	M
<u>UK: Shaftwall</u>			
60mm C T Stud 0.92g	Std. Terms	0.64	M
92mm C T Stud 0.92g	Std. Terms	0.76	M
146mm C T Stud 0.92g	Std. Terms	0.95	M
62mm J Channel 0.92g	Std. Terms	0.48	M
94mm J Channel 0.92g	Std. Terms	0.57	M
148mm J Channel 0.92g	Std. Terms	0.74	M
Core Board Channel	Std. Terms	0.12	M
<u>UK: Metal Acc</u>			
Resilient Bar	Std. Terms	0.16	M
Flat Fixing Plate 70mm	Std. Terms	0.14	M
Fixing Channel	Std. Terms	0.25	M
Angle Section (25 X 25)	Std. Terms	0.10	M
Angle Section (25 X 50)	Std. Terms	0.16	M
Fixing Clip	Std. Terms	5.86	PAC
<u>UK: Aquapanel</u>			
12.5 Aquapanel Outdoor 900	Std. Terms	Nil	M2
6 Aquapanel Floor Tile Underlay 900 1200	Std. Terms	Nil	M2
Aquapanel SkyLite 8mm	Std. Terms	Nil	M2
<u>UK: Sheetrock</u>			
Dallas B1 External Bead 2600	Std. Terms	Nil	PAC
Dallas B1 External Bead 3000	Std. Terms	Nil	PAC
Las Vegas B2 Internal Bead	Std. Terms	0.24	PAC
Las Vegas B2 Internal Bead 3000mm	Std. Terms	0.30	PAC
Flexible Metal Tape	Std. Terms	Nil	PAC
<u>UK: RM Jointing Mats</u>			
Fill and Finish 20kg	Std. Terms	Nil	PC
Fill and Finish Light 5kg	Std. Terms	Nil	PC
Fill and Finish Light 20kg	Std. Terms	Nil	PC

Sales Representative Jonathan Kirk

Jonathan.Kirk@knauf.com

+44 (7771) 806014



Knauf Deflection Head Fire Seal – New July 2019

What is it?

Knauf Deflection Head Fire Seal is used at the deflection head detail of drywall partition systems to provide an effective fire and acoustic barrier. Maximum deflection allowance 25mm downward.

Designed for indoor use in dry conditions.

For more information, contact
Technical Service:

Tel: 0800 030 4135

Email: technical@knauf.co.uk

www.knauf.co.uk

 /KnaufUK  @Knauf_UK

What are the benefits?

- **Simplification of build**
Eliminates the need for cut fillets, mastics and sealants.
- **Time saving**
Improved productivity from faster installation.
- **Improved quality assurance**
Simple solution — visible result.
- **Waste reduction**
Offcuts can be used on next section of track. Easy disposal of any residual product through normal waste channels.
- **Improved Health and Safety**
Elimination of dust when cutting fillets.
Reduction of weight to be lifted overhead during installation.

Build for the world we live in