

Support document

No.25027843 (Last updated 04.01.2023)



CCF Pricing Head Office

CCF LTD

EASTERN INDUSTRIE

NEWARK ROAD

PETERBOROUGH

Cambridgeshire PE1 5YX

A/c No. 10023839

Bow Drywall Ltd

53 Allen Road / HUNTINGDON PE26 1JU

Project Start Date January 2023

Project End Date 31.12.2023

Agreement Start Date January 2023

Bow Drywall Ltd - General Terms

All Support is calculated against our current price list, with the duration based on the start and end dates shown above. All service premiums will be at standard terms unless otherwise shown.

Support number MUST be quoted when placing orders with Knauf Customer Services for support showing additional discounts off invoice & when claiming credits for support on proof of delivery.

Please check project support document and in the case of any query, please contact Customer Administrator at the Sittingbourne office.

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<u>UK: Std Wallboard</u>			
9.5 Wallboard 900	Std. Terms	0.06	M2
9.5 Wallboard 1200	Std. Terms	0.06	M2
12.5 Wallboard 900	Std. Terms	0.06	M2
12.5 Wallboard 1200	Std. Terms	0.06	M2
15 Wallboard 900	Std. Terms	0.08	M2
15 Wallboard 1200	Std. Terms	0.07	M2
<u>UK: Baseboard</u>			
9.5 Baseboard 900	Std. Terms	Nil	M2
<u>UK: Plank</u>			
19 Plank 600	Std. Terms	Nil	M2
<u>UK: Vapour Panel</u>			
12.5 Vapour Panel 900	Std. Terms	0.04	M2
12.5 Vapour Panel 1200	Std. Terms	0.04	M2
15 Vapour Panel 1200	Std. Terms	0.03	M2
<u>UK: Soundshield/Plus</u>			
12.5 Sound Panel 1200	Std. Terms	0.16	M2
12.5 Soundshield Plus 1200	59.870%	0.69	M2
15 Soundshield Plus 1200	59.900%	0.83	M2
<u>UK: Moisture Panel</u>			
12.5 Moisture Panel 1200	Std. Terms	0.31	M2
15.0 Moisture Panel 1200	Std. Terms	0.34	M2
<u>UK: Performance Plus</u>			
12.5 Performance Plus 1200	57.670%	0.88	M2
15.0 Performance Plus 1200	57.670%	1.06	M2
<u>UK: Fire Panel</u>			
12.5 Fire Panel 900	Std. Terms	0.19	M2
12.5 Fire Panel 1200	Std. Terms	0.17	M2

Support document

No.25027843 (Last updated 04.01.2023)



Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
15 Fire Panel 1200	Std. Terms	0.20	M2
<u>UK: Coreboard</u>			
20 Core Board 600	Std. Terms	0.19	M2
<u>UK: Laminates</u>			
22 Thermal Laminate	Std. Terms	0.15	M2
30 Thermal Laminate	Std. Terms	0.18	M2
40 Thermal Laminate	Std. Terms	0.21	M2
22 Thermal Vapour Panel	Std. Terms	0.18	M2
30 Thermal Vapour Panel	Std. Terms	0.21	M2
40 Thermal Vapour Panel	Std. Terms	0.25	M2
XPS Laminate Plus 27	Std. Terms	0.27	M2
XPS Laminate Plus 35	Std. Terms	0.31	M2
XPS Laminate Plus 40	Std. Terms	0.35	M2
XPS Laminate Plus 45	Std. Terms	0.38	M2
XPS Laminate Plus 55	Std. Terms	0.44	M2
35 PIR Laminate	Std. Terms	0.79	M2
50 PIR Laminate	Std. Terms	0.87	M2
65 PIR Laminate	Std. Terms	0.99	M2
75 PIR Laminate	Std. Terms	1.03	M2
<u>UK: Bonding Compound</u>			
Bonding Compound 25 kg	Std. Terms	Nil	PC

Sales Representative Eddy Clutton

Eddy.Clutton@knauf.com

+44 (7769) 880276



Knauf Deflection Head Fire Seal – New July 2019

What is it?

Knauf Deflection Head Fire Seal is used at the deflection head detail of drywall partition systems to provide an effective fire and acoustic barrier. Maximum deflection allowance 25mm downward.

Designed for indoor use in dry conditions.

For more information, contact
Technical Service:

Tel: 0800 030 4135

Email: technical@knauf.co.uk

www.knauf.co.uk

 /KnaufUK  @Knauf_UK

What are the benefits?

- **Simplification of build**
Eliminates the need for cut fillets, mastics and sealants.
- **Time saving**
Improved productivity from faster installation.
- **Improved quality assurance**
Simple solution — visible result.
- **Waste reduction**
Offcuts can be used on next section of track. Easy disposal of any residual product through normal waste channels.
- **Improved Health and Safety**
Elimination of dust when cutting fillets.
Reduction of weight to be lifted overhead during installation.

Build for the world we live in