

# Support document

No. 25099981 (Last updated 04.01.2023)



## CCF HEAD OFFICE Pricing

CCF Ltd.  
ENTERPRISE WAY  
ACCES 26 BUS PARK, LANGLEY MIL  
NOTTINGHAM  
Nottinghamshire NG16 4HY

**A/c No.** 10023844

## Project details

### UK Cadbury College

Cadbury College  
Birmingham B38 8QT

### Speller Metcalfe

Unit 1145, Regent Court / GLOUCESTER GL3 4AD  
**Global Contract Interiors Ltd**  
3 The Triangle, Queens Drive / Nottingham NG2 1AE

**Project Start Date** March 2022

**Project End Date** 31.12.2023

**Agreement Start Date** January 2023

## Cadbury College, Birmingham

All Support is calculated against our current price list, with the duration based on the start and end dates shown above. All service premiums will be at standard terms unless otherwise shown.

*Support number MUST be quoted when placing orders with Knauf Customer Services for support showing additional discounts off invoice & when claiming credits for support on proof of delivery.*

Please check project support document and in the case of any query, please contact Customer Administrator at the Sittingbourne office.

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<b><u>UK: Machine Plasters</u></b>			
Airless Backing 21kg	Std. Terms	Nil	PC
Airless Finish 25kg	Std. Terms	Nil	PC
Airless Finish Light 16.5kg (Tub)	Std. Terms	Nil	PC
<b><u>UK: Plaster Acc</u></b>			
Betokontakt 20 kg	Std. Terms	Nil	PC
<b><u>UK: Std Wallboard</u></b>			
9.5 Wallboard 900	69.580%	0.91	M2
9.5 Wallboard 1200	69.560%	0.79	M2
12.5 Wallboard 900	69.580%	0.91	M2
12.5 Wallboard 1200	69.450%	0.78	M2
15 Wallboard 900	69.530%	1.08	M2
15 Wallboard 1200	70.290%	1.01	M2
<b><u>UK: Baseboard</u></b>			
9.5 Baseboard 900	Std. Terms	Nil	M2
<b><u>UK: Plank</u></b>			
19 Plank 600	66.440%	1.16	M2
<b><u>UK: Vapour Panel</u></b>			
12.5 Vapour Panel 900	67.120%	1.36	M2
12.5 Vapour Panel 1200	65.870%	1.05	M2
15 Vapour Panel 1200	65.970%	1.28	M2
<b><u>UK: Soundshield/Plus</u></b>			

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
12.5 Sound Panel 1200	64.870%	0.95	M2
12.5 Soundshield Plus 1200	69.280%	1.68	M2
15 Soundshield Plus 1200	69.370%	2.04	M2
<b><u>UK: Moisture Panel</u></b>			
12.5 Moisture Panel 1200	66.670%	1.55	M2
15.0 Moisture Panel 1200	66.150%	1.81	M2
<b><u>UK: Performance Plus</u></b>			
12.5 Performance Plus 1200	66.880%	2.07	M2
15.0 Performance Plus 1200	66.020%	2.36	M2
<b><u>UK: Fire Panel</u></b>			
12.5 Fire Panel 900	66.070%	1.10	M2
12.5 Fire Panel 1200	66.000%	0.94	M2
15 Fire Panel 1200	65.960%	1.16	M2
<b><u>UK: Coreboard</u></b>			
19 Core Board 600	63.280%	2.49	M2
<b><u>UK: Laminates</u></b>			
22 Thermal Laminate	63.040%	1.05	M2
30 Thermal Laminate	63.140%	1.23	M2
40 Thermal Laminate	62.810%	1.41	M2
50 Thermal Laminate	62.820%	1.65	M2
22 Thermal Vapour Panel	62.830%	1.23	M2
30 Thermal Vapour Panel	62.800%	1.39	M2
40 Thermal Vapour Panel	62.760%	1.61	M2
XPS Laminate Plus 27	62.670%	1.79	M2
XPS Laminate Plus 35	62.700%	2.04	M2
XPS Laminate Plus 40	62.670%	2.29	M2
XPS Laminate Plus 45	62.720%	2.52	M2
XPS Laminate Plus 55	Std. Terms	Nil	M2
35 PIR Laminate	Std. Terms	Nil	M2
50 PIR Laminate	Std. Terms	Nil	M2
65 PIR Laminate	Std. Terms	Nil	M2
75 PIR Laminate	Std. Terms	Nil	M2
<b><u>UK: Jointing Mats</u></b>			
Fill and Finish 30 Premium 10 kg	Std. Terms	Nil	PC
Fill and Finish 60 Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 20 kg	Std. Terms	Nil	PC
Joint Cement Premium	Std. Terms	Nil	PC
Uniflott 25 kg	Std. Terms	Nil	PC
Joint Tape	Std. Terms	Nil	PAC
<b><u>UK: Drywall Acc</u></b>			
Wallboard Primer	Std. Terms	Nil	PC
Fibre Tape 90 m	Std. Terms	Nil	PC

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
Drywall Angle Bead 2.4m	Std. Terms	Nil	M
Drywall Angle Bead 3.0 m	Std. Terms	Nil	M
Corner Flex Tape	Std. Terms	Nil	PAC
Drywall Edge Bead 12.5 mm	Std. Terms	Nil	M
Drywall Edge Bead 15 mm	Std. Terms	Nil	M
Movement Control Joint	Std. Terms	Nil	M
Sealant	Std. Terms	Nil	PC
Intumescent Acoustic Mastic Foil	Std. Terms	Nil	PC
Intumescent and Acoustic Mastic	Std. Terms	Nil	PC
<b><u>UK: Putty Pads</u></b>			
Putty Pads 170mm x 170mm	33.740%	0.47	PC
Putty Pads 230mm x 170mm	33.750%	0.86	PC
Deflection Head Fire Seal (20)	33.790%	5.06	PC
Deflection Head Fire Seal WS (20)	33.770%	5.92	PC
<b><u>UK: Bonding Compound</u></b>			
Bonding Compound 25 kg	Std. Terms	Nil	PC
<b><u>UK: Drywall Fixings</u></b>			
Drywall Screws 25 mm	53.130%	1.13	PAC
Drywall Screws 32 mm	53.110%	1.37	PAC
Drywall Screws 38 mm	53.100%	1.49	PAC
Drywall Screws 42 mm	53.130%	1.67	PAC
Drywall Screws 50 mm	53.150%	1.24	PAC
Drywall Screws 60 mm	53.110%	1.31	PAC
Drywall Screws 75 mm	53.120%	1.96	PAC
Collated Drywall Screws 25mm	53.120%	1.99	PAC
Collated Drywall Screws 35mm	53.120%	2.73	PAC
Collated Drywall Screws 45mm	53.110%	3.10	PAC
Jackpoint Screws 25 mm	53.120%	1.89	PAC
Jackpoint Screws 35 mm	53.130%	2.43	PAC
Jackpoint Screws 42 mm	53.130%	2.83	PAC
Jackpoint Screws 55 mm	53.120%	3.46	PAC
Drywall Wood Screws 38 mm	53.110%	1.95	PAC
Drywall Wood Screws 42 mm	53.120%	2.03	PAC
Performance Plus Screws 25mm	53.100%	1.86	PAC
Performance Plus Screws 35mm	53.110%	2.26	PAC
Performance Plus Screws 45mm	53.120%	3.05	PAC
Collated Perf Plus Screws 25mm	53.110%	3.32	PAC
Collated Perf Plus Screws 35mm	53.130%	4.00	PAC
Collated Perf Plus Screws 45mm	53.120%	5.39	PAC
Wafer-Head Jackpoint Screw	53.110%	3.11	PAC
Nailable Plug 6/35 mm	53.120%	1.96	PAC
Nailable Plug 8/80 mm	53.130%	1.52	PAC
Nailable Plug 8/100 mm	53.120%	2.28	PAC

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
Wafer-Head Self Tapping 14mm	53.110%	3.11	PAC
<b><u>UK: C Stud &amp; U Chnl</u></b>			
50mm C Stud 0.55g	52.890%	0.28	M
60mm C Stud 0.55g	52.810%	0.38	M
70mm C Stud 0.55g	52.900%	0.36	M
92mm C Stud 0.55g	52.740%	0.48	M
146mm C Stud 0.55g	52.760%	0.66	M
70mm C Stud 0.7g	52.790%	0.72	M
92mm C Stud 0.7g	52.820%	0.80	M
146mm C Stud 0.7g	52.810%	0.95	M
50mm Acoustic C Stud 0.6g	52.850%	0.45	M
70mm Acoustic C Stud 0.6g	52.720%	0.61	M
MW Stud	52.820%	0.93	M
52 U Channel 0.55g	52.670%	0.28	M
62 U Channel 0.55g	52.880%	0.33	M
72 U Channel 0.55g	52.710%	0.33	M
94 U Channel 0.55g	52.740%	0.42	M
148 U Channel 0.55g	52.690%	0.52	M
52 DF U Channel 0.6g	52.740%	0.53	M
72 DF U Channel 0.6g	52.830%	0.58	M
52 DF U Channel 0.7g	52.760%	0.84	M
62 DF U Channel 0.7g	52.820%	0.88	M
72 DF U Channel 0.7g	52.800%	0.90	M
94 DF U Channel 0.7g	52.790%	1.06	M
148 DF U Channel 0.7g	52.780%	1.21	M
UW Runner 100/40/06 4000	52.740%	0.71	M
20 U Channel Perimeter Support 0.55g	52.930%	0.23	M
<b><u>UK: I Stud</u></b>			
50mm I Stud 0.55g	52.710%	0.67	M
60mm I Stud 0.55g	52.740%	0.66	M
60mm I Stud 0.7g	52.830%	0.80	M
70mm I Stud 0.7g	52.790%	0.91	M
92mm I Stud 0.9g	52.750%	1.02	M
146mm I Stud 0.9g	52.760%	1.57	M
Staggered Stud Clip 60 mm	52.770%	7.75	PAC
Staggered Stud Clip 92 mm	52.770%	12.00	PAC
<b><u>UK: Ceiling&amp;Wall Lin</u></b>			
C Channel	52.730%	0.36	M
Channel Intersection Connector	52.770%	15.80	PAC
C Channel Connector	52.770%	10.61	PAC
Universal Bracket	52.780%	17.42	PAC
Soffit Cleats	52.760%	3.19	PAC
Strap Hanger	52.770%	2.39	PC

# Support document

No. 25099981 (Last updated 04.01.2023)



Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
Connecting Clips	52.770%	11.90	PAC
Ceiling Channel	52.740%	0.27	M
Perimeter Channel	52.710%	0.19	M
Primary Support Channel	52.710%	0.29	M
Nut And Bolt	52.770%	1.28	PAC
CD U Channel	52.660%	0.33	M
<b><u>UK: Shaftwall</u></b>			
60mm C T Stud 0.92g	50.740%	1.31	M
92mm C T Stud 0.92g	50.770%	1.57	M
146mm C T Stud 0.92g	50.760%	1.97	M
62mm J Channel 0.92g	50.800%	0.99	M
94mm J Channel 0.92g	50.750%	1.17	M
148mm J Channel 0.92g	50.790%	1.54	M
Core Board Channel	50.930%	0.26	M
<b><u>UK: Metal Acc</u></b>			
Resilient Bar	52.850%	0.40	M
Flat Fixing Plate 70mm	52.650%	0.35	M
Fixing Channel	52.720%	0.60	M
Angle Section (25 X 25)	52.560%	0.23	M
Angle Section (25 X 50)	52.840%	0.38	M
Fixing Clip	52.770%	14.42	PAC
<b><u>UK: Aquapanel</u></b>			
12.5 Aquapanel Outdoor 900	Std. Terms	Nil	M2
12.5 Aquapanel Indoor 900	Std. Terms	Nil	M2
6 Aquapanel Floor Tile Underlay 900 1200	Std. Terms	Nil	M2
<b><u>UK: Sheetrock</u></b>			
Dallas B1 External Bead 2600	Std. Terms	Nil	PAC
Dallas B1 External Bead 3000	Std. Terms	Nil	PAC
Las Vegas B2 Internal Bead	Std. Terms	0.27	PAC
Las Vegas B2 Internal Bead 3000mm	Std. Terms	0.34	PAC
Flexible Metal Tape	Std. Terms	Nil	PAC
<b><u>UK: RM Jointing Mats</u></b>			
Fill and Finish 20kg	Std. Terms	Nil	PC
Fill and Finish Light 5kg	Std. Terms	Nil	PC
Fill and Finish Light 20kg	Std. Terms	Nil	PC

Sales Representative Joshua Singleton Joshua.Singleton@knauf.com +44 (7876) 391494



## Knauf Deflection Head Fire Seal – New July 2019

### What is it?

Knauf Deflection Head Fire Seal is used at the deflection head detail of drywall partition systems to provide an effective fire and acoustic barrier. Maximum deflection allowance 25mm downward.

Designed for indoor use in dry conditions.

For more information, contact  
Technical Service:

**Tel: 0800 030 4135**

**Email: [technical@knauf.co.uk](mailto:technical@knauf.co.uk)**

**[www.knauf.co.uk](http://www.knauf.co.uk)**

 /KnaufUK  @Knauf\_UK

### What are the benefits?

- **Simplification of build**  
Eliminates the need for cut fillets, mastics and sealants.
- **Time saving**  
Improved productivity from faster installation.
- **Improved quality assurance**  
Simple solution — visible result.
- **Waste reduction**  
Offcuts can be used on next section of track. Easy disposal of any residual product through normal waste channels.
- **Improved Health and Safety**  
Elimination of dust when cutting fillets.  
Reduction of weight to be lifted overhead during installation.

***Build for the world we live in***